

## PERIODIC MULTILAYER FILM

We have a periodic layer structure with two layers in the period. Layer 1 has index of refraction  $n_1$ , relative permittivity  $\varepsilon_1 = n_1^2$ , and thickness  $d_1$ , whereas layer 2 has  $n_2, \varepsilon_2$  and  $d_2$ . The period of the layer structure is then

$$d = d_1 + d_2.$$

The layers are oriented in the x-y plane, perpendicular to the z direction, and have unity relative magnetic permeability. In each layer harmonic electromagnetic waves with frequency  $f$  travel up and down in the z direction. Let us define

$$k_0 = 2\pi f/c = \omega/c, \quad (1a)$$

$$k_1 = n_1 k_0 \quad \text{and} \quad k_2 = n_2 k_0, \quad (1b,1c)$$

where  $\omega$  is the angular frequency,  $c$  is the speed of light in vacuum, and  $k_i$ ,  $i = 0, 1, 2$  are the the angular repetencies i vacuum, layer 1 and layer 2, respectively. Let the E and D fields point in the x direction, so that the B and H fields point in the y direction. We then have the following expression for the E field in layer 1:

$$E(z) = E^+ \exp(ik_1 z) + E^- \exp(-ik_1 z), \quad (2)$$

and a corresponding expression for layer 2.

In layer 1 we have alternative expressions for the E field and the derivative of E with respect to  $z$ ,

$$E(z) = E(0) \cos(k_1 z) + (E'(0)/k_1) \sin(k_1 z), \quad (3a)$$

$$E'(z) = -k_1 E(0) \sin(k_1 z) + E'(0) \cos(k_1 z). \quad (3b)$$

If we have different materials in the two layers, there is a discontinuity in the index of refraction and permittivity when we go in the z direction from one material into the other material. Maxwell's equations then imply that  $E$ ,  $B$ , and  $H$  are alle continuous across the layer interfaces.  $D$  is equal to the permittivity times  $E$ , so  $D$  must be discontinuos across the interface. Furthermore, Maxwell's equations imply that  $E' = dE/dz$  is proportional to  $B$ , and hence continuous, whereas  $H' = dH/dz$  is proportional to  $D$  and hence discontinuous across the interface.

Let us introduce three coloumn vectors

$$\mathbf{E}_0 = \begin{bmatrix} E(0) \\ E'(0) \end{bmatrix}, \quad \mathbf{E}_1 = \begin{bmatrix} E(d_1) \\ E'(d_1) \end{bmatrix}, \quad \mathbf{E}_2 = \begin{bmatrix} E(d_1 + d_2) \\ E'(d_1 + d_2) \end{bmatrix} \quad (4a,b,c)$$

and two matrices

$$\mathbf{M}_1 = \begin{bmatrix} c_1 & s_1/k_1 \\ -s_1 k_1 & c_1 \end{bmatrix}, \quad \mathbf{M}_2 = \begin{bmatrix} c_2 & s_2/k_2 \\ -s_2 k_2 & c_2 \end{bmatrix}, \quad (5a,b)$$

with

$$c_p = \cos(k_p d_p) \quad \text{and} \quad s_p = \sin(k_p d_p) \quad \text{for } p \text{ equals 1 or 2.} \quad (5c,d)$$

Then the continuity requirements for the fields yield the following matrix equations

$$\mathbf{E}_2 = \mathbf{M}_2 \mathbf{E}_1 = \mathbf{M}_2 \mathbf{M}_1 \mathbf{E}_0. \quad (6)$$

Then we have obtained what is called a transfer matrix formulation. It is very transparent and easily generalized to the case of more than two layers per period in the structure.

We seek solutions of the socalled Bloch wave form, where

$$E(z) = \exp(ikz) u(z), \quad (7)$$

where  $k$  is called the Bloch wave vector, and  $u(z)$  is periodic with period  $d$ . Then we get

$$\exp(ikd)\mathbf{E}_0 = \mathbf{E}_2 = \mathbf{M}_2\mathbf{E}_1 = \mathbf{M}_2\mathbf{M}_1\mathbf{E}_0. \quad (8)$$

The above equation is an eigenvalue equation for the matrix  $\mathbf{M}_2\mathbf{M}_1$ , where the eigenvalue of the matrix is

$$e = \exp(ikd) = \exp[ik(d_1 + d_2)]. \quad (9)$$

**Problem 1)**

Show that the eigenvalue equation (8) implies that  $e$  satisfies the equation

$$e^2 - e[2\cos(k_1d_1 + k_2d_2) - ((k_1 - k_2)^2/(k_1k_2))s_1s_2] + 1 = 0, \quad (10)$$

further implying that

$$\cos(kd) = \cos(k_1d_1 + k_2d_2) - \frac{(k_1 - k_2)^2}{2k_1k_2} \sin(k_1d_1) \sin(k_2d_2). \quad (11)$$

Equation (11) is a relationship between  $\omega$  and  $k$ , and hence called a *dispersion equation*. The dispersion equation permits us to define three central properties of photonic crystals, namely *band*, *band gap* and *band edge*.

1. **Band:** A continuous frequency interval where the dispersion equation (11) has real solutions for  $k$ , *i.e.*, where the absolute value of the right-hand side is less than 1.
2. **Band gap:** A continuous frequency interval where the dispersion equation (11) has no real solutions for  $k$ , *i.e.*, where the absolute value of the right-hand side is greater than 1.
3. **Band edge:** The beginning or the end of a band, *i.e.*, where the absolute value of the right-hand side of (11) is equal to 1.

**Problem 2)**

Let us assume that we have a nonzero refractive index contrast, *i.e.*, that  $d_1$  and  $d_2$  are both nonzero, and  $n_1 \neq n_2$ . Show that the dispersion equation (11) implies that we have a band gap if

$$k_1d_1 + k_2d_2 = N\pi, \quad (12)$$

where  $N$  is a nonzero integer.

**Problem 3)**

As shown in Problem 2, we have a band gap when the angular frequency  $\omega$  is equal to an integer multiple  $N$  of

$$\omega_0 = \pi c/(n_1d_1 + n_2d_2). \quad (13)$$

Let us consider the case of a small refractive-index difference  $n_\Delta$  between the layers:

$$|n_\Delta| = |n_1 - n_2| \ll n_1. \quad (14)$$

Note that in Eq. (11), the absolute value of  $\cos(k_1d_1 + k_2d_2)$  is equal to 1 for  $\omega = N\omega_0$ , and that the absolute value of the last term on the right hand side is much smaller than 1 when the refractive-index difference  $n_\Delta$  is small. Consequently, the band edges on each side of the frequency  $N\omega_0$  must both be very close to  $N\omega_0$ , and we can use a second-order power series expansion of  $\cos(k_1d_1 + k_2d_2)$  as a function of  $(k_1d_1 + k_2d_2 - N\pi)$  or as a function of

$$\omega_\Delta = \omega - N\omega_0. \quad (15)$$

Use this series expansion to obtain an analytic approximation for the distance  $\omega_\Delta$  between the band edge and the band gap center  $N\omega_0$ .

**Problem 4)**

Do a similar second-order series expansion of the left-hand side of the dispersion equation (11), and find an analytic approximation for  $k$  when  $\omega = N\omega_0$ , again assuming a small refractive-index difference  $n_\Delta$  between the layers.

**Problem 5)**

Let us consider the case of small frequency,

$$k_1d_1 + k_2d_2 \ll 1, \tag{16}$$

and let us define what is called the effective index the Bloch wave in the layer structure,

$$n = ck/\omega. \tag{17}$$

Show that equation (11) for small frequencies implies that the square of the effective index can be expressed as the mean value of the square of the refractive index in the layer structure:

$$n^2 = \left( \frac{ck}{\omega} \right)^2 = \frac{n_1^2d_1 + n_2^2d_2}{d_1 + d_2}. \tag{18}$$

**Problem 6)**

The transfer matrix formalism expressed in Equation (6) is a recursive formula where the E field and its z derivative on top of layer 2 are expressed as a layer-2 matrix times the E field and its z derivative on top of layer 1, which in turn are expressed as a layer-1 matrix times the E field and its z derivative on top of layer 0. Equation (6) can be generalized to

$$\mathbf{E}_p = \mathbf{M}_p \mathbf{E}_{p-1}. \tag{19}$$

For numerical stability we prefer to have a recursion relationship for  $Z_p = E'_p/E_p$  instead of  $E_p$  og  $E'_p$ . Find a recursive formula where  $Z_p$  can be computed from  $Z_{p-1}$ .

**Problem 7) (Matlab)**

Use the dispersion equation (11) to find the angular frequency  $\omega$  as a function of  $k$  for the lowest 3 bands of the first Brillouin zone, i.e., for  $-\pi/d < k < \pi/d$ . Let  $n_1 = 1$ ,  $n_2 = 1,5$  and  $d_1 = d_2$ . Make plots of  $\omega$  versus  $k$ . Also make plots of  $\omega$  versus  $k$  with  $k$  spanning 3 Brillouin zones i.e., for  $-3\pi/d < k < 3\pi/d$ . In the last plot, include only the solutions of (11) that are close to the straight line given by the equation

$$(\omega/c)(n_1d_1 + n_2d_2) = k_1d_1 + k_2d_2 = k(d_1 + d_2). \tag{20}$$

*Updated 6 september 2013.*