

IN2120 Information Security

Lecture 4: Communications Security

Nils Gruschka

University of Oslo

Autumn 2018



Network Security Concepts

Assumes that each organisation owns a network

- Wants to protect own local network
- Wants to protect communication with other networks

Network Security: two main areas

- **Communication Security:** Protection of data transmitted across networks between organisations and end users
 - Topic for this lecture
- **Perimeter Security:** Protection of an organization's network from unauthorized access
 - Topic for next lecture


Outline

- Network security concepts
 - Communication security
 - Perimeter security
- Protocol architecture and security services
- Example security protocols
 - Transport Layer Security (TLS)
 - IP Layer Security (IPSec)
- VPN – Virtual Private Network

Communication Protocol Architecture

- Layered structure of hardware and software that supports the exchange of data between systems
- Each protocol consists of a set of rules for exchanging messages, i.e. “the protocol”.
- Two standards:
 - OSI Reference model
 - Never lived up to early promises
 - TCP/IP protocol suite
 - Most widely used


Communication Architecture




OSI – Open Systems Interconnection

- Developed by the International Organization for Standardization (ISO)
- A layer model of 7 layers
- Each layer performs a subset of the required communication functions
- Each layer relies on the next lower layer to perform more primitive functions
- Each layer provides services to the next higher layer
- Changes in one layer should not require changes in other layers


The OSI Protocol Stack



Communication across OSI




Communication across OSI



TCP/IP Protocol Architecture


- Developed by the US Defense Advanced Research Project Agency (DARPA) for its packet switched network (ARPANET)
- Used by the global Internet
- No official model, but it's a working one.
 - Application layer
 - Host to host or transport layer
 - Internet layer
 - Network access layer
 - Physical layer

OSI model vs. TCP/IP model (The Internet)




TCP/IP Model

- Example: Access over WiFi router



Communication Security Analogy



Security Protocols

- Many different security protocols have been specified and implemented for different purposes
 - Authentication, integrity, confidentiality
 - Key establishment/exchange
 - E-Voting
 - Secret sharing
 - etc.
- Protocols are surprisingly difficult to get right!
 - Many vulnerabilities are discovered years later (e.g. for TLS: DROWN, POODLE, ROBOT, Logjam, FREAK, BEAST, ...)
 - ... some are never discovered (or maybe only by the attackers)

Security Protocols Overview

- This lecture discusses the operation of two network-related protocols that are in common use.
 - **Transport Layer Security (TLS):**
Used extensively on the web and is often referred to in privacy policies as a means of providing confidential web connections.
 - **IP Security (IPSec):**
Provides security services at the IP level and is used to provide Virtual Private Network (VPN) services.


Transport Layer Security

TLS/SSL

SSL/TLS: History

- 1994: Netscape Communications developed the network authentication protocol Secure Sockets Layer, SSLv2.
 - Badly broken
- 1995: Netscape release their own improvements SSLv3.
 - Widely used for many years.
- 1996: SSLv3 was submitted to the IETF as an Internet draft, and an IETF working group was formed to develop a recommendation.
- In January 1999, [RFC 2246](#) was issued by the IETF, Transport Layer Security Protocol: TLS 1.0
 - Similar to, but incompatible with SSLv3
 - Currently TLS 1.2 (2008) (allows backwards compatibility with SSL)
 - Draft TLS 1.3 (2016) (totally bans SSL)
 - Firefox browser enabled TLS 1.3 by default in February 2017


SSL/TLS Protocol versions



TLS: Overview

- TLS is a cryptographic services protocol based on the Browser PKI, and is commonly used on the Internet.
 - Each server has a server certificate and private key installed
 - Allows browsers to establish secure sessions with web servers.
- Port 443 is reserved for HTTP over TLS/SSL and the protocol https is used with this port.
 - `http://www.xxx.com` implies using standard HTTP using port 80.
 - `https://www.xxx.com` implies HTTP over TLS/SSL with port 443.
- Other applications:
 - IMAP over TLS: port 993
 - POP3 over TLS: port 995

TLS: Layer 4 Security



TLS: Protocol Stack

TLS Handshake Protocol	TLS Change Cipher Suite Protocol	TLS Alert Protocol	Application Protocol (e.g. HTTP)
TLS Record Protocol			
TCP			
IP			


TLS: Architecture Overview

- Designed to provide secure reliable end-to-end services over TCP.
- Consists of 3 higher level protocols:
 - TLS Handshake Protocol
 - TLS Alert Protocol
 - TLS Change Cipher Spec Protocol
- The TLS Record Protocol provides the practical encryption and integrity services to various application protocols.

TLS: Handshake Protocol


- The handshake protocol
 - Negotiates the encryption to be used
 - Establishes a shared session key
 - Authenticates the server
 - Authenticates the client (optional)
- After the handshake, application data is transmitted securely (encrypted + integrity protected)
- Several variations of the handshake exist
 - RSA variants
 - Diffie-Hellman variants

TLS: Simplified RSA-based Handshake



TLS: Handshake Four phases

- Phase 1: Initiates the logical connection and establishes its security capabilities
- Phases 2 and 3: Performs key exchange. The messages and message content used in this phase depends on the handshake variant negotiated in phase 1.
- Phase 4: Completes the setting up of a secure connection.



TLS: Elements of Handshake

- **Client hello**
 - Advertises available algorithms (e.g. RSA, AES, SHA256)
 - Different types of algorithms bundled into “Cipher Suites”
 - Format:
`TLS_key-exchange-algorithm_WITH_data-protection-algorithm`
 - Example: `TLS_RSA_WITH_AES_256_CBC_SHA256`
 - RSA for key exchange
 - AES with CBC mode for encryption
 - SHA256 as hash function for authentication and integrity protection
- **Server hello**
 - Returns the selected cipher suite
 - Server adapts to client capabilities

TLS: Elements of Handshake

- **Server Certificate**
 - X.509 digital certificate sent to client
 - Client verifies the certificate including that the certificate signer is in its acceptable Certificate Authority (CA) list. Now the client has the server’s certified public key.
- **Client Certificate**
 - Optionally, the client can send its X.509 certificate to server, in order to provide mutual authentication
- **Server/Client Key Exchange**
 - The client and server can establish session key using asymmetric encryption or DH key exchange (details below)

TLS: Record Protocol Overview

- Provides two services for SSL connections.
 - **Message Confidentiality:**
 - Ensure that the message contents cannot be read in transit.
 - The Handshake Protocol establishes a symmetric key used to encrypt TLS payloads using symmetric encryption.
 - **Message Integrity:**
 - Ensure that the receiver can detect if a message is modified in transmission.
 - The Handshake Protocol establishes a shared secret key used to construct a MAC.


TLS: Record Protocol Operation

- **Fragmentation:**
 - Each application layer message is fragmented into blocks of 214 bytes or less.
- **Compression:**
 - Optionally applied.
 - SSL v3 & TLS – default compression algorithm is null
- **Add MAC:**
 - Calculates a MAC over the compressed data using a MAC secret from the connection state.
- **Encrypt:**
 - Compressed data plus MAC are encrypted with symmetric cipher.
 - Permitted ciphers include AES, IDEA, DES, 3DES, RC4
 - For block ciphers, padding is applied after the MAC to make a multiple of the cipher's block size.

TLS: Key Exchange

- Two possibilities for exchange of secret key material (premaster secret, PS):
 - RSA encryption
 - DH exchange
- **RSA encryption:**
 - Client generates PS + encrypts PS with server public key (RSA)
 - Server decrypts PS with server private key (RSA)

Weakness of DH Key Exchange



TLS: Key Exchange

- Two possibilities for exchange of secret key material (premaster secret, PS):
 - RSA encryption
 - DH exchange
- **RSA encryption:**
 - Client generates PS + encrypts PS with server public key (RSA)
 - Server decrypts PS with server private key (RSA)
- **DH exchange:**
 - Client and server perform Diffie-Hellman-Exchange (DH)
 - Server signs his DH value with server private key (RSA)
 - Client validates signature with server public key (RSA)


TLS Key Exchange

- Problem with RSA key exchange?
- Lets assume adversary records complete TLS session
- If later private key of server is known
 - Premaster secret can be decrypted
 - Session key can be calculated
 - Complete payload can be decrypted
- With DH exchange:
 - later knowledge of private key is useless
 - Payload remains protected
 - “perfect forward secrecy”

TLS Challenges

- Many vulnerabilities exist for TLS
 - keep client and server software up-to-date
- Also vulnerabilities in cryptographic algorithms
 - configure server to exclude weak algorithms
- TLS provides security just for a single TCP connection
 - Browser can establish HTTP and HTTPS connections; even to the same server
 - User can be tricked to use HTTP instead of HTTPS (→ next slide)
- Relies on browser PKI which has many security issues
 - Fake server certificates difficult to detect (→ lecture “PKI”)
 - Fake root server certificate can compromise all certificates, e.g. Lenovo Komodia advare scam (→ lecture “Network Security”)

TLS Stripping Attack




- Variations include
 - MitM server can connect to client over https in msg (6) with server certificate that has similar domain name as real server.
 - Attacker can leave the connection after stealing credentials, then the client connects directly to real server with https
 - Attacker just downgrades the https connection to a vulnerable SSL/TLS version or a broken cipher suite

HSTS – HTTP Strict Transport Security Preventing SSL Stripping

- A secure server can instruct browsers to only use https
- When requesting website that uses HSTS, the browser automatically forces connect with https.
- Users are not able to override policy
- Two ways of specifying HSTS websites
 - List of HSTS websites can be preloaded into browsers
 - HSTS policy initially specified over a https connection
 - HSTS policy can be changed over a https connection
- Disadvantages
 - HSTS websites can not use both http and https
 - Difficult for a website to stop using https
 - Can cause denial of service, e.g. no fallback to http in case of expired server certificate


Preventing SSL Stripping with HSTS



- Limitation of HSTS:
 - Requires first visit to secure website to set HSTS policy in browser
- Can be solved by browser having preloaded list of HSTS websites
- Browsers would be vulnerable if attacker could delete HSTS cache

Demo

Phishing and failed authentication




IP Layer Security

IPSec & Virtual Private Networks

IPSec: Introduction

- Internet Protocol security (IPSec) is standard for secure communications over Internet Protocol (IP) networks, through the use of cryptographic security services.
- Uses encryption, authentication and key management algorithms
- Based on an end-to-end security model at the IP level
- Provides a security architecture for both IPv4 and IPv6
 - Mandatory for IPv6
 - Optional for IPv4
- Requires operating system support, not application support.

Layer 3 Security



IP Sec Operation →

IPSec: Security Services

- **Message Confidentiality.**
 - Protects against unauthorized data disclosure.
 - Accomplished by the use of encryption mechanisms.
- **Message Integrity.**
 - IPSec can determine if data has been changed (intentionally or unintentionally) during transit.
 - Integrity of data can be assured by using a MAC.
- **Traffic Analysis Protection.**
 - A person monitoring network traffic cannot know which parties are communicating, how often, or how much data is being sent.
 - Provided by concealing IP datagram details such as source and destination address.

IPSec: Security Services

- **Message Replay Protection.**
 - The same data is not delivered multiple times, and data is not delivered grossly out of order.
 - However, IPsec does not ensure that data is delivered in the exact order in which it is sent.
- **Peer Authentication.**
 - Each IPsec endpoint confirms the identity of the other IPsec endpoint with which it wishes to communicate.
 - Ensures that network traffic is being sent from the expected host.
- **Network Access Control.**
 - Filtering can ensure users only have access to certain network resources and can only use certain types of network traffic.

IPSec: Common Architectures


- Gateway-to-Gateway Architecture
- Host-to-Gateway Architecture
- (Host-to-Host Architecture)

IPSec: Gateway-to-Gateway Architecture



Source: NIST Special Publication 800-77

IPSec: Host-to-Gateway Architecture



Source: NIST Special Publication 800-77


IPSec: Protocols Types

- Encapsulating Security Payload (ESP)
 - Confidentiality, authentication, integrity and replay protection
- Authentication Header (AH)
 - Authentication, integrity and replay protection. However there is no confidentiality
- Internet Key Exchange (IKE)
 - negotiate, create, and manage security associations
- A connection consists of two SA (Security Associations)
 - SA includes cryptographic keys and algorithms, key lifetimes, security parameter index (SPI), and security protocol identifier (ESP or AH).

IPSec: Modes of operation


- Each protocol (ESP or AH) can operate in transport or tunnel mode.
- **Transport mode:**
 - Operates primarily on the payload (data) of the original packet.
 - Generally only used in host-to-host architectures.
- **Tunnel mode:**
 - Original packet encapsulated into a new one, payload is original packet.
 - Typical use is gateway-to-gateway and host-to-gateway architectures.

Transport Mode ESP



Original IP Packet protected by Transport-ESP


Tunnel Mode ESP




Original IP Packet protected by Tunnel-ESP

Internet Key Exchange


- Alice and Bob have common (long term) secret s
- DH exchange is **authenticated** (MITM not possible)
- After each session, session key is destroyed
- → **Perfect forward secrecy**



Typical usage of IPSec: VPN



Risk of using VPN




Secure pipe can be attack channel to home network !

Risks of using IPSec for VPN


- IPSec typically used for VPN (Virtual Private Networks)
- A VPN client at external location may be connected to the Internet (e.g. from hotel room or café) while at the same time being connected to home network via VPN.
 - VPN gives direct access to resources in home network.
- Internet access from external location may give high exposure to cyber threats
 - No network firewall, no network IDS
- Attacks against the VPN client at external location can directly access the home network through VPN tunnel

Cloud VPN Hosted VPN VPNaaS



Cloud VPN

- A cloud-based infrastructure for VPN.
- A.k.a.:
 - Hosted VPN
 - VPNaaS (Virtual Private Network as a Service)
- Cloud VPNs provide security and globally accessible VPN service access without the need for any VPN infrastructure on the user's end.
- The user connects to the cloud VPN through the provider's website or a desktop/mobile app.
- The pricing of cloud VPN is based on pay-per-usage or a flat-fee subscription.
- Disadvantages /risks
 - Cleartext-gap at the VPN provider
 - VPN provider knows Internet usage profile
 - Malicious VPN service?



Tor – The Onion Router



Image courtesy indymedia.de

- An anonymizing routing protocol
- Originally sponsored by the US Naval Research Laboratory
- From 2004 to 2006 was supported by EFF
- Since 2006 independent nonprofit organisation
- Creates a multi-hop proxy circuit through the Internet from client to destination.
- Each hop “wraps” another encryption layer thereby hiding the next destination.
- No cleartext-gap, except at the exit-node.
- No node knows end-to-end client-server association
- Full technical details: <https://www.torproject.org/>




Image courtesy torproject.org

How Tor Works: 2




Image courtesy torproject.org

How Tor Works: 3




Image courtesy torproject.org

„Onion“ Message





Diagram courtesy Wikimedia Commons

End of lecture