

IN3060/4060 – Semantic Technologies – Spring 2021

Lecture 09: OWL, the Web Ontology Language

Jieying Chen

12th March 2021



DEPARTMENT OF
INFORMATICS



UNIVERSITY OF
OSLO

Today's Plan

- 1 Reminder: RDFS
- 2 Description Logics
- 3 Introduction to OWL

Reminder: RDFS

Outline

- 1 Reminder: RDFS
- 2 Description Logics
- 3 Introduction to OWL

Reminder: RDFS

The RDFS vocabulary

- RDFS adds the concept of “classes” which are like *types* or *sets* of resources.
- A predefined vocabulary allows statements about classes.
- Defined resources:
 - `rdfs:Resource`: The class of resources, everything,
 - `rdfs:Class`: The class of classes,
 - `rdf:Property`: The class of properties (from `rdf`).
- Defined properties:
 - `rdf:type`: relates resources to classes they are members of.
 - `rdfs:domain`: The domain of a relation.
 - `rdfs:range`: The range of a relation.
 - `rdfs:subClassOf`: Concept inclusion.
 - `rdfs:subPropertyOf`: Property inclusion.

Clear semantics

- RDFS has formal semantics.
- Entailment is a *mathematically* defined relationship between RDF(S) graphs. E.g.,
 - answers to SPARQL queries are well-defined, and
 - the interpretation of blank nodes is clear.
- The semantics allows for rules to reason about classes and properties and membership.
- Using RDFS entailment rules we can infer:
 - type propagation
 - property inheritance, and
 - domain and range reasoning.

Yet, it's inexpressive

- RDFS does not allow for complex definitions, other than multiple inheritance.
- We cannot express negation in RDFS.
- Hence, because of OWA, all RDFS graphs are satisfiable.

Modelling patterns

Common modelling patterns cannot be expressed properly in RDFS:

- ✗ Every person has a mother.
- ✗ Penguins eat only fish. Horses eat only chocolate.
- ✗ Every nuclear family has two parents, at least two children and a dog.
- ✗ No smoker is a non-smoker (and vice versa).
- ✗ Everybody loves Mary.
- ✗ Adam is not Eve (and vice versa).
- ✗ Everything is black or white.
- ✗ There is no such thing as a free lunch.
- ✗ Brothers of fathers are uncles.
- ✗ My friend's friends are also my friends.
- ✗ If Homer is married to Marge, then Marge is married to Homer.
- ✗ If Homer is a parent of Bart, then Bart is a child of Homer.

And it's complicated

In the standardised RDFS semantics (not our simplified version):

- No clear ontology/data boundary
 - No restrictions on the use of the built-ins.
 - Can have relations between classes and relations:


```

:myCar    rdf:type    citroen:TwoCV .
rdf:type  rdfs:domain rdfs:Resource .
          
```
 - Remember: in RDF, properties are resources,
 - so they can be subject or object of triples.
 - Well, in RDFS, classes are resources,
 - so they can also be subject or object of triples.

Outline

- 1 Reminder: RDFS
- 2 Description Logics
- 3 Introduction to OWL

Make it simple!

- Keep classes, properties, individuals and relationships apart.
- “Data level” with individuals and relationships between them.
- “Ontology level” with properties and classes.
- Use a fixed vocabulary of built-ins for relations between classes and properties, and their members—and nothing else.
- Interpret
 - classes as sets of individuals, and
 - properties as relations between individuals, i.e., sets of pairs
 - —which is what we do in our simplified semantics.
- A setting well-studied as *Description Logics*.

The \mathcal{ALC} Description Logic

Vocabulary

Fix a set of *atomic concepts* $\{A_1, A_2, \dots\}$, *roles* $\{R_1, R_2, \dots\}$ and individuals $\{a_1, a_2, \dots\}$.

 \mathcal{ALC} concept descriptions

$C, D \rightarrow$	A_i	(atomic concept)
	\top	(universal concept)
	\perp	(bottom concept)
	$\neg C$	(negation)
	$C \sqcap D$	(intersection)
	$C \sqcup D$	(union)
	$\forall R_i. C$	(universal restriction)
	$\exists R_i. C$	(existential restriction)

Axioms

- $C \sqsubseteq D$ and $C \equiv D$ for concept descriptions D and C .
- $C(a)$ and $R(a, b)$ for concept description C , atomic role R and individuals a, b .

 \mathcal{ALC} Examples

- $TwoCV \sqsubseteq Car$
 - Any 2CV is a car.
- $TwoCV(myCar)$
 - $myCar$ is a 2CV.
- $owns(jieying, myCar)$
 - $jieying$ owns $myCar$.
- $TwoCV \sqsubseteq \forall driveAxle.FrontAxle$
 - All drive axles of 2CVs are front axles.
- $FrontDrivenCar \equiv Car \sqcap \forall driveAxle.FrontAxle$
 - A front driven car is one where all drive axles are front axles.
- $FrontAxle \sqcap RearAxle \sqsubseteq \perp$ (disjointness)
 - Nothing is both a front axle and a rear axle.
- $FourWheelDrive \equiv \exists driveAxle.FrontAxle \sqcap \exists driveAxle.RearAxle$
 - A 4WD is anything that has one front drive axle and one rear drive axle.



ALC Semantics

Interpretation

An interpretation \mathcal{I} fixes a set $\Delta^{\mathcal{I}}$, the *domain*, $A^{\mathcal{I}} \subseteq \Delta^{\mathcal{I}}$ for each atomic concept A , $R^{\mathcal{I}} \subseteq \Delta^{\mathcal{I}} \times \Delta^{\mathcal{I}}$ for each role R , and $a^{\mathcal{I}} \in \Delta^{\mathcal{I}}$ for each individual a .

Interpretation of concept descriptions

$$\begin{aligned} \top^{\mathcal{I}} &= \Delta^{\mathcal{I}} \\ \perp^{\mathcal{I}} &= \emptyset \\ (\neg C)^{\mathcal{I}} &= \Delta^{\mathcal{I}} \setminus C^{\mathcal{I}} \\ (C \sqcap D)^{\mathcal{I}} &= C^{\mathcal{I}} \cap D^{\mathcal{I}} \\ (C \sqcup D)^{\mathcal{I}} &= C^{\mathcal{I}} \cup D^{\mathcal{I}} \\ (\forall R.C)^{\mathcal{I}} &= \{a \in \Delta^{\mathcal{I}} \mid \text{for all } b, \text{ if } \langle a, b \rangle \in R^{\mathcal{I}} \text{ then } b \in C^{\mathcal{I}}\} \\ (\exists R.C)^{\mathcal{I}} &= \{a \in \Delta^{\mathcal{I}} \mid \text{there is a } b \text{ where } \langle a, b \rangle \in R^{\mathcal{I}} \text{ and } b \in C^{\mathcal{I}}\} \end{aligned}$$

Interpretation of Axioms


- $\mathcal{I} \models C \sqsubseteq D$ iff $C^{\mathcal{I}} \subseteq D^{\mathcal{I}}$ and $\mathcal{I} \models C \equiv D$ iff $C^{\mathcal{I}} = D^{\mathcal{I}}$
- $\mathcal{I} \models C(a)$ iff $a^{\mathcal{I}} \in C^{\mathcal{I}}$ and $\mathcal{I} \models R(a, b)$ iff $\langle a^{\mathcal{I}}, b^{\mathcal{I}} \rangle \in R^{\mathcal{I}}$.

Negation

- The interpretation \mathcal{I} satisfies the axiom $C \equiv \neg D$:

$$\begin{aligned} \mathcal{I} \models C \equiv \neg D \\ \Leftrightarrow C^{\mathcal{I}} &= (\neg D)^{\mathcal{I}} \\ \Leftrightarrow C^{\mathcal{I}} &= (\Delta^{\mathcal{I}} \setminus D^{\mathcal{I}}) \end{aligned}$$

- "A C is not a D."




- Example: $EvenNo \equiv \neg OddNo$, assuming the domain is \mathbf{N} .
"An even number is not an odd number."
- Question: $Men \equiv \neg Women$?

Disjointness

- The interpretation \mathcal{I} satisfies the axiom $C \sqcap D \sqsubseteq \perp$:

$$\begin{aligned} \mathcal{I} \models C \sqcap D \sqsubseteq \perp \\ \Leftrightarrow (C \sqcap D)^{\mathcal{I}} &\subseteq \perp^{\mathcal{I}} \\ \Leftrightarrow C^{\mathcal{I}} \cap D^{\mathcal{I}} &\subseteq \emptyset \end{aligned}$$

- "Nothing is both a C and a D."
- Equivalent to $C \sqsubseteq \neg D$ (and $D \sqsubseteq \neg C$).




- $C \equiv \neg D \neq C \sqcap D \sqsubseteq \perp$
- Example: $Women \sqcap Men \sqsubseteq \perp$. "Women and men are disjoint."

Existential restrictions

- The interpretation \mathcal{I} satisfies the axiom $C \sqsubseteq \exists R.D$:

$$\begin{aligned} \mathcal{I} \models C \sqsubseteq \exists R.D \\ \Leftrightarrow C^{\mathcal{I}} &\subseteq (\exists R.D)^{\mathcal{I}} \\ \Leftrightarrow C^{\mathcal{I}} &\subseteq \{a \in \Delta^{\mathcal{I}} \mid \text{there is a } b \text{ where } \langle a, b \rangle \in R^{\mathcal{I}} \text{ and } b \in D^{\mathcal{I}}\} \end{aligned}$$

- "A C is R-related to (at least) one D."




- Example: $Toyota \sqsubseteq \exists driveAxle.FrontAxle$.
"A Toyota has a front axle as drive axle."

Universal restrictions

- The interpretation \mathcal{I} satisfies the axiom $C \sqsubseteq \forall R.D$:

$$\begin{aligned} \mathcal{I} \models C \sqsubseteq \forall R.D & \\ \Leftrightarrow C^{\mathcal{I}} &\subseteq (\forall R.D)^{\mathcal{I}} \\ \Leftrightarrow C^{\mathcal{I}} &\subseteq \{a \in \Delta^{\mathcal{I}} \mid \text{for all } b, \text{ if } \langle a, b \rangle \in R^{\mathcal{I}} \text{ then } b \in D^{\mathcal{I}}\} \end{aligned}$$

- A C has R -relationships to D 's only.



- Example: $Lotus \sqsubseteq \forall driveAxle.RearAxle$.
"A Lotus has only rear axles as drive axles."

Example interpretation

Assume \mathcal{K} is the knowledge base with the axioms:

$$\begin{aligned} Donkey &\sqsubseteq Animal \sqcap Stubborn \\ Horse &\equiv Animal \sqcap \forall eats.Chocolate \\ Mule &\equiv \exists hasParent.Horse \sqcap \exists hasParent.Donkey \\ \exists hasParent.Mule &\sqsubseteq \perp \end{aligned}$$

$Horse(mary)$ $Donkey(sven)$ $hasParent(hannah, mary)$ $hasParent(hannah, sven)$ $eats(mary, carl)$

$$\begin{aligned} \Delta^{\mathcal{I}} &= \{m, s, h, c\}, mary^{\mathcal{I}} = m, sven^{\mathcal{I}} = s, hannah^{\mathcal{I}} = h, carl^{\mathcal{I}} = c \\ Animal^{\mathcal{I}} &= \{m, s, h, c\}, Stubborn^{\mathcal{I}} = \{s\}, Donkey^{\mathcal{I}} = \{s\}, \\ Horse^{\mathcal{I}} &= \{m\}, Mule^{\mathcal{I}} = \{h\}, Chocolate^{\mathcal{I}} = \{c\} \\ eats^{\mathcal{I}} &= \{(m, c)\}, hasParent^{\mathcal{I}} = \{(h, m), (h, s)\} \end{aligned}$$

Universal Restrictions and `rdfs:range`

- If role R has the *range* C ,
- then anything one can reach by R is in C , or
- for any a and b , if $\langle a, b \rangle \in R^{\mathcal{I}}$, then $b \in C^{\mathcal{I}}$, or
- any a is in the interpretation of $\forall R.C$, or
- the axiom $\top \sqsubseteq \forall R.C$ holds.
- "Everything has R -relationships to C 's only."
- Ranges can be expressed with universal restrictions.
- Example:
 - a drive axle is either a front or a rear axle, so
 - the range of *driveAxle* is $FrontAxle \sqcup RearAxle$.
 - Axiom: $\top \sqsubseteq \forall driveAxle.(FrontAxle \sqcup RearAxle)$.

Existential Restrictions and `rdfs:domain`

- If role R has the *domain* C ,
- then anything from which one can go by R is in C , or
- for any a , if there is a b with $\langle a, b \rangle \in R^{\mathcal{I}}$, then $a \in C^{\mathcal{I}}$, or
- any a in the interpretation of $\exists R.T$ is in the interpretation of C , or
- the axiom $\exists R.T \sqsubseteq C$ holds.
- "Everything which is R -related (to a thing) is a C ."
- Domains can be expressed with existential restrictions.
- Example:
 - a drive axle is something cars have, so
 - the domain of *driveAxle* is Car .
 - Axiom: $\exists driveAxle.T \sqsubseteq Car$.

What is the score?

- We still express $C(a)$, $R(x, y)$, $C \sqsubseteq D$ like we did in RDFS,
- but now we can express complex C 's and D 's.
- A concept can be defined by use of other concepts and roles.
- Examples:
 - $Person \sqsubseteq \exists hasMother. \top$ (or $Person \sqsubseteq \exists hasParent. Woman$)
 - $Penguin \sqsubseteq \forall eats. Fish$
 - $NonSmoker \sqsubseteq \neg Smoker$ (or $NonSmoker \sqcap Smoker \sqsubseteq \perp$)
 - $\top \sqsubseteq BlackThing \sqcup WhiteThing$
 - $FreeLunch \sqsubseteq \perp$

Modelling patterns

So, what can we say with \mathcal{ALC} ?

- ✓ Every person has a mother.
- ✓ Penguins eat only fish. Horses eat only chocolate.
- ✗ Every nuclear family has two parents, at least two children and a dog.
- ✓ No smoker is a non-smoker (and vice versa).
- ✗ Everybody loves Mary.
- ✗ Adam is not Eve (and vice versa).
- ✓ Everything is black or white.
- ✓ There is no such thing as a free lunch.
- ✗ Brothers of fathers are uncles.
- ✗ My friend's friends are also my friends.
- ✗ If Homer is married to Marge, then Marge is married to Homer.
- ✗ If Homer is a parent of Bart, then Bart is a child of Homer.

Little Boxes

- Historically, description logic axioms and assertions are put in *boxes*.
- The TBox
 - is for *terminological knowledge*,
 - is independent of any actual instance data, and
 - for \mathcal{ALC} , it is a set of \sqsubseteq axioms and \equiv axioms.
- Example TBox axioms:
 - $TwoCV \sqsubseteq \forall driveAxle. FrontAxle$
 - $FrontDrivenCar \equiv Car \sqcap \forall driveAxle. FrontAxle$.
- The ABox
 - is for *assertional knowledge*,
 - contains facts about concrete instances a, b ,
 - a set of concept membership assertions $C(a)$,
 - and role assertions $R(a, b)$.
- Example ABox axioms:
 - $(FrontAxle \sqcup RearAxle)(axle)$
 - $driveAxle(myCar, axle)$.

TBox Reasoning

Reminder: Entailment

A entails B , written $A \models B$, iff

$\mathcal{I} \models B$ for all interpretations where $\mathcal{I} \models A$.

- Many reasoning tasks use only the TBox:
- Concept unsatisfiability: Given C , does $\mathcal{T} \models C \sqsubseteq \perp$?
- Concept subsumption: Given C and D , does $\mathcal{T} \models C \sqsubseteq D$?
- Concept equivalence: Given C and D , does $\mathcal{T} \models C \equiv D$?
- Concept disjointness: Given C and D , does $\mathcal{T} \models C \sqcap D \sqsubseteq \perp$?

ABox Reasoning

- ABox consistency: Is there a model of $(\mathcal{T}, \mathcal{A})$, i.e., is there an interpretation \mathcal{I} such that $\mathcal{I} \models (\mathcal{T}, \mathcal{A})$?
- Concept membership: Given C and a , does $(\mathcal{T}, \mathcal{A}) \models C(a)$?
- Retrieval: Given C , find all a such that $(\mathcal{T}, \mathcal{A}) \models C(a)$.
- Conjunctive Query Answering (SPARQL).

More Expressive Description Logics

- There are description logics including axioms about
 - roles, e.g., hierarchy, transitivity
 - cardinality
 - data types, e.g., numbers, strings
 - individuals
 - etc.
- We'll see more in later lectures.
- The balance of expressivity and complexity is important.
- Too much expressivity makes reasoning tasks
 - first more expensive,
 - then undecidable.
- Much research on how expressivity affects complexity/decidability.

Outline

- 1 Reminder: RDFS
- 2 Description Logics
- 3 Introduction to OWL

Quick facts

OWL:

- Acronym for *The Web Ontology Language*.
- Became a W3C recommendation in 2004.
- The undisputed standard ontology language.
- Superseded by OWL 2;
 - a backwards compatible extension that adds new capabilities.
- Built on Description Logics.
- Combines DL expressiveness with RDF technology (e.g., URIs, namespaces).
- Extends RDFS with boolean operations, universal/existential restrictions and more.



OWL Syntaxes

- Reminder: RDF is an abstract construction, several concrete syntaxes: RDF/XML, Turtle,...
- Same for OWL:
- Defined as set of things that can be said about classes, properties, instances.
- DL symbols ($\sqcap, \sqcup, \exists, \forall$) hard to find on keyboard.
- OWL/RDF: Uses RDF to express OWL ontologies.
 - Then use any of the RDF serializations.
- OWL/XML: a non-RDF XML format.
- Functional OWL syntax: simple, used in definition.
- Manchester OWL syntax: close to DL, but text, used in some tools.

OWL vocabulary in OWL/RDF

- New: `owl:Ontology`, `owl:Class`, `owl:Thing`, properties (next slide), restrictions (`owl:allValuesFrom`, `owl:unionOf`, ...), annotations (`owl:versionInfo`, ...).
- From RDF: `rdf:type`, `rdf:Property`
- From RDFS: `rdfs:Class`, `rdfs:subClassOf`, `rdfs:subPropertyOf`, `rdfs:domain`, `rdfs:range`, `rdfs:label`, `rdfs:comment`, ...
- (XSD datatypes: `xsd:string`, ...)


Properties in OWL

Three kinds of *mutually disjoint* properties in OWL:

- 1 `owl:DatatypeProperty`
 - link individuals to data values, e.g., `xsd:string`.
 - Examples: `:hasAge`, `:hasSurname`.
- 2 `owl:ObjectProperty`
 - link individuals to individuals.
 - Example: `:hasFather`, `:driveAxle`.
- 3 `owl:AnnotationProperty`
 - has no logical implication, ignored by reasoners.
 - anything can be annotated.
 - Examples: `rdfs:label`, `dc:creator`.

Example: Universal Restrictions in OWL/RDF

- $TwoCV \sqsubseteq \forall driveAxle.FrontAxle$



- In Turtle syntax:


```

:TwoCV rdfs:subClassOf [ rdf:type owl:Restriction ;
                        owl:onProperty :driveAxle ;
                        owl:allValuesFrom :FrontAxle
                        ] .
      
```


Example: Universal Restrictions in Other Formats

- $TwoCV \sqsubseteq \forall driveAxle.FrontAxle$
- In OWL/XML syntax:

```
<SubClassOf>
  <Class URI=":TwoCV"/>
  <ObjectAllValuesFrom>
    <ObjectProperty URI=":driveAxle"/>
    <Class URI=":FrontAxle"/>
  </ObjectAllValuesFrom>
</SubClassOf>
```

- In OWL Functional syntax:

```
SubClassOf(TwoCV ObjectAllValuesFrom(driveAxle FrontAxle))
```

Manchester OWL Syntax

- Used in Protégé for concept descriptions.
- Also has a syntax for axioms, less used.
- Correspondence to DL constructs:

DL	Manchester
$C \sqcap D$	C and D
$C \sqcup D$	C or D
$\neg C$	not C
$\forall R.C$	R only C
$\exists R.C$	R some C

- Examples:

DL	Manchester
$FrontAxle \sqcup RearAxle$	FrontAxle or RearAxle
$\forall driveAxle.FrontAxle$	driveAxle only FrontAxle
$\exists driveAxle.RearAxle$	driveAxle some RearAxle

Demo: Using Protégé

- Create a Car class.
- Create an Axle class.
- Create FrontAxle and RearAxle as subclasses.
- Make the axle classes disjoint.
- Add a driveAxle object property.
- Add domain Car and range Axle.
- Add 2CV, subclass of Car.
- Add superclass driveAxle only FrontAxle.
- Add Lotus, subclass of Car.
- Add superclass driveAxle only RearAxle.
- Add LandRover, subclass of Car.
- Add superclass driveAxle some FrontAxle.
- Add superclass driveAxle some RearAxle.
- Add 4WD as subclass of Thing.
- Make equivalent to driveAxle some RearAxle and driveAxle some FrontAxle.
- Classify.
- Show inferred class hierarchy: $Car \sqsupseteq 4WD \sqsupseteq LandRover$.
- Tell story of 2CV Sahara, which is a 2CV with two motors, one front, one back.
- Add Sahara as subclass of 2CV.
- Add 4WD as superclass of Sahara.
- Classify.
- Show that Sahara is equivalent to bottom.
- Explain why. In particular, disjointness of front and rear axles.

The Relationship to Description Logics

- Protégé presents ontologies almost like an object oriented (OO) modelling tool.
- Everything can be mapped to DL axioms!
- We have seen how domain and range become ex./univ. restrictions.
- C and D disjoint: $C \sqsubseteq \neg D$.
- Many ways of saying the same thing in OWL, more in Protégé.
- Reasoning (e.g., Classification) maps everything to DL first.

OWL in Jena

- Can use usual Jena API to build OWL/RDF ontologies.
- Cumbersome and error prone!
- Jena class `OntModel` provides convenience methods to create OWL/RDF ontologies, e.g.,


```
OntModel model = ModelFactory.createOntologyModel();
Property driveAxle = model.createProperty(CARS+"driveAxle");
OntClass car = model.createClass(CARS+"Car");
OntClass frontAxle = model.createClass(CARS+"FrontAxle");
Resource r = model.createAllValuesFromRestriction(
    null, driveAxle, frontAxle);
car.addSuperClass(r);
```
- Can be combined with inferencing mechanisms.
 - See class `OntModelSpec`.

The OWL API

- OWL in Jena means OWL expressed as RDF.
- Still somewhat cumbersome, tied to OWL/RDF peculiarities.
- For pure ontology programming, consider OWL API:


```
http://owlapi.sourceforge.net/
```
- Works on the level of concept descriptions and axioms.
- Can parse and write all mentioned OWL formats, and then some.

Next lecture

More about OWL and OWL 2:

- Individuals:
 - = and \neq , and
 - for class and property definition.
- Properties:
 - cardinality,
 - transitive, inverse, symmetric, functional properties, and
 - property chains.
- Datatypes.
- Work through some modelling problems.