

IN3060/4060 – Semantic Technologies – Spring 2021

Lecture 15: Publishing RDF Data on the Web

Jieying Chen

14th May 2021



DEPARTMENT OF
INFORMATICS



UNIVERSITY OF
OSLO

Today's Plan

- 1 Relevant highlights from RDF lecture
- 2 Linked (Open) Data
- 3 Conclusion

Outline

- 1 Relevant highlights from RDF lecture
- 2 Linked (Open) Data
- 3 Conclusion

RDF

- Why URIs?
 - URIs naturally have a “global” scope, unique throughout the web.
 - URLs are also addresses.
 - “*A web of data.*”
- Why triples?
 - Any information format can be transformed to triples.
 - Relationships are made explicit and are elements in their own right
 - Again, “*A web of data*”.

RDF on the web: Where is it?

- In files:
 - In some serialisation format: XML/RDF, Turtle, ...
 - Typically small RDF graphs, i.e., max. a few 100 triples, e.g.,
 - Vocabularies: <http://xmlns.com/foaf/spec/index.rdf>.
 - Tiny datasets: <http://folk.uio.no/martingi/foaf.rdf>.
- “Behind” *SPARQL endpoints*:
 - Data kept in a *triple store*, i.e., a database.
 - RDF is served from endpoint as results of *SPARQL queries*.
 - Exposes data (in different formats)
 - with endpoint frontends, e.g., <http://dbpedia.org/resource/Norway>, or
 - by direct SPARQL query: <http://dbpedia.org/sparql>.

Publishing RDF on the web

- If URIs of resources are dereferencable. . .
- . . . clients can use URIs to request a description of the resource.
- Make data available in different formats. Typically:
 - HTML for humans,
 - RDF for computers.
- This is called *content negotiation*.
- Endpoint frontends will do all of this for you.
- In this lecture, we look at some of the technicalities.

Outline

- 1 Relevant highlights from RDF lecture
- 2 Linked (Open) Data**
- 3 Conclusion

URIs

- URIs in RDF can have many different forms:
 - `http://www.google.com/` – a web page
 - `mailto:jsmith@example.com` – a mailbox
 - `http://dbpedia.org/resource/Oslo` – a town
 - `http://folk.uio.no/martingi/foaf#me` – a person
 - `tel:+47-22855050` – a telephone line
 - `urn:isbn:0-395-36341-1` – a book
- Two basic types
 - “information resources”: downloadable documents.
 - “non-information resources”: other entities.

The Problem and Two Solutions

- The problem:
 - Need to locate information *about* a resource.
 - The same URI cannot denote a *downloadable* resource.
- Example: Need to differentiate between:
 - A web page or RDF file about Berlin.
 - The city of Berlin.



- Two W3C-recommended solutions:
 - The hash-namespace solution.
 - The slash-namespace solution (aka HTTP 303 redirects).
- To fully understand them, we need to have a look at HTTP.

HTTP

- HTTP Server listens to “requests” (usually on TCP/IP port 80).
- An HTTP client sends requests to the server and obtains responses.
- A typical request: `http://folk.uio.no/martingi/`.

- Connect to port 80 on `folk.uio.no`.
- Send:

```
GET /martingi/ HTTP/1.1
User-Agent: Mozilla/5.0 (X11; U; Linux i686; ...
Accept: text/html,application/xhtml+xml,...
Accept-Language: no, en
Host: folk.uio.no
...
```

followed by a blank line.

- Other “methods”: HEAD, POST, PUT,...

HTTP (cont.)

- A typical response to the GET request:

```
HTTP/1.1 200 OK
```

```
Date: Wed, 05 May 2010 14:15:24 GMT
```

```
Server: Apache/2.2.14 (Unix) ...
```

```
Content-Length: 14348
```

```
Content-Type: text/html
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
```

```
  "http://www.w3.org/TR/html4/strict.dtd">
```

```
<html> ... </html>
```

- Result may vary depending on the Accept: choices in request.
- 200 OK is not the only possible response ("status code"):
 - 404 Not Found
 - 401 Unauthorized
 - 303 See Other

Fragment identifiers

- A *fragment identifier* is the part after # in a URI:

`http://en.wikipedia.org/wiki/Fragment_identifier#Examples`

`http://www.w3.org/1999/02/22-rdf-syntax-ns#type`

- HTTP specifies that fragment identifiers are processed client-side:

- GET request is sent without the fragment identifiers:

```
GET /wiki/Fragment_identifier HTTP/1.1
```

- fragment identifier is processed by client.

- For HTML or XHTML:

- Elements (sections titles, paragraphs, etc.) can have *id* attributes:

```
<h2 id="Examples">Examples</h2>
```

- Browser will jump to element identified by fragment identifier.

Hash namespaces

- For RDF served over HTTP: fragment identifiers identify resources:
 - `http://bla.bla/bla#resource` is a resource
 - `http://bla.bla/bla` is a document describing the resource
- e.g., FOAF files:
 - `http://folk.uio.no/martingi/foaf.rdf#me` - a person
 - `http://folk.uio.no/martingi/foaf.rdf` - an RDF/XML file
- *By convention* the RDF file contains some triples involving resources identified by its fragments.
- Can use the part of the URI until # as namespace

```
@prefix myfoaf: <http://.../martingi/foaf.rdf#>
myfoaf:martin foaf:givenname "Martin" .
```
- This is known as a “hash namespace”.

Hash namespaces – pros and cons

- Hash namespaces solve our problem:
 - Resources are separate from documents about them.
 - It is possible to find a document given a resource URI.
- Moreover:
 - Fetching the right document is done automatically by HTTP.
 - It is enough to publish the RDF file on an HTTP server.
 - Very low tech and fool proof, in other words.
- However:
 - All data published this way about all entities in a hash namespace needs to be stored in the same RDF file

`http://brreg.no/bedrifter.rdf#974760673`
 - Too tight coupling of URI schema (name design) and physical storage (file name).

HTTP Redirection

- Reminder: HTTP responses start with a “status code”:
 - Usually “200 OK”, if the document was found and can be served.
 - “404 Not Found”, if the document does not exist.
- One of the possible status codes is “303 See Other”.
- Always comes with a `Location:` field in the response.
- Tells the client to submit a “GET” request to that location.
- Also known as “303 redirection”.
- Followed by all modern HTTP clients.
- Often used when URLs have changed.

Example of 303 Redirection

- User requests `http://www.dnvgl.com/`.
- Client sends request to `www.dnvgl.com`:
`GET / HTTP/1.1`
`Host: www.dnvgl.com`
- DNV GL changed name to DNV ... Server responds:
`HTTP/1.1 303 See Other`
`Location: http://www.dnv.com/`
- Client sends new request to `www.dnv.com`:
`GET / HTTP/1.1`
`Host: www.dnv.com`
- Server at `www.dnv.com` responds:
`HTTP/1.1 200 OK`
`Content-Type: text/html`
...

303 Redirection for RDF

- Find information about `http://dbpedia.org/resource/Oslo`.
- Send “GET” request to server `dbpedia.org`:
GET `/resource/Oslo` HTTP/1.1
Accept: `application/rdf+xml`
- Server `dbpedia.org` recognizes this as a non-information resource.
- Redirects to a file with data about the city of Oslo:
HTTP/1.1 303 See Other
Location: `http://dbpedia.org/data/Oslo.xml`
- Browser can now send a new request for that location:
GET `/data/Oslo.xml` HTTP/1.1
Accept: `application/rdf+xml`
- This time the server responds with the requested document:
HTTP/1.1 200 OK
Content-Type: `application/rdf+xml`
...

Slash Namespaces

- Common to use URIs with a slash (/) as last non-identifier character:

`http://dbpedia.org/resource/0slo`

- Can use URI up to last slash as namespace:

```
@prefix dbpedia: <http://dbpedia.org/resource/>
dbpedia:0slo dbprop:maySnowCm "0" .
```

- Known as a “slash namespace”.
- Advantages over hash namespaces:
 - Whole URI is sent to server, so...
 - Possible to redirect different resources to different documents.
 - Possible to change redirection without changing URIs.
- Requires some more server configuration.
- See recipes at <http://www.w3.org/TR/swbp-vocab-pub/>.
- See also <http://linkeddatabook.com/>.

Serving Vocabularies

- What about classes and properties?
- Identified by URIs:
 - `http://xmlns.com/foaf/0.1/Person`
 - `http://xmlns.com/foaf/0.1/knows`
 - `http://www.w3.org/1999/02/22-rdf-syntax-ns#Statement`
 - `http://www.w3.org/1999/02/22-rdf-syntax-ns#type`
- What should be served in response to these?
 - A description of the “vocabulary” defining the term.
 - Often an RDF file with RDFS or OWL/RDF content.
 - Sometimes (FOAF) just an HTML page with documentation.
- Mechanisms are the same as for “ordinary” RDF data.
- A single RDF file (hash namespace) is usually OK.
- Should also serve the vocabulary description for the “vocabulary URI”:
 - `http://xmlns.com/foaf/0.1/`
 - `http://www.w3.org/1999/02/22-rdf-syntax-ns#`

HTTP Content Type Negotiation

- In HTTP, data formats are identified by “internet media types”.
 - Previously known as MIME types.
 - `text/html`, `image/jpeg`, `application/pdf`,...
- RDF media types:
 - RDF/XML: `application/rdf+xml`.
 - Turtle: `text/turtle`.
 - N3: `text/n3`.
- Client sends accepted media types in `Accept:` header:
 - `Accept: text/html, text/plain`
- Server chooses sent media type:
 - Picks the preferred one among available types.
 - Sends the media type of the response in the header.
 - `Content-Type: text/html`

Content Type Negotiation for RDF

- Given the URI of a non-information resource...
 - A semantic web applications wants RDF data, as discussed.
 - A regular WWW browser wants HTML, human readable.
- This can be achieved using HTTP content type negotiation.
- Semantic web client:
 - Requests RDF, e.g., `Accept: application/rdf+xml, text/turtle.`
 - Server uses e.g., 303 redirection to an RDF file.
- HTML web client:
 - Requests text, e.g., `Accept: text/html, text/plain.`
 - Server uses e.g., 303 redirection to an HTML file.
- Also possible with hash namespaces, see <http://www.w3.org/TR/swbp-vocab-pub/>.

Example: dbpedia.org

- Requesting the URI `http://dbpedia.org/resource/Oslo`

- From an HTML web browser:

- Sends Accept: `text/html` in request
- Server returns:

`HTTP/1.1 303 See Other`

`Location: http://dbpedia.org/page/Oslo`

- Client requests `http://dbpedia.org/page/Oslo`
- Server sends HTML document:

`HTTP/1.1 200 OK`

`Content-Type: text/html`

Example: dbpedia.org (cont.)

- Requesting the URI `http://dbpedia.org/resource/Oslo`

- From a semantic web browser:

- Sends Accept: `application/rdf+xml` in request

- Server returns:

HTTP/1.1 303 See Other

Location: `http://dbpedia.org/data/Oslo.xml`


- Client requests `http://dbpedia.org/data/Oslo.xml`

- Server sends RDF/XML document:

HTTP/1.1 200 OK

Content-Type: `application/rdf+xml`

The Linked Open Data Cloud



<http://lod-cloud.net/>



Outline

- 1 Relevant highlights from RDF lecture
- 2 Linked (Open) Data
- 3 Conclusion**

Topics Covered

- RDF, principles, Turtle syntax
- The Jena API for RDF
- The SPARQL Query Language
- Basics of the RDFS and OWL ontology languages
- Basics of model semantics and reasoning
- Linked Open Data
- Constraints, SHACL
- OTTR Templates

Topics *Not* Covered

- Rule Languages (SWRL, RIF, Jena rules, etc.)
- SW application structures
- Semantic Web Services
- Details of RDF/RDFS model semantics
- Some details of OWL
- Details of OWL 2 profiles
- Logical theory: Soundness, Completeness, . . .
 - (You ain't seen nothing yet :-)
- And many more!

Help! I Can't Get Enough!

- For more information on theory:
 - Book on Foundations of SW Technologies
 - Take a course in logic or automated reasoning
- For more information on practical questions:
 - Book on Semantic Web Programming
 - Standards texts on W3C Web pages
 - Google
- Still not enough?
 - Contact us for possible MSc topics!

The image features a classic hypnotic spiral background, consisting of concentric circles in shades of red and black that create a strong sense of depth and motion. The spiral starts from a dark blue/black center and expands outwards. Overlaid on this background is the iconic phrase "That's all Folks!" written in a white, elegant cursive script. The text is positioned diagonally across the center of the spiral, with the word "Folks!" being significantly larger than "That's all".

That's all Folks!