

Test design: Part II

Software Testing: INF3121 / INF4121

Summary: Week 5

Specification-based testing (black-box)

Equivalence partitioning | Boundary value analysis

Decision table | State transition | Use case testing

Structure-based testing (white-box)

Statement / Decision testing and coverage

Experience-based testing

Choosing test technique



Part I: Close-ended questions

Question 1


Which of the following would **structure-based test design techniques** be likely to be **applied** to?

1. Boundaries between mortgage interest rate bands
 2. An invalid transition between two different arrears statuses
 3. The business process flow for mortgage approval
 4. Control flow of the program to calculate repayment
-
- a. 2, 3 and 4
 - b. 2 and 4
 - c. 3 and 4
 - d. 1, 2 and 3

Question 1: Answer

Which of the following would **structure-based test design techniques** be likely to be **applied** to?

Different types of testing



Question 1: Answer

Which of the following would **structure-based test design techniques** be likely to be **applied** to?

Purpose of **structure-based** techniques

Test coverage measurement

Assess the **amount** of **testing** performed by tests

Derived from **specification-based technique** to assess coverage

Structural test design

Generate **additional test** cases

Increase test **coverage**



Question 1: Answer

Which of the following would **structure-based test design techniques** be likely to be **applied** to?

Characteristics of **structure-based** techniques

Target: Testing the **structure** of a system / component

White-box testing → What happens **inside** the box?

Can occur at **any test level**

Tends to be applied to component / integration level testing

Higher test levels → Business process testing

Control flow models

Support structural testing



Question 1: Answer

Which of the following would **structure-based test design techniques** be likely to be **applied** to?

1. Boundaries between mortgage interest rate bands
 2. An invalid transition between two different arrears statuses
 3. The **business process flow** for **mortgage** approval
 4. **Control flow** of the **program** to calculate **repayment**
-
- a. 2, 3 and 4
 - b. 2 and 4
 - c. 3 and 4**
 - d. 1, 2 and 3

Question 2

Use case testing is useful for which of the following?

1. Designing acceptance tests with users or customers
 2. Making sure the mainstream business processes are tested
 3. Finding defects in the interaction between components
 4. Identifying the maximum and minimum values for every input field
 5. Identifying the percentage of statements exercised by a set of tests
-
- a. 1, 2 and 3
 - b. 2, 4 and 5
 - c. 1, 2 and 4
 - d. 3, 4 and 5

Question 2: Answer

Use case testing is **useful** for which of the following?

Use case testing

Technique to **identify** test **cases** that **exercise** the **whole system**

Transaction by transaction basis from start to finish

Sequence of steps → Describes **interactions** between **actor** and **system**

Achieve a specific **task** / Produce something of **value** to the user

Defined in terms of the **actor**, not the system

Describes **process flows** through a system → Based on its actual use

Can uncover **integration defects** → Incorrect actions between components

Individual testing would not uncover these



Question 2: Answer

Use case testing is **useful** for which of the following?

1. Designing **acceptance tests** with **users** or **customers**
2. Making sure the **mainstream business processes** are **tested**
3. Finding **defects** in the **interaction** between **components**
4. Identifying the maximum and minimum values for every input field
5. Identifying the percentage of statements exercised by a set of tests

- a. 1, 2 and 3**
- b. 2, 4 and 5
- c. 1, 2 and 4
- d. 3, 4 and 5



Question 3

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?

- a. 100 % decision coverage is achieved if statement coverage is greater than 90 %
- b. 100 % statement coverage is achieved if decision coverage is greater than 90 %
- c. 100 % decision coverage always means 100 % statement coverage
- d. 100 % statement coverage always means 100 % decision coverage

Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?


Statement coverage

Code **example** (each line is a statement)

```
1  READ A
2  READ B
3  IF A > B THEN C = 0
4  ENDIF
```

To achieve **100% statement coverage**:

How many test cases needed?



Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?

Achieving 100 % Statement coverage

Just **one** test **case** needed


A must be **greater** than **B**

Runs through **all** statements

Example test case

$A = 12$

$B = 10$




Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?

Example II: Statement coverage

- 1 READ A
- 2 READ B
- 3 $C = A + 2 * B$
- 4 IF C > 50 THEN
- 5 PRINT LARGE C
- 6 ENDIF



Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?

Example II: Statement coverage

Test 1_1:

$$A = 2, B = 3$$


Test 1_2:

$$A = 0, B = 25$$

Test 1_3:

$$A = 47, B = 1$$

Which **statements** have we **covered**?



Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?

Example II: Statement coverage

Test 1_1:

$A = 2, B = 3 // C = 8$


Test 1_2:

$A = 0, B = 25$

Test 1_3:

$A = 47, B = 1$

Which **statements** have we **covered**?



Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?

Example II: Statement coverage

Test 1_1:

$A = 2, B = 3$


Test 1_2:

$A = 0, B = 25 // C = 50$

Test 1_3:

$A = 47, B = 1$

Which **statements** have we **covered**?



Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?

Example II: Statement coverage


Have covered **5 out of 6** statements

Statement **coverage = 83 %**

Need another test to reach 100 %

Test 1_4:

A = 20, B = 25



Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?


Example II: Statement coverage

Test 1_4:

$A = 20, B = 25 // C = 70$

Statement coverage = 100 %

In fact, **only one** test case **needed**



Question 3: Answer


Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?

Decision coverage

Each **decision** must have **both** a **true** and **false** outcome

Code **example** (each line is a statement)

```
1  READ A
2  READ B
3  IF A > B THEN C = 0
4  ENDIF
```



To achieve **100% decision coverage**: How many test cases needed?

Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?

Decision coverage

One test required for 100 % *statement coverage*

$A = 12, B = 10$


// All statements are exercised

Decision coverage requires:

Each condition must have **True** and **False**

Test case condition

A must be less than or equal to B



Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?


Decision coverage

Additional test case

$A = 2, B = 4$

// All decisions have been exercised

Have achieved 100 % decision coverage



Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?

Statement and **Decision** coverage

$$\text{Statement coverage} = \frac{\text{Number of statements exercised}}{\text{Total number of statements}} \times 100$$

$$\text{Decision coverage} = \frac{\text{Number of decision outcomes exercised}}{\text{Total number of decision outcomes}} \times 100$$

Decision coverage is **stronger** than **statement coverage**

100 % decision coverage guarantees 100 % statement coverage

Not the other way around!



Question 3: Answer

Which of the following statements about the **relationship** between **statement** and **decision coverage** is correct?

- a. 100 % decision coverage is achieved if statement coverage is greater than 90 %
- b. 100 % statement coverage is achieved if decision coverage is greater than 90 %
- c. 100 % decision coverage always means 100 % statement coverage**
- d. 100 % statement coverage always means 100 % decision coverage

Question 4


Why are **error guessing** and **exploratory testing techniques** good to do?

- a. They find defects missed by specification-based and structure-based techniques
- b. They don't require any training to be as effective as formal techniques
- c. They can be used more effectively when there are good specifications
- d. They will ensure that all of the code or system is tested

Question 4: Answer

Why are **error guessing** and **exploratory testing** techniques good to do?

Experience-based techniques



Question 4: Answer

Why are **error guessing** and **exploratory** testing techniques good to do?

Error-guessing and **Exploratory** testing

Experience-based techniques

Error-guessing

Guess: “Where are the defects more likely to be found?”

Anticipate defects based on previous **experience**

Should always be **used** as a **complement** to more **formal** test **techniques**

Success depends on **skill** of the tester → Can be **highly effective**



Question 4: Answer

Why are **error guessing** and **exploratory** testing techniques good to do?

Exploratory testing

Hands-on approach

Concurrent test design / execution / logging / learning

Testers involved in **minimum** planning and **maximum** test execution

Approach is **useful** when

Specification is **poor** / or does not exist at all

Time is limited

Can **complement** more **formal** testing → Ensure most serious defects are found



Question 4: Answer

Why are **error guessing** and **exploratory testing techniques** good to do?

- a. **They find defects missed by specification-based and structure-based techniques**
- b. They don't require any training to be as effective as formal techniques
- c. They can be used more effectively when there are good specifications
- d. They will ensure that all of the code or system is tested



Question 5

How do **experience-based** techniques **differ** from **specification-based** techniques?

- a. They depend on the tester's understanding of the way the system is structured rather than on a documented record of what the system should do
- b. They depend on having older testers rather than younger testers
- c. They depend on a documented record of what the system should do rather than on an individual's personal view
- d. They depend on an individual's personal view rather than on a documented record of what the system should do

Question 5: Answer

How do **experience-based** techniques **differ** from **specification-based** techniques?

Experience-based techniques

Tests **derived** from **skill** / **knowledge** / **experience** / **intuition**

Both of **technical** and **business** people

Different groups yield different **perspectives**

Often based on **similar applications** and technologies

Used **predominantly** to **complement** more **formal** test **techniques**

Specification-based and structure-based techniques

Success / Effectiveness is highly **dependent** on the testers **skill** and **experience**



Question 5: Answer

How do **experience-based** techniques **differ** from **specification-based** techniques?

- a. They depend on the tester's understanding of the way the system is structured rather than on a documented record of what the system should do
- b. They depend on having older testers rather than younger testers
- c. They depends on a documented record of what the system should do rather than on an individual's personal view
- d. They depend on an individual's personal view rather than on a documented record of what the system should do**

Question 6

Pair the following **test design techniques** with the **typical problems** they address:

Decision tables	Applied when the inputs or outputs can be grouped in a way that exhibits similar behaviour
Use case testing	Used to test sequences of states or sequences of transitions
State transition testing	Used when the problem can be described as an interaction between an actor and the system
Boundary value analysis	Used when the inputs and actions can be expressed as Boolean values
Equivalence partitioning	Applied when the inputs and outputs can be grouped in equivalent partitions. The technique tests the edges of each equivalence partition

Question 6: Answer

Pair the following **test design techniques** with the typical **problems** they address:

Decision tables	Applied when the inputs or outputs can be grouped in a way that exhibits similar behaviour
Use case testing	Used to test sequences of states or sequences of transitions
State transition testing	Used when the problem can be described as an interaction between an actor and the system
Boundary value analysis	Used when the inputs and actions can be expressed as Boolean values
Equivalence partitioning	Applied when the inputs and outputs can be grouped in equivalent partitions. The technique tests the edges of each equivalence partition

Question 7

If you are **flying** with an **economy ticket**, there is a possibility that you may get **upgraded** to **business** class, **especially** if you hold a **gold card** in the airline's frequent flyer program.

If you **don't** hold a **gold card**, there is a **possibility** that you will get "**bumped**" off the flight if it is **full** and you **check in late**.

This is shown in the following figure. Note that each box (i.e. statement) has been numbered.



Question 7

Tests run:

Test 1


Gold card holder who gets upgraded to business class

Test 2

Non-gold card holder who stays in economy

Test 3

A person who is bumped off the flight



Question 7

What is the **statement coverage** of these three **tests**?

- a. 60 %
- b. 70 %
- c. 80 %
- d. 90 %



Question 7: Answer

What is the **statement coverage** of these three **tests**?

Calculating **statement coverage**

$$\text{Statement coverage} = \frac{\text{Number of statements exercised}}{\text{Total number of statements}} \times 100$$

After **running all three tests**:

Numerator: How many **statements** have we **exercised**?

Denominator: How many **statements** exist in **total**?

Multiply by a **hundred** to get **percentage**



Question 7: Answer

What is the **statement coverage** of these three **tests**?

Test 1


Gold card holder

Upgraded to business class

Coverage

Total statements: 10

Statements so far: 4



Question 7: Answer

What is the **statement coverage** of these three **tests**?

Test 2


Non-gold card holder

Stays in economy

Coverage

Total statements: 10

Statements so far: 6



Question 7: Answer

What is the **statement coverage** of these three tests?

Test 3


Any person

Bumped off the flight

Coverage

Total statements: 10

Statements so far: 8



Question 7: Answer

What is the **statement coverage** of these three **tests**?

Calculating statement coverage

How many **statements** have we **exercised**? **8**

1. Gold card?

2. Business class full?

4. Upgrade

5. Boarding card

6. Economy full?

7. Economy

8. Business class full?

10. Bumped off flight

How many **statements** exist in **total**? **10**

Have yet to exercise statements

[3. Economy] and [9. Upgrade]

Statement coverage = 80 %



Question 7: Answer

What is the **statement coverage** of these three **tests**?

- a. 60 %
- b. 70 %
- c. 80 %**
- d. 90 %



Question 8

When **choosing** which **technique** to **use** in a given situation, which **factors** should be taken into **account**?

1. Previous experience of types of defects found in this or similar system
 2. The existing knowledge of the testers
 3. Regulatory standards that apply
 4. The type of test executing tool that will be used
 5. The documentation available
 6. Previous experience in the development language
-
- a. 2, 3, 5, and 6
 - b. 1, 2, 3 and 5
 - c. 1, 4 and 5
 - d. 2, 3 and 5

Question 8: Answer

When **choosing** which **technique** to **use** in a given situation, which **factors** should be taken into **account**?

Which technique is **best**? → **Wrong** question

Each technique is good for **certain instances**, and less adequate for others

“The best testing technique is no single testing technique”

Examples

Structure-based → Can **only test** what is **present**

E.g. find malicious code / Trojan horses

Specification-based → Can **reveal** if parts of **specification** are **missing** from **code**

Experience-based → **Finds** things **missing** from **both specification** and **code**



Question 8: Answer

When **choosing** which **technique** to **use** in a given situation, which **factors** should be taken into **account**?

Each technique is **aimed** at particular **types** of **defects**

E.g. State-transition testing is unlikely to find boundary defects

Use a **variety** of testing **techniques**

Using **one** technique → Ensures **many defects** of that particular **class** are **found**

However → Ensures many **defects** of **other classes** are **missed**

Using a **variety** of techniques

Ensures a **variety** of **defects** are found

Effective testing



Question 8: Answer

When **choosing** which **technique** to **use** in a given situation, which **factors** should be taken into **account**?

Internal factors affecting choice of test techniques

Models used

If specification contains state transition diagram → State transition testing

Testers **knowledge** and **experience**

How much do testers know about the system / various techniques?

Likely defects

Each technique is good at finding particular defects

Knowledge about likely defects is therefore helpful



Question 8: Answer

When **choosing** which **technique** to **use** in a given situation, which **factors** should be taken into **account**?

Internal factors affecting choice of test techniques

Test **objective**

What do we **want** from the test **effort**? → Helps us define **approach**

Documentation

Exists? Updated? Content → Serves to **guide** the test **effort**

Life cycle model

Sequential → **Formal** testing techniques

Iterative → **Exploratory** testing approach



Question 8: Answer

When **choosing** which **technique** to **use** in a given situation, which **factors** should be taken into **account**?

External factors affecting choice of test techniques

Risk

The **greater** the **risk**, the **greater** the **need** for more **thorough** testing

Customer / Contractual requirements

Contracts may **specify** particular testing **techniques** to be **used**

Type of system

Influence techniques used

E.g. Financial application → Benefits from boundary value analysis



Question 8: Answer

When **choosing** which **technique** to **use** in a given situation, which **factors** should be taken into **account**?

External factors affecting choice of test techniques

Regulatory requirements

Some industries have regulatory standards

E.g. Aircraft industry → Test effort depends on level of SW integrity required

Equivalence partitioning / BVA / State transition

Combined with statement / decision coverage

Time and **budget**

How much time is available? More time → More techniques




Question 8: Answer

When **choosing** which **technique** to **use** in a given situation, which **factors** should be taken into **account**?

1. Previous **experience** of **types** of **defects** found in this or **similar system**
 2. The **existing knowledge** of the testers
 3. Regulatory **standards** that apply
 4. The type of test executing tool that will be used
 5. The documentation available
 6. Previous **experience** in the **development language**
- a. 2, 3, 5, and 6
 - b. 1, 2, 3 and 5**
 - c. 1, 4 and 5
 - d. 2, 3 and 5

Question 9

Given the state **diagram** below, which **test case** is the **minimum series of valid transitions to cover every state?**




- a. SS-S1-S2-S4-S1-S3-ES
- b. SS-S1-S2-S3-S4-ES
- c. SS-S1-S2-S4-S1-S3-S4-S1-S3-ES
- d. SS-S1-S4-S2-S1-S3-ES

Question 9: Answer

Given the state **diagram** below, which **test case** is the **minimum** series of **valid transitions** to **cover every** state?

Want the minimum path from SS to ES, visiting each state at least once




Path:



Question 9: Answer

Given the state **diagram** below, which **test case** is the **minimum** series of **valid transitions** to **cover every** state?


Want the minimum path from SS to ES, visiting each state at least once



Question 9: Answer

Given the state **diagram** below, which **test case** is the **minimum** series of **valid transitions** to **cover every** state?


Want the minimum path from SS to ES, visiting each state at least once



Question 9: Answer

Given the state **diagram** below, which **test case** is the **minimum** series of **valid transitions** to **cover every** state?


Want the minimum path from SS to ES, visiting each state at least once



Question 9: Answer

Given the state **diagram** below, which **test case** is the **minimum** series of **valid transitions** to **cover every** state?


Want the minimum path from SS to ES, visiting each state at least once



Question 9: Answer

Given the state **diagram** below, which **test case** is the **minimum** series of **valid transitions** to **cover every** state?


Want the minimum path from SS to ES, visiting each state at least once



Question 9: Answer

Given the state **diagram** below, which **test case** is the **minimum** series of **valid transitions** to **cover every** state?


Want the minimum path from SS to ES, visiting each state at least once



Question 9: Answer


Given the state **diagram** below, which **test case** is the **minimum** series of **valid transitions** to **cover every** state?

Want the minimum path from SS to ES, visiting each state at least once



Question 9

Given the state **diagram** below, which **test case** is the **minimum** series of **valid transitions** to **cover every** state?



- a. **SS-S1-S2-S4-S1-S3-ES**
- b. SS-S1-S2-S3-S4-ES
- c. SS-S1-S2-S4-S1-S3-S4-S1-S3-ES
- d. SS-S1-S4-S2-S1-S3-ES

Part II: Exercises and Open-ended questions

Exercise 1: Decision Table Testing

If you hold an “**over 60s**” rail **card**, you get a **34% discount** on whatever ticket you buy. If you are **travelling** with a **child** (under 16) you get a **50% discount** on any ticket **if you hold a family rail card**, **otherwise** you get a **10% discount**. You may **only** hold **one type** of rail **card**.

- a. Produce a **decision table** showing all **combinations** of **fare types** and resulting **discounts**
- b. Derive **test cases** from the **decision table**

Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

Fare types available based on:

“Over 60s” card

Family card

Travelling **with** a **child**

Set up the **decision** table

Three different **conditions** → Card type

Each with the **outcome** **Y / N** → Holds said card type / Does not hold said card type

Eight different **rules** → Maps out combinations between inputs and outputs



Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

Decision table

R7: No rail cards, but travelling with children

Causes (Inputs)	R1	R2	R3	R4	R5	R6	R7	R8
Over 60s rail card?	Y	Y	Y	Y	N	N	N	N
Family rail card?	Y	Y	N	N	Y	Y	N	N
Child also travelling?	Y	N	Y	N	Y	N	Y	N
Effects (Outputs)								
Discount (%)							10%	0%

Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

Decision table

R6: No “Over 60s” card, with family card, but no children travelling

Causes (Inputs)	R1	R2	R3	R4	R5	R6	R7	R8
Over 60s rail card?	Y	Y	Y	Y	N	N	N	N
Family rail card?	Y	Y	N	N	Y	Y	N	N
Child also travelling?	Y	N	Y	N	Y	N	Y	N
Effects (Outputs)								
Discount (%)						0%	10%	0%

Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

Decision table

R5: No “Over 60s” card, with family card, and with children travelling

Causes (Inputs)	R1	R2	R3	R4	R5	R6	R7	R8
Over 60s rail card?	Y	Y	Y	Y	N	N	N	N
Family rail card?	Y	Y	N	N	Y	Y	N	N
Child also travelling?	Y	N	Y	N	Y	N	Y	N
Effects (Outputs)								
Discount (%)					50%	0%	10%	0%

Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

Decision table

R4: Holds “Over 60s” card, no family card, and no children travelling

Causes (Inputs)	R1	R2	R3	R4	R5	R6	R7	R8
Over 60s rail card?	Y	Y	Y	Y	N	N	N	N
Family rail card?	Y	Y	N	N	Y	Y	N	N
Child also travelling?	Y	N	Y	N	Y	N	Y	N
Effects (Outputs)								
Discount (%)				34%	50%	0%	10%	0%

Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

Decision table

R3: Holds “Over 60s” card, no family card, but with children travelling

Causes (Inputs)	R1	R2	R3	R4	R5	R6	R7	R8
Over 60s rail card?	Y	Y	Y	Y	N	N	N	N
Family rail card?	Y	Y	N	N	Y	Y	N	N
Child also travelling?	Y	N	Y	N	Y	N	Y	N
Effects (Outputs)								
Discount (%)			34%	34%	50%	0%	10%	0%

Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

Decision table

R2: Holds “Over 60s” card, has family card, but no children travelling

Causes (Inputs)	R1	R2	R3	R4	R5	R6	R7	R8
Over 60s rail card?	Y	Y	Y	Y	N	N	N	N
Family rail card?	Y	Y	N	N	Y	Y	N	N
Child also travelling?	Y	N	Y	N	Y	N	Y	N
Effects (Outputs)								
Discount (%)		X/?/34%	34%	34%	50%	0%	10%	0%

Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

Decision table

R1: Holds “Over 60s” card, has family card, with children travelling

Causes (Inputs)	R1	R2	R3	R4	R5	R6	R7	R8
Over 60s rail card?	Y	Y	Y	Y	N	N	N	N
Family rail card?	Y	Y	N	N	Y	Y	N	N
Child also travelling?	Y	N	Y	N	Y	N	Y	N
Effects (Outputs)								
Discount (%)	X/?/50%	X/?/34%	34%	34%	50%	0%	10%	0%

Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

Decision table

Final result → **What is the output for R1 and R2?**

Causes (Inputs)	R1	R2	R3	R4	R5	R6	R7	R8
Over 60s rail card?	Y	Y	Y	Y	N	N	N	N
Family rail card?	Y	Y	N	N	Y	Y	N	N
Child also travelling?	Y	N	Y	N	Y	N	Y	N
Effects (Outputs)								
Discount (%)	X/?/50%	X/?/34%	34%	34%	50%	0%	10%	0%

Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

What is the **output** for **R1** and **R2**?

X → Not possible to hold more than one rail card

? → Specification does not tell us what happens for said cases

If someone holds **two cards** → Not likely to admit that

R1: Claim **50% discount** with family rail card and travelling with children

R2: Claim **34 % discount** with “Over 60s” card and no children

Notation shows we **do not know** the expected **outcome** for **R1** and **R2**

Have revealed **ambiguities** in the **specification**



Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

Further **simplifications**

R3 and **R4** → **Same effect** (34% discount)

Third cause (children also travelling?) has no effect on the outcome

R6 and **R8** → **Same effect** (0% discount)

Having family rail card has no effect when not travelling with a child

Rationalise table

Combine these with a “**not applicable**” entry

Fewer columns and fewer test cases



Exercise 1(a): Answer

Produce a **decision table** showing all **combinations of fare types** and resulting **discounts**

Rationalised decision table

R3*: Combined rules 3 and 4 / **R6***: Combined rules 6 and 8

Causes (Inputs)	R1	R2	R3*	R5	R6*	R7
Over 60s rail card?	Y	Y	Y	N	N	N
Family rail card?	Y	Y	N	Y	-	N
Child also travelling?	Y	N	-	Y	N	Y
Effects (Outputs)						
Discount (%)	50%	34%	34%	50%	0%	10%

Exercise 1(b): Answer

Derive **test cases** from the **decision table**

Test cases for rail card scenario

Test case ID	Input	Expected outcome
1	A. Adams, with over 60s rail card and family rail card, travelling with grandson Ben (age 11).	50% discount for both tickets
2	Mrs. B. Cook, with over 60s rail card and family rail card, travelling alone.	34% discount
3	Mr. J. Johnson, with over 60s rail card, travelling with his wife.	34% discount (for Johnson only, not the wife)
4	Mrs. C. Baker, with family rail card, travelling with her daughter Anna.	50% discount for both tickets
5	Miss A. Lone, no rail card, travelling alone	No discount
6	Mr. J. Harper, with no rail card, travelling with his niece (age 5)	10% discount for both tickets

Exercise 1(b): Answer

Derive **test cases** from the **decision table**

Additional **issues**?

Does **discount** apply **only** to the **traveller**, or to **someone** travelling **with** them?

Specification does **not explicitly** state the answer

Assumptions made

Family card: Discounts apply to **all** travelling **members**

Over 60s card: Discount **only** applies to the **individual** passenger



Exercise 2: State Transitions

A website **shopping basket** starts out **empty**. As **purchases** are **selected**, they are **added** to the shopping basket. **Items** can also be **removed** from the shopping basket.

When the customer **decides** to **check out**, a **summary** of the items in the basket and the **total cost** are **show**. Customer states if the information is OK.

If the **contents** and the **price** are **OK**, then you **leave** the **summary** display and **go** to the **payment** system. **Otherwise**, you go **back** to **shopping** (so as to **remove** items if you want).

- a. (i) Produce a **state diagram** showing the different **states** and **transitions**.
(ii) Define a **test**, in terms of a **sequence** of **states**, to **cover** all transitions
- b. Produce a **state table**. Give an **example** test for an **invalid transition**

Exercise 2(a.i): State Transitions

Produce a **state diagram** showing different **states** and **transitions**



Exercise 2(a.i): Answer

Produce a **state diagram** showing different **states** and **transitions**

1. Mapping out the different **states**

Empty (start state)

Nothing has been placed into the basket


Shopping (intermediate)

There are items placed in the basket

Summary and **cost** (intermediate)

Overview of the items and price

Payment (final state)



Exercise 2(a.i): Answer

Produce a **state diagram** showing different **states** and **transitions**

2. Mapping out the **transitions** between states

Add item → “Empty” to “Shopping” or “Shopping” to “Shopping”

Remove item → “Shopping” to “Shopping”

Remove last item → “Shopping” to “Empty”

Check out → “Shopping” to “Summary and cost”

OK → “Summary and cost” to “Payment”

Not OK → “Summary and cost” to “Shopping”



Exercise 2(a.i): Answer

Produce a **state diagram** showing different **states** and **transitions**

3. **Model** state diagram


Start with the initial state “**S1: Empty**”

What can you **do** in in this state?

Add item

Which state do you **reach**?

“**S2: Shopping**”



Exercise 2(a.i): Answer

Produce a **state diagram** showing different **states** and **transitions**

3. **Model** state diagram


For the state “**S2: Shopping**”

What can you **do within** this state?

Add item / Remove item

Which state do you **reach**?

Still in “**S2: Shopping**”



Exercise 2(a.i): Answer

Produce a **state diagram** showing different **states** and **transitions**

3. Model state diagram


State “**S2: Shopping**”

Interaction with **other** states?

Remove last item / Check out

Which states do you **reach**?

“**S1: Empty**” and “**S3: Summary and cost**”



Exercise 2(a.i): Answer

Produce a **state diagram** showing different **states** and **transitions**

3. Model state diagram


State “**S3: Summary and cost**”

What can you **do** in this state?

OK / Not OK

Which states do you **reach**?


“**S2: Shopping**” and “**S4: Payment**”



Exercise 2(a.i): Answer

Produce a **state diagram** showing different **states** and **transitions**

3. Final diagram



Exercise 2(a.ii): State Transitions

Define a **test**, in terms of a **sequence of states**, to cover **all transitions**




Exercise 2(a.ii): Answer

Define a **test**, in terms of a **sequence of states**, to cover **all transitions**


Find a **path** from **S1** to **S4**, covering **all transitions**

That is pass **every arrow** in the state diagram



Exercise 2(a.ii): Answer


Define a **test**, in terms of a **sequence of states**, to cover **all transitions**



State	Event (action)
S1	Add item
S2	Remove (last) item
S1	Add item
S2	Add item
S2	Remove item

Exercise 2(a.ii): Answer


Define a **test**, in terms of a **sequence of states**, to cover **all transitions**



State	Event (action)
S1	Add item
S2	Remove (last) item
S1	Add item
S2	Add item
S2	Remove item
S2	Check out

Exercise 2(a.ii): Answer


Define a **test**, in terms of a **sequence of states**, to cover **all transitions**



State	Event (action)
S1	Add item
S2	Remove (last) item
S1	Add item
S2	Add item
S2	Remove item
S2	Check out
S3	Not OK

Exercise 2(a.ii): Answer


Define a **test**, in terms of a **sequence of states**, to cover **all transitions**



State	Event (action)
S1	Add item
S2	Remove (last) item
S1	Add item
S2	Add item
S2	Remove item
S2	Check out
S3	Not OK
S2	Check out

Exercise 2(a.ii): Answer


Define a **test**, in terms of a **sequence of states**, to cover **all transitions**



State	Event (action)
S1	Add item
S2	Remove (last) item
S1	Add item
S2	Add item
S2	Remove item
S2	Check out
S3	Not OK
S2	Check out
S3	OK

Exercise 2(a.ii): Answer

Define a **test**, in terms of a **sequence of states**, to cover **all transitions**



State	Event (action)
S1	Add item
S2	Remove (last) item
S1	Add item
S2	Add item
S2	Remove item
S2	Check out
S3	Not OK
S2	Check out
S3	OK
S4	-

Exercise 2(b): State Transitions

Produce a **state table**. Give an **example** test for an **invalid transition**



Exercise 2(b): Answer

Produce a **state table**. Give an **example** test for an **invalid transition**

State table

Maps out **states** and **transitions** in **tabular** form

State (Event)	Add item	Remove item	Remove last item	Check out	OK	Not OK
S1: Empty						
S2: Shopping						
S3: Summary						
S4: Payment						


Exercise 2(b): Answer

Produce a **state table**. Give an **example** test for an **invalid transition**

S1: **Empty**

What **states** can we **reach** from **S1**?

Through which **transitions**?



State (Event)	Add item	Remove item	Remove last item	Check out	OK	Not OK
S1: Empty	S2	-	-	-	-	-
S2: Shopping						
S3: Summary						
S4: Payment						


Exercise 2(b): Answer

Produce a **state table**. Give an **example** test for an **invalid transition**

S2: **Shopping**

What **states** can we **reach** from **S2**?

Through which **transitions**?



State (Event)	Add item	Remove item	Remove last item	Check out	OK	Not OK
S1: Empty	S2	-	-	-	-	-
S2: Shopping	S2	S2	S1	S3	-	-
S3: Summary						
S4: Payment						


Exercise 2(b): Answer

Produce a **state table**. Give an **example** test for an **invalid transition**

S3: **Summary** and **cost**

What **states** can we **reach** from **S3**?

Through which **transitions**?



State (Event)	Add item	Remove item	Remove last item	Check out	OK	Not OK
S1: Empty	S2	-	-	-	-	-
S2: Shopping	S2	S2	S1	S3	-	-
S3: Summary	-	-	-	-	S2	S4
S4: Payment						


Exercise 2(b): Answer

Produce a **state table**. Give an **example** test for an **invalid transition**

S4: **Payment**

What **states** can we **reach** from **S4**?

Through which **transitions**?



State (Event)	Add item	Remove item	Remove last item	Check out	OK	Not OK
S1: Empty	S2	-	-	-	-	-
S2: Shopping	S2	S2	S1	S3	-	-
S3: Summary	-	-	-	-	S2	S4
S4: Payment	-	-	-	-	-	-

Exercise 3: Statement and Decision

A vending **machine** dispenses either **hot** or **cold drinks**.

If you choose a **hot** drink (e.g. tea or coffee), it asks if you want **milk** (added if required).

Then it asks if you want **sugar** (added if required)

Finally, the drink is **dispensed**.



Exercise 3(a)

Draw a **control flow diagram** for this example

Hint: Regard the **selection** of the **type** of **drink** as one **statement**



Exercise 3(a): Answer

Draw a **control flow diagram** for this example


1. Map out the different *controls* for the scenario

What is being controlled?

Hot or cold drink

Milk or no milk

Sugar or no sugar



2. Represent each control with a *diamond* shape

These *controls* will lead to *decisions*

E.g. Choosing a “hot” drink, or choosing “no milk”.

Exercise 3(a): Answer

Draw a **control flow diagram** for this example

3. Map out the different *outcomes* (statements) for each **control**

What are the outcomes?

Hot drink → **Select drink** (coffee or tea)

Cold drink → **Select drink** (water or soda)

Milk → **Add milk**

No milk → Nothing happens

Sugar → **Add sugar**

No sugar → Nothing

4. Represent the statements with **rectangles**

Select drink
(coffee or tea)

Select drink
(water or soda)

Add milk

Add sugar

Dispense drink


Exercise 3(a): Answer

Draw a **control flow diagram** for this example

5. Map out the different *decisions* (statements) for each **control**

What are the **outcomes** of each *question*?

Which **statements** do they **lead** to?




6. Represent the outcomes with **arrows** in the diagram



Exercise 3(a): Answer

Draw a **control flow diagram** for this example

7. **Construct** the **control flow** diagram combining all elements



Exercise 3(b)

Given the following **tests**, what is the **statement coverage** achieved? What is the **decision coverage** achieved?

Test 1: Cold drink

Test 2: Hot drink with milk and sugar



Exercise 3(b): Answer

Statement and decision coverage

Test 1:


Cold drink

Test 2:

Hot drink with milk and sugar

What is the **statement** coverage?

What is the **decision** coverage?



Exercise 3(b): Answer

Statement and decision coverage

Statement coverage

100 % statement coverage


Every **statement** has been **covered**

(All boxes have been touched)

What is the **decision** coverage?

How **many decision outcomes** exist?

How many decision **outcomes exercised**?



Exercise 3(b): Answer

Statement and decision coverage

What is the **decision** coverage?

How **many decision outcomes** exist?

Hot / Cold / Yes / No / Yes / No

6 decision outcomes in total


How many decision **outcomes exercised**?

Hot / Cold / Yes / No

4 decision outcomes exercised

Decision coverage

$4 / 6 = 67 \%$



Exercise 3(c)

What **additional tests** would be **needed** to achieve **100% decision and statement coverage**?



Exercise 3(c): Answer

What **additional tests** would be **needed** to achieve **100% decision and statement coverage**?

Additional tests

Statement coverage:

No further tests

Decision coverage

Must exercise No / No

Test 3:

Hot drink, no milk, no sugar

All decisions exercised

