

INF3510 Information Security University of Oslo Spring 2014

Lecture 3 Risk Management Business Continuity Management



University of Oslo, spring 2014
Audun Jøsang

- Motivation
- Capacity



Risk



Vulnerabilities

Threats

2


Audun Jøsang

L03 - INF3510, UiO spring 2014

What is risk?

What is risk management?

- “IS risk management analyses what can happen and what the possible consequences can be, before deciding what should be done and when, to reduce risk to an acceptable level.”
 - ISO 27005



Risk Management – ISMS integration

Risk Management standards

- ISO 27005 Information Security Risk Management
- ISO 31000 Risk Management
- NIST SP800-39 Managing Information Security Risk
 - formerly called “Risk Management Guide for Information Technology Systems”
- NS 5831 Samfunnsikkerhet – Beskyttelse mot tilskidente uønskede handlinger – Risikhåndtering
- NS 5832 Samfunnsikkerhet – Beskyttelse mot tilskidente uønskede handlinger – Risikoanalyse

Audun Jøsang L03 - INF3510, UiO spring 2014

5

Proportionality principle



How much should I spend on securing my reputation ?
How much should I spend on securing ?
Why ?

- **The Proportionality Principle:**
 - Apply a set of controls (physical, technical and administrative controls) that match the perceived risk to, and value of, an organisation's information assets
- Know the assets: identify, examine, and understand the information and systems currently in place
- Know the enemy: identify, examine, and understand threats facing the organization
 - Know the losses your organisation can tolerate.
- Know responsibility of each stakeholders within an organization to manage risks that are encountered

Audun Jøsang L03 - INF3510, UiO spring 2014

7

Basis for assessing risk

- Know the assets: identify, examine, and understand the information and systems currently in place
- Know the enemy: identify, examine, and understand threats facing the organization
 - Know the losses your organisation can tolerate.
- Know responsibility of each stakeholders within an organization to manage risks that are encountered

Audun Jøsang L03 - INF3510, UiO spring 2014

6

Problems of measuring risk

- Businesses normally wish to measure risk in money, but almost impossible to do this
- Valuation of assets
 - Value of data, hard to assess
 - Likelihood of threats
 - Past events not always relevant for future probabilities
 - The nature of future attacks is unpredictable
 - The actions of future attackers are unpredictable

- Measurement of benefit from security control
 - Problems with the difference of two approximate quantities
 - Estimation of past and present risk

Audun Jøsang L03 - INF3510, UiO spring 2014

8


Roles involved in risk management

Risk management process ISO 27005

- Management, users, and information technology must all work together
 - Asset owners must participate in developing inventory lists
 - Users and experts must assist in identifying threats and vulnerabilities, and in determining likelihoods
 - Risk management experts must guide stakeholders through the risk assessment process
 - Security experts must assist in selecting controls
 - Management must review risk management process and approve controls

Audun Jøsang L03 - INF3510, UiO spring 2014

9



Audun Jøsang L03 - INF3510, UiO spring 2014

10

Asset Valuation and Prioritization

- Questions help develop criteria for asset valuation
- Which information asset:
 - is most critical to organization's success?
 - generates the most revenue/profitability?
 - would be most expensive to replace or protect?
 - would be the embarrassing or cause liability if revealed?
- Prioritization
 - Create weighting for each category
 - Calculate relative importance of each asset
 - List the assets in order of importance using a weighted factor analysis worksheet

Audun Jøsang L03 - INF3510, UiO spring 2014

11

Threat identification

- Realistic threats need to be described; unimportant threats are set aside
- Threat assessment:
 - Which threats present danger to assets?
 - Which threats represent the most danger to information?
 - How much would it cost to recover from attack?
 - Which threat are most expensive to prevent?

Audun Jøsang L03 - INF3510, UiO spring 2014


12

Threat Modelling

- Attacker-centric
 - Starts from attackers, evaluates their goals, and how they might achieve them through attack tree. Usually starts from entry points or attacker action.
- System-centric (aka. SW-, design-, architecture-centric)
 - Starts from model of system, and attempts to follow model dynamics and logic, looking for types of attacks against each element of the model. This approach is e.g. used for threat modeling in Microsoft's Security Development Lifecycle.
- Asset-centric
 - Starts from assets entrusted to a system, such as a collection of sensitive personal information, and attempts to identify how security breaches of CIA properties can happen.

Audun Jøsang L03 - INF3510, UiO spring 2014 13


Audun Jøsang L03 - INF3510, UiO spring 2014 14



Legend:
 G_0 : Main goal — AND (conjunctive) all subgoals needed
 \Rightarrow OR (disjunctive) any subgoal needed


Probability of attack success: $p(G_0) = 1 - (1-p(G_1))(1-p(G_4)p(G_5))(1-p(G_3))$

System-centric threat modelling example



Audun Jøsang L03 - INF3510, UiO spring 2014 15

Asset-centric threat modelling example



Audun Jøsang L03 - INF3510, UiO spring 2014 16

Attacker-centric attack tree example

Vulnerability Identification

- Specific avenues threat agents can exploit to attack an information asset are called vulnerabilities
- Examine how each incident/threat could be perpetrated and list organization's assets and vulnerabilities
- Process works best when people with diverse backgrounds within organization work iteratively in a series of brainstorming sessions
- At end of risk identification process, list of assets and their vulnerabilities is achieved

Audun Jøsang L03 - INF3510, UiO spring 2014

17

Identifying specific risks

<u>Threats / incidents</u>	<u>Vulnerabilities</u>	<u>Asset impacts</u>
<ul style="list-style-type: none">• Password compromise• SQL injection• Logical bomb in SW• Trojan infects clients• Cryptanalysis of cipher• Brute force attack• Social engineering•	<ul style="list-style-type: none">• Weak passwords• Poor awareness• No input validation• Outdated antivirus• Weak ciphers• Short crypto keys• Poor usability•	<ul style="list-style-type: none">• Deleted files• Damaged files• Damaged reputation• Stolen files<ul style="list-style-type: none">- sensitivity levels 1,2,3• Intercepted traffic• False transaction•

- A valid combinations of threat, vulnerability and asset impact represents a single specific risk
- All relevant specific risks should be identified

Audun Jøsang L03 - INF3510, UiO spring 2014

18

Estimating risk levels

Types of analysis

- **Qualitative**
 - Uses descriptive scales. **Example:**
 - **Impact level:** Minor, moderate, major, catastrophic
 - **Likelihood:** Rare, unlikely, possible, likely, almost certain
- **Semi-quantitative**
 - Qualitative scales assigned numerical values
 - Can be used in formulae for prioritization (with caution)
- **Quantitative**
 - Use numerical values for both consequence (e.g. \$\$\$) and likelihood (e.g. probability value)

Qualitative likelihood scale

Likelihood	Description
High	Is expected to occur in most conditions (1 or more times per year).
Medium	The event will probably happen in most conditions (every 2 years).
Low	The event should happen at some time (every 5 years).
Unlikely	The event could happen at some time (every 10 years).



Audun Jøsang L03 - INF3510, UiO spring 2014

19

Audun Jøsang L03 - INF3510, UiO spring 2014

20

Qualitative impact level scale

Qualitative risk estimation - example

Qualitative risk levels: Add likelihood & impact level

		Description	
		Impact	
		Likelihood	
Major	Major	Major problems would occur and threaten the provision of important processes resulting in significant financial losses.	
Moderate	Moderate	Services would continue, but would need to be reviewed or changed.	
Minor	Minor	Effectiveness of services would be threatened but dealt with.	
Insignificant	Insignificant	Dealt with as a part of routine operations.	

Increasing Impact



Audun Jøsang L03 - INF3510, UiO spring 2014 21

		Impact level	
		Risk level	(0) Insignificant
		(3) High	(1) Minor
Likelihood	(3) High	(3) M	(4) H
	(2) Medium	(2) L	(3) M
	(1) Low	(1) VL	(2) L
	(0) Unlikely	(0) N	(1) VL
			(2) L
			(3) M

Legend

E: **extreme risk;** immediate action required

(V)H: **(very) high risk;** senior management attention needed

M: **moderate risk;** management responsibility must be specified

(V)L: **(very) low risk;** manage by routine procedures

N: **Negligible risk;** To be ignored

Semi-quantitative risk estimation - example

Semi-quantitative risk levels: Multiply likelihood & impact level

Impact level

		Risk Level	(0) Nil	(1) Insign.	(2) Minor	(3) Moderate	(4) Major
		Likelihood	(4) High	(0) Nil	(4) M	(8) H	(12) VH
		(4) High	(0) Nil	(3) L	(6) M+	(9) H+	(12) VH
(3) Medium	(0) Nil	(3) L	(6) M+	(9) H+	(12) VH		
(2) Low	(0) Nil	(2) VL	(4) M	(6) M+	(8) H		
(1) Unlikely	(0) Nil	(1) Neg	(2) VL	(3) L	(4) M		
(0) Never	(0) Nil	(0) Nil	(0) Nil	(0) Nil	(0) Nil		

M: **moderate;** Specify responsibility

L: **low;** Manage by routine procedures

VL: **very low;** Manage by routine

Neg: **Negligible;** To be ignored

Nil: **Nil;** No risk exists

- E: **extreme;** Immediate action required
- VH: **very high;** Priority action action
- H+: **high +;** Management attention
- H: **high;** Management attention
- M+: **moderate +;** Specific responsibility

Quantitative risk estimation example

Example quantitative risk analysis method

- Quantitative parameters**
 - Asset Value (AV)
 - Estimated total value of asset
 - Exposure Factor (EF)
 - Percentage of asset loss caused by threat occurrence
 - Single Loss Expectancy (SLE)
 - $SLE = AV \times EF$
 - Annualized Rate of Occurrence (ARO)
 - Estimated frequency a threat will occur within a year
 - Annualised Loss Expectancy (ALE)
 - $ALE = SLE \times ARO$

Quantitative risk estimation example

Evaluate risks

Example quantitative risk analysis

- Risk description
 - Asset: Public image (and trust)
 - Threat: Defacing web site through intrusion
 - Impact: Loss of image
- Parameter estimates
 - AV(public image) = \$1,000,000
 - EF(public image affected by defacing) = 0.05
 - SLE = AV × EF = \$50,000
 - ARO(defacing) = 2
 - ALE = SLE × ARO = \$100,000
- Justifies spending up to \$100,000 p.a. on controls

Audun Jøsang L03 - INF3510, UiO spring 2014

25

Audun Jøsang L03 - INF3510, UiO spring 2014

26

Risk listing and ranking

Incident / Threat	Existing controls & vulnerabilities	Asset impact	Impact level	Likelihood description	Likelihood	Risk level
Compromise of user password	No control or enforcement of password strength	Deleted files, breach of confidentiality and integrity	MODE RATE	Will happen to 1 of 50 users every year	MEDIUM	HIGH
Virus infection on clients	Virus filter disabled on many clients	Compromise of clients	MODE RATE	Will happen to 1 in 100 clients every year	HIGH	EXTREME
Web server hacking and defacing	IDS, firewall, daily patching, but zero day exploits exist	Reputation	MINOR	Could happen once every year	LOW	LOW
Logical bomb planted by insider	No review of source code that goes into production.	Breach of integrity or loss of data	MAJOR	Could happen once every 10 years	UNLIKELY	MODE RATE

Incident / Threat	Existing controls & vulnerabilities	Asset impact	Impact level	Likelihood description	Likelihood	Risk level
Router Compromise	Password only	Intrusion and disruption	MODE RATE	Many times per year	HIGH	HIGH
Physical Destruction of Data Centre	None (not addressed in BCP)	Operations Disrupted for one month	MAJOR	Could happen once in 25 years	LOW	HIGH

Risk ranking complexity

Audun Jøsang L03 - INF3510, UiO spring 2014

27

Audun Jøsang L03 - INF3510, UiO spring 2014


28

- Not easy to prioritize risks of same level but with different impact levels and likelihood

Documenting the results of risk assessment

- Final summary comprised in ranked vulnerability risk worksheet
- Worksheet details asset, asset impact, vulnerability, vulnerability likelihood, and risk-rating factor
 - Ranked vulnerability risk worksheet is initial working document for next step in risk management process: assessing and controlling risk

Audun Jøsang L03 - INF3510, UiO spring 2014 29



Audun Jøsang L03 - INF3510, UiO spring 2014 30

Risk treatment economy

Risk Control Strategies

- Once ranked vulnerability risk worksheet complete, must choose one of four strategies to control each risk:
 - Reduce/mitigate risk (security and mitigation controls)
 - Share/transfer risk (outsource activity that causes risk, or insure)
 - Retain risk (understand tolerate potential consequences)
 - Avoid risk (stop activity that causes risk)

Audun Jøsang L03 - INF3510, UiO spring 2014 31

Treating risk from the positive dimension

- Identify options for risk treatment by seeking opportunities that might increase **positive** outcomes without increasing the risk.
- Options include:
 - **Actively seek** an opportunity for creating value and profit
 - **Change the likelihood of opportunity** to enhance the likelihood of beneficial outcome
 - **Change the consequences** to increase the extent of the gains
 - **Sharing** the opportunity
 - **Retain** the residual opportunity

Audun Jøsang L03 - INF3510, UiO spring 2014 32

Business Continuity Management

Business continuity management

- Procedures for the recovery of an organization's facilities in case of major incidents and disasters, so that the organization will be able to either maintain or quickly resume mission-critical functions
- BCM standards
 - ISO 27031 Guidelines for information and communications technology readiness for business continuity
 - NISTSP800-34 Contingency Planning Guide for Information Technology Systems


Outline

- Business Continuity Planning
- Disaster Recovery

34

Audun Jøsang
L03 - INF3510, UiO spring 2014

Effect of BCM



Audun Jøsang
L03 - INF3510, UiO spring 2014

35

How common is BCM in 'the real world'?

- 2006 CCSS extract: Most commonly reported categories of computer security policies and procedures 2006 (2005, 2004):
 - Media backup procedures - 95% (96%, 95%)
 - User access management - 93% (97%, 94%)
 - External network access control procedures - 78% (83%, 79%)
 - Documented operating procedures - 76% (80%, 83%)
 - User responsibilities policies - 72% (82%, 78%)
 - Controls against malicious software - 66% (75%, 72%)
 - Monitoring system access and use - 64% (72%, 68%)
 - Change control procedures - 60% (82%, 75%)
 - Clock synchronisation policy – 59% (59%, 43%)
 - Decommissioning equipment procedures – 59% (65%, 40%)
 - System audit policy – 58% (71%, 58%)
 - **Business continuity management – 54%** (73%, 58%)
 - Incident management procedures - 51% (67%, 64%)

Audun Jøsang
L03 - INF3510, UiO spring 2014

36

Business continuity management

- The range of incidents and disasters to be considered include:
 - Acts of nature, for example:
 - Excessive weather conditions
 - Earthquake
 - Flood
 - Fire
 - Human acts (inadvertent or deliberate), for example:
 - Hacker activity
 - Mistakes by operating staff
 - Theft
 - Fraud
 - Vandalism
 - Terrorism


Audun Jøsang

L03 - INF3510, UiO spring 2014

37

38

Business Continuity Plan (BCP)



38

BCP Terminology


- Business Continuity Plan
 - Plan for restoring normal business functions after disruption
- Business Contingency Plan
 - Same as Business Continuity Plan
 - Contingency means "something unpredictable that can happen"
- Disaster Recovery
 - Restablishment of business functions after a disaster, possibly in temporary facilities

Audun Jøsang

L03 - INF3510, UiO spring 2014

39

BCP Development




Source: NIST Special Publication 800-34
Contingency Planning Guide for Information Technology Systems (p.14)

40

L03 - INF3510, UiO spring 2014

Audun Jøsang

BCP Development - BIA



BCP Development and Output: NIST SP800-34, p.31

Audun Jøsang

L03 - INF3510, UiO spring 2014

41 42

BCP Development - BIA

- The MTD (Maximum Tolerable Downtime) is defined for each function in the event of disaster.
- Example:
 - Non-essential = 30 days
 - Normal = 7 days
 - Important = 72 hours
 - Urgent = 24 hours
 - Critical = minutes to hours

BCP Development - Alternative Sites



L03 - INF3510, UiO spring 2014
Audun Jøsang

43

L03 - INF3510, UiO spring 2014
Audun Jøsang

44

BCP Development – Strategy Selection

- Analyse alternative disaster recovery strategies
 - Choosing data and software backup facility
 - Choosing alternative site type and contract
 - Human resources
 - Insurance
 - Reciprocal and mutual aid agreements
 - Multiple processing centres
 - Data processing service bureaus
- with respect to BIA, cost, restoration time and practicality

Audun Jøsang L03 - INF3510, UiO spring 2014

45

BCP Components

- Supporting information
 - Establish purpose, applicability and scope
 - System description and staff responsibilities
- Notification/Activation Phase
- Recovery Phase
- Reconstruction Phase
- Appendices
 - Contact information
 - SOPs and checklists
 - Equipment and system requirements lists

Audun Jøsang L03 - INF3510, UiO spring 2014

46

BCP Phases

- A security incident can vary in magnitude from minor incident to major disaster.
- Different sub-plans needed for different phases in the business continuity process.
 - Plan for activation phase
 - Plans for recovery phase
 - Plan for reconstitution phase

BC Activation Phase Plan

- Actions to take immediately after incident
 - Procedures for contacting recovery teams
 - Assessment of damage to primary site facilities
 - Estimated outage time at primary site
 - Compare with predefined MTD and activation criteria
- Notify BC management
- Management declares a disaster if criteria are met
 - Start implementing BCP
- BCP activation responsibility
 - Only one person
 - CEO or other predefined role
 - Succession of responsibility must be predefined

Audun Jøsang L03 - INF3510, UiO spring 2014

47

Audun Jøsang L03 - INF3510, UiO spring 2014

48

BC Recovery Phase Plan

- Evacuation and safety of personnel
 - Always first priority
- Notifying alternative sites
- Securing home site
- Activation of recovery teams
- Relocation to alternative sites
- Resumption of critical business functions
- Reviewing how the organisation will interface with external parties (customers, partners) from alternative site

Audun Jøsang L03 - INF3510, UiO spring 2014

49

BC Reconstitution Phase Plan

- Plan for returning to normal operations at primary site
 - Repairing primary site, or prepare new site
 - Installing hardware and software
 - Testing business functions
 - Migrating business functions stepwise
 - Least critical functions first
 - Most critical functions last
 - Shutting down alternative site
 - Securing and removing sensitive data from alternative site

Audun Jøsang L03 - INF3510, UiO spring 2014

50

BCP Appendices

- Include
 - Contact information for key personnel
- Call tree data
 - Contact information for vendors and alternative site providers
- Including SLA and reciprocal agreements
 - Checklists for recovery processes
 - Equipment and systems requirement lists
 - Description of and directions to alternative site

Audun Jøsang L03 - INF3510, UiO spring 2014

51

BCP Testing

- Checklist test
 - Copies of the BCP distributed to departments for review
- Structured walk-through test
 - Representatives from each department come together to go through the plan
- Simulation test
 - All staff in operational and support functions come together to practice executing the BCP
- Parallel test
 - Business functions tested at alternative site
- Full interruption test
 - Business functions at primary site halted, and migrated to alternative site in accordance with the BCP

Audun Jøsang L03 - INF3510, UiO spring 2014

52

End of Lecture