

INF3510 Information Security

Lecture 10: Communications Security

Audun Jøsang

University of Oslo

Spring 2015



Outline

- Network security concepts
 - Communication security
 - Perimeter security
- Protocol architecture and security services
- Example security protocols
 - Transport Layer Security (TLS)
 - IP Layer Security (IPSec)

Network Security Concepts

Assumes that each organisation owns a network

- Wants to protect own local network
- Wants to protect communication with other networks


Network Security: two main areas

- **Communication Security:** measures to protect the data transmitted across networks between organisations and end users
 - Topic for this lecture
- **Perimeter Security:** measures to protect an organization's network from unauthorized access (theme for next lecture)
 - Topic for next lecture

Communication Security Analogy



Physical transport security



Digital communication security


Communication Protocol Architecture

- Layered structure of hardware and software that supports the exchange of data between systems
- Each protocol consists of a set of rules for exchanging messages, i.e. “the protocol”.
- Two standards:
 - OSI Reference model
 - Never lived up to early promises
 - TCP/IP protocol suite
 - Most widely used


OSI – Open Systems Interconnection

- Developed by the International Organization for Standardization (ISO)
- A layer model of 7 layers
- Each layer performs a subset of the required communication functions
- Each layer relies on the next lower layer to perform more primitive functions
- Each layer provides services to the next higher layer
- Changes in one layer should not require changes in other layers

The OSI Protocol Stack




Communication across OSI



TCP/IP Protocol Architecture


- Developed by the US Defense Advanced Research Project Agency (DARPA) for its packet switched network (ARPANET)
- Used by the global Internet
- No official model, but it's a working one.
 - Application layer
 - Host to host or transport layer
 - Internet layer
 - Network access layer
 - Physical layer

OSI model vs. TCP/IP model (The Internet)



OSI Security Architecture

- Originally specified as ISO 7498-2
- Republished as X.800 "Security Architecture for OSI"
- Defines a systematic set of security requirements and options for the ISO communication protocol stack
- Also applicable to the TCP/IP protocol stack



Possible placement of security services in OSI protocol layers (X.800)

Security Service	Layer						
	1	2	3	4	5	6	7
Peer entity authentication	.	.	Y	Y	.	.	Y
Data origin authentication	.	.	Y	Y	.	.	Y
Access control service	.	.	Y	Y	.	.	Y
Connection confidentiality	Y	Y	Y	Y	.	Y	Y
Connectionless confidentiality	.	Y	Y	Y	.	Y	Y
Selective field confidentiality	Y	Y
Traffic flow confidentiality	Y	.	Y	.	.	.	Y
Connection Integrity with recovery	.	.	.	Y	.	.	Y
Connection integrity without recovery	.	.	Y	Y	.	.	Y
Selective field connection integrity	Y
Connectionless integrity	.	.	Y	Y	.	.	Y
Selective field connectionless integrity	Y
Non-repudiation of Origin	Y
Non-repudiation of Delivery	Y

Security Protocols

- Many different security protocols have been specified and implemented for different purposes
 - Authentication, integrity, confidentiality
 - Key establishment/exchange
 - E-Voting
 - Secret sharing
 - etc.
- Protocols are surprisingly difficult to get right!
 - Many vulnerabilities are discovered years later
 - ... some are never discovered (or maybe only by the attackers)

Security Protocols Overview

- This lecture discusses the operation of two network-related protocols that are in common use.
 - **Transport Layer Security (TLS):**
Used extensively on the web and is often referred to in privacy policies as a means of providing confidential web connections.
 - **IP Security (IPSec):**
Provides security services at the IP level and is used to provide Virtual Private Network (VPN) services.

Transport Layer Security

TLS/SSL

SSL/TLS: History


- 1994: Netscape Communications developed the network authentication protocol Secure Sockets Layer (SSL) 2.0.
 - Badly broken
- 1995: Netscape release their own improvements SSL 3.0
 - Widely used for many years.
- 1996: SSL 3.0 was submitted to the IETF as an Internet draft, and an IETF working group was formed to develop a recommendation.
- In January 1999, [RFC 2246](#) was issued by the IETF, Transport Layer Security Protocol: TLS 1.0
 - Similar to, but incompatible with SSL
 - Currently TLS 1.2 (2008)

TLS: Overview

- TLS is a cryptographic services protocol based on the Browser PKIX, and is commonly used on the Internet.
 - Most often used to allow browsers to establish secure sessions with web servers.
- Port 443 is reserved for HTTP over TLS/SSL and the protocol https is used with this port.
 - http://www.develop.com implies the use of standard HTTP using port 80.
 - https://www.develop.com implies the use of HTTP over TLS/SSL using port 443.

TLS: Layer 4 Security


TLS operates
at Layer 4 →



TLS: Architecture Overview

- Designed to provide secure reliable end-to-end services over TCP.
- Consists of 3 higher level protocols:
 - TLS Handshake Protocol
 - TLS Alert Protocol
 - TLS Change Cipher Spec Protocol
- The TLS Record Protocol provides the practical encryption and integrity services to various application protocols.

TLS: Protocol Stack



TLS: Handshake Protocol

- The handshake protocol
 - Negotiates the encryption to be used
 - Establishes a shared session key
 - Authenticates the server
 - Authenticates the client (optional)
 - Completes the session establishment
- After the handshake, application data is transmitted securely
- Several variations of the handshake exist
 - RSA variants
 - Diffie-Hellman variants

TLS: Handshake Four phases

- Phase 1: Initiates the logical connection and establishes its security capabilities
- Phases 2 and 3: Performs key exchange. The messages and message content used in this phase depends on the handshake variant negotiated in phase 1.
- Phase 4: Completes the setting up of a secure connection.





Diagram TLS: Simplified RSA-based Handshake



TLS: Elements of Handshake

- Client hello
 - Advertises available cipher suites (e.g. RSA, RC4/40, MD5)
- Server hello
 - Returns the selected cipher suite
 - Server adapts to client capabilities
- RSA and Server Certificate
 - X.509 digital certificate sent to client, assumes RSA algorithm
 - Client verifies the certificate including that the certificate signer is in its acceptable Certificate Authority (CA) list. Now the client has the server's certified public key.
- RSA and Client Certificate
 - Optionally, the client can send its X.509 certificate to server, in order to provide mutual authentication, assumes RSA algorithm
- Anonymous Diffie-Hellman
 - Optionally, the client and server can establish session key using the Diffie-Hellman algorithm

TLS: Record Protocol Overview

- Provides two services for SSL connections.
 - Message Confidentiality:
 - Ensure that the message contents cannot be read in transit.
 - The Handshake Protocol establishes a symmetric key used to encrypt SSL payloads.
 - Message Integrity:
 - Ensure that the receiver can detect if a message is modified in transmission.
 - The Handshake Protocol establishes a shared secret key used to construct a MAC.


TLS: Record Protocol Operation

- Fragmentation:
 - Each application layer message is fragmented into blocks of 214 bytes or less.
- Compression:
 - Optionally applied.
 - SSL v3 & TLS – default compression algorithm is null
- Add MAC:
 - Calculates a MAC over the compressed data using a MAC secret from the connection state.
- Encrypt:
 - Compressed data plus MAC are encrypted with symmetric cipher.
 - Permitted ciphers include AES, IDEA, DES, 3DES, RC4
 - For block ciphers, padding is applied after the MAC to make a multiple of the cipher's block size.

SSL/TLS Challenges


- Higher layers should not be overly reliant on SSL/TLS.
- Many vulnerabilities exist for SSL/TLS.
 - People are easily tricked
 - Changing between http and https causes vulnerability to SSL stripping attacks
 - SSL/TLS only as secure as the cryptographic algorithms used in handshake protocol: hashing, symmetric and asymmetric crypto.
- Relies on Browser PKI which has many security issues
 - Fake server certificates difficult to detect
 - Fake root server certificates can be embedded in platform, see e.g. Lenovo Komodia advare scam

SSL Stripping Attack



- Variations include
 - MitM server can connect to client over https in msg (6) with server certificate that has similar domain name as real server.
 - Attacker can leave the connection after stealing credentials, then the client connects directly to real server with https

Preventing SSL Stripping with HSTS




- Limitation of HSTS:
 - No HSTS policy defined in browser at first visit to secure website
- Can be solved by browser having preloaded list of HSTS websites
- Browsers would be vulnerable if attacker could delete HSTS cache

HSTS – HTTP Strict Transport Security Preventing SSL Stripping


- A secure server can instruct browsers to only use https
- When requesting website that uses HSTS, the browser automatically forces connect with https.
- Users are not able to override policy
- Two ways of specifying HSTS websites
 - List of HSTS websites can be preloaded into browsers
 - HSTS policy initially specified over a https connection
 - HSTS policy can be changed over a https connection
- Disadvantages
 - HSTS websites can not use both http and https
 - Difficult for a website to stop using https
 - Can cause denial of service, e.g. no fallback to http in case of expired server certificate

Phishing and failed authentication



Zooko's Triangle of name properties

- No name class exists of names that are global, unique and memorable
- Name classes can only have 2 of the 3 required properties






- The edges of Zooko's triangle represent possible name classes:
 - Pointers, e.g. domain names, *www.pepespizza.com*
 - Petnames, personal names, e.g. *"My favourite pizza restaurant"*
 - Nicknames, local names, e.g. *Pepe's Pizza*


Petname Systems

- **Required name properties (Zooko's Triangle)**
 - Global, unique and memorable
 - No name class can have all 3 properties
 - Pointers are unique and global, e.g. domain name
 - Nicknames are global and memorable, e.g. 'Pepes Pizza'
 - Petnames are unique and memorable, e.g. 'PPizza'
- **Petname model** supports 3 properties of Zooko's triangle through mapping between pointer and petname
- **Petname Systems** implement the petname model.
 - Used to enhance security and prevent phishing attacks
- **Petname Tool** extension available for Firefox

Petname System


- A Petname tool stores a list of pointers with corresponding personallydefined petnames
- Thereby unifying all 3 required name properties

Pointer	Petname
www.dnb.no	My bank 
www.gmail.com	My gmail 
Facebook.com	Facebook 




- When a pointer name is received, the tool looks up and displays the corresponding petname.
- The petname can also be a tune or ringtone.

Phishing detection with Petname System



Server authentication with Petname System



IP Layer Security


IPSec & Virtual Private Networks

IPSec: Introduction

- Internet Protocol security (IPSec) is standard for secure communications over Internet Protocol (IP) networks, through the use of cryptographic security services.
- Uses encryption, authentication and key management algorithms
- Based on an end-to-end security model at the IP level
- Provides a security architecture for both IPv4 and IPv6
 - Mandatory for IPv6
 - Optional for IPv4
- Requires operating system support, not application support.

Layer 3 Security

IP Sec Operation →



IPSec: Security Services

- **Message Confidentiality.**
 - Protects against unauthorized data disclosure.
 - Accomplished by the use of encryption mechanisms.
- **Message Integrity.**
 - IPSec can determine if data has been changed (intentionally or unintentionally) during transit.
 - Integrity of data can be assured by using a MAC.
- **Traffic Analysis Protection.**
 - A person monitoring network traffic cannot know which parties are communicating, how often, or how much data is being sent.
 - Provided by concealing IP datagram details such as source and destination address.

IPSec: Security Services

- **Message Replay Protection.**
 - The same data is not delivered multiple times, and data is not delivered grossly out of order.
 - However, IPSec does not ensure that data is delivered in the exact order in which it is sent.
- **Peer Authentication.**
 - Each IPSec endpoint confirms the identity of the other IPSec endpoint with which it wishes to communicate.
 - Ensures that network traffic is being sent from the expected host.
- **Network Access Control.**
 - Filtering can ensure users only have access to certain network resources and can only use certain types of network traffic.

IPSec: Common Architectures


- Gateway-to-Gateway Architecture
- Host-to-Gateway Architecture
- Host-to-Host Architecture

IPSec: Gateway-to-Gateway Architecture




Source: NIST Special Publication 800-77

IPSec: Host-to-Gateway Architecture



Source: NIST Special Publication 800-77

IPSec: Host-to-Host Architecture



Source: NIST Special Publication 800-77


IPSec: Protocols Types

- Encapsulating Security Payload (ESP)
 - Confidentiality, authentication, integrity and replay protection
- Authentication Header (AH)
 - Authentication, integrity and replay protection. However there is no confidentiality
- Internet Key Exchange (IKE)
 - negotiate, create, and manage security associations

IPSec: Modes of operation

- Each protocol (ESP or AH) can operate in transport or tunnel mode.
- **Transport mode:**
 - Operates primarily on the payload (data) of the original packet.
 - Generally only used in host-to-host architectures.
- **Tunnel mode:**
 - Original packet encapsulated into a new one, payload is original packet.
 - Typical use is gateway-to-gateway and host-to-gateway architectures.

Transport Mode ESP




Original IP Packet protected by Transport-ESP

IPSec - ESP in Transport Mode: Outbound Packet Processing

- The data after the original IP header is padded by adding an ESP trailer and the result is then encrypted using the symmetric cipher and key in the SA.
- An ESP header is prepended.
- If an SA uses the authentication service, an ESP MAC is calculated over the data prepared so far and appended.
- The original IP header is prepended.
- However, some fields in the original IP header must be changed. For example,
 - Protocol field changes from TCP to ESP.
 - Total Length field must be changed to reflect the addition of the AH header.
 - Checksums must be recalculated.

Tunnel Mode ESP



IPSec - ESP in Tunnel Mode: Outbound Packet Processing

- The entire original packet is padded by adding an ESP trailer and the result is then encrypted using the symmetric cipher and key agreed in the SA.
- An ESP header is prepended.
- If an SA uses the authentication service, an ESP MAC is calculated over the data prepared so far and appended.
- A new 'outer' IP header is prepended.
 - The 'inner' IP header of the original IP packet carries the ultimate source and destination addresses.
 - The 'outer' IP header may contain distinct IP addresses such as addresses of security gateways.
 - The 'outer' IP header Protocol field is set to ESP.


Security Associations

- A security association (SA) contains info needed by an IPSec endpoint to support one end of an IPSec connection.
- Can include cryptographic keys and algorithms, key lifetimes, security parameter index (SPI), and security protocol identifier (ESP or AH).
- The SPI is included in the IPSec header to associate a packet with the appropriate SA.
- Security Associations are simple
 - need one for each direction of connection
 - stored in a security association database (SAD).
- Key exchange is largely automated after initial manual configuration by administrator prior to connection setup.
- (See ISAKMP, IKE, Oakley, Skeme and SAs)

Risks of using IPSec for VPN

- IPSec typically used for VPN (Virtual Private Networks)
- A VPN client at external location may be connected to the Internet (e.g. from hotel room or café) while at the same time being connected to home network via VPN.
 - VPN gives direct access to resources in home network.
- Internet access from external location may give high exposure to cyber threats
 - No network firewall, no network IDS
- Attacks against the VPN client at external location can directly access the home network through VPN tunnel

Risk of using VPN



End of lecture