

# INF3510 Information Security

---

## Lecture 10: Communications Security

*Audun Jøsang*

University of Oslo

Spring 2015



# Outline

- Network security concepts
  - Communication security
  - Perimeter security
- Protocol architecture and security services
- Example security protocols
  - Transport Layer Security (TLS)
  - IP Layer Security (IPSec)

# Network Security Concepts


Assumes that each organisation owns a network

- Wants to protect own local network
- Wants to protect communication with other networks

Network Security: two main areas

- **Communication Security:** measures to protect the data transmitted across networks between organisations and end users
  - Topic for this lecture
- **Perimeter Security:** measures to protect an organization's network from unauthorized access (theme for next lecture)
  - Topic for next lecture

# Communication Security Analogy




# Communication Protocol Architecture

- Layered structure of hardware and software that supports the exchange of data between systems
- Each protocol consists of a set of rules for exchanging messages, i.e. “the protocol”.
- Two standards:
  - OSI Reference model
    - Never lived up to early promises
  - TCP/IP protocol suite
    - Most widely used


# OSI – Open Systems Interconnection

- Developed by the International Organization for Standardization (ISO)
- A layer model of 7 layers
- Each layer performs a subset of the required communication functions
- Each layer relies on the next lower layer to perform more primitive functions
- Each layer provides services to the next higher layer
- Changes in one layer should not require changes in other layers

# The OSI Protocol Stack



# Communication across OSI






# TCP/IP Protocol Architecture


- Developed by the US Defense Advanced Research Project Agency (DARPA) for its packet switched network (ARPANET)
- Used by the global Internet
- No official model, but it's a working one.
  - Application layer
  - Host to host or transport layer
  - Internet layer
  - Network access layer
  - Physical layer

# OSI model vs. TCP/IP model (The Internet)



# OSI Security Architecture

- Originally specified as ISO 7498-2
- Republished as X.800 “Security Architecture for OSI”
- Defines a systematic set of security requirements and options for the ISO communication protocol stack
- Also applicable to the TCP/IP protocol stack



# Possible placement of security services in OSI protocol layers (X.800)

Security Service	Layer						
	1	2	3	4	5	6	7
Peer entity authentication	.	.	Y	Y	.	.	Y
Data origin authentication	.	.	Y	Y	.	.	Y
Access control service	.	.	Y	Y	.	.	Y
Connection confidentiality	Y	Y	Y	Y	.	Y	Y
Connectionless confidentiality	.	Y	Y	Y	.	Y	Y
Selective field confidentiality	.	.	.	.	.	Y	Y
Traffic flow confidentiality	Y	.	Y	.	.	.	Y
Connection Integrity with recovery	.	.	.	Y	.	.	Y
Connection integrity without recovery	.	.	Y	Y	.	.	Y
Selective field connection integrity	.	.	.	.	.	.	Y
Connectionless integrity	.	.	Y	Y	.	.	Y
Selective field connectionless integrity	.	.	.	.	.	.	Y
Non-repudiation of Origin	.	.	.	.	.	.	Y
Non-repudiation of Delivery	.	.	.	.	.	.	Y

# Security Protocols

- Many different security protocols have been specified and implemented for different purposes
  - Authentication, integrity, confidentiality
  - Key establishment/exchange
  - E-Voting
  - Secret sharing
  - etc.
- Protocols are surprisingly difficult to get right!
  - Many vulnerabilities are discovered years later
  - ... some are never discovered (or maybe only by the attackers)

# Security Protocols Overview

- This lecture discusses the operation of two network-related protocols that are in common use.
  - **Transport Layer Security (TLS):**  
Used extensively on the web and is often referred to in privacy policies as a means of providing confidential web connections.
  - **IP Security (IPSec):**  
Provides security services at the IP level and is used to provide Virtual Private Network (VPN) services.

# Transport Layer Security

---

**TLS/SSL**

# SSL/TLS: History

- 1994: Netscape Communications developed the network authentication protocol Secure Sockets Layer (SSL) 2.0.
  - Badly broken
- 1995: Netscape release their own improvements SSL 3.0
  - Widely used for many years.
- 1996: SSL 3.0 was submitted to the IETF as an Internet draft, and an IETF working group was formed to develop a recommendation.
- In January 1999, [RFC 2246](#) was issued by the IETF, Transport Layer Security Protocol: TLS 1.0
  - Similar to, but incompatible with SSL
  - Currently TLS 1.2 (2008)




# TLS:

## Overview

- TLS is a cryptographic services protocol based on the Browser PKIX, and is commonly used on the Internet.
  - Most often used to allow browsers to establish secure sessions with web servers.
- Port 443 is reserved for HTTP over TLS/SSL and the protocol https is used with this port.
  - `http://www.develop.com` implies the use of standard HTTP using port 80.
  - `https://www.develop.com` implies the use of HTTP over TLS/SSL using port 443.

# TLS: Layer 4 Security

TLS operates  
at Layer 4




# TLS:

## Architecture Overview

- Designed to provide secure reliable end-to-end services over TCP.
- Consists of 3 higher level protocols:
  - TLS Handshake Protocol
  - TLS Alert Protocol
  - TLS Change Cipher Spec Protocol
- The TLS Record Protocol provides the practical encryption and integrity services to various application protocols.

# TLS: Protocol Stack



# TLS:


## Handshake Protocol

- The handshake protocol
  - Negotiates the encryption to be used
  - Establishes a shared session key
  - Authenticates the server
  - Authenticates the client (optional)
  - Completes the session establishment
- After the handshake, application data is transmitted securely
- Several variations of the handshake exist
  - RSA variants
  - Diffie-Hellman variants

# TLS: Handshake

## Four phases

- Phase 1: Initiates the logical connection and establishes its security capabilities
- Phases 2 and 3: Performs key exchange. The messages and message content used in this phase depends on the handshake variant negotiated in phase 1.
- Phase 4: Completes the setting up of a secure connection.



# Diagram TLS: Simplified RSA-based Handshake

Client



Server




Supported crypto algorithms and protocol versions

Secret material encrypted with server pub. key

Go to crypto with common algorithm and session key

Common protocol, Common algorithm, Server certificate

Go to crypto with common algorithm and session key



# TLS: Elements of Handshake

- **Client hello**
  - Advertises available cipher suites (e.g. RSA, RC4/40, MD5)
- **Server hello**
  - Returns the selected cipher suite
  - Server adapts to client capabilities
- **RSA and Server Certificate**
  - X.509 digital certificate sent to client, assumes RSA algorithm
  - Client verifies the certificate including that the certificate signer is in its acceptable Certificate Authority (CA) list. Now the client has the server's certified public key.
- **RSA and Client Certificate**
  - Optionally, the client can send its X.509 certificate to server, in order to provide mutual authentication, assumes RSA algorithm
- **Anonymous Diffie-Hellman**
  - Optionally, the client and server can establish session key using the Diffie-Hellman algorithm



# TLS:

## Record Protocol Overview

- Provides two services for SSL connections.
  - Message Confidentiality:
    - Ensure that the message contents cannot be read in transit.
    - The Handshake Protocol establishes a symmetric key used to encrypt SSL payloads.
  - Message Integrity:
    - Ensure that the receiver can detect if a message is modified in transmission.
    - The Handshake Protocol establishes a shared secret key used to construct a MAC.


# TLS: Record Protocol Operation

- **Fragmentation:**
  - Each application layer message is fragmented into blocks of 214 bytes or less.
- **Compression:**
  - Optionally applied.
  - SSL v3 & TLS – default compression algorithm is null
- **Add MAC:**
  - Calculates a MAC over the compressed data using a MAC secret from the connection state.
- **Encrypt:**
  - Compressed data plus MAC are encrypted with symmetric cipher.
  - Permitted ciphers include AES, IDEA, DES, 3DES, RC4
  - For block ciphers, padding is applied after the MAC to make a multiple of the cipher's block size.

# SSL/TLS Challenges

- Higher layers should not be overly reliant on SSL/TLS.
- Many vulnerabilities exist for SSL/TLS.
  - People are easily tricked
  - Changing between http and https causes vulnerability to SSL stripping attacks
  - SSL/TLS only as secure as the cryptographic algorithms used in handshake protocol: hashing, symmetric and asymmetric crypto.
- Relies on Browser PKI which has many security issues
  - Fake server certificates difficult to detect
  - Fake root server certificates can be embedded in platform, see e.g. Lenovo Komodia advance scam


# SSL Stripping Attack



- Variations include

- MitM server can connect to client over https in msg (6) with server certificate that has similar domain name as real server.
- Attacker can leave the connection after stealing credentials, then the client connects directly to real server with https

# Preventing SSL Stripping with HSTS




- Limitation of HSTS:
  - No HSTS policy defined in browser at first visit to secure website
- Can be solved by browser having preloaded list of HSTS websites
- Browsers would be vulnerable if attacker could delete HSTS cache

# HSTS – HTTP Strict Transport Security

## Preventing SSL Stripping


- A secure server can instruct browsers to only use https
- When requesting website that uses HSTS, the browser automatically forces connect with https.
- Users are not able to override policy
- Two ways of specifying HSTS websites
  - List of HSTS websites can be preloaded into browsers
  - HSTS policy initially specified over a https connection
    - HSTS policy can be changed over a https connection
- Disadvantages
  - HSTS websites can not use both http and https
  - Difficult for a website to stop using https
  - Can cause denial of service, e.g. no fallback to http in case of expired server certificate

# Phishing and failed authentication



# Zooko's Triangle of name properties

- No name class exists of names that are global, unique and memorable
- Name classes can only have 2 of the 3 required properties



- The edges of Zooko's triangle represent possible name classes:
  - Pointers, e.g. domain names, `www.pepespizza.com`
  - Petnames, personal names, e.g. *"My favourite pizza restaurant"*
  - Nicknames, local names, e.g. *Pepe's Pizza*






# Petname Systems

- **Required name properties (Zooko's Triangle)**
  - Global, unique and memorable
  - No name class can have all 3 properties
    - Pointers are unique and global, e.g. domain name
    - Nicknames are global and memorable, e.g. 'Pepes Pizza'
    - Petnames are unique and memorable, e.g. 'PPizza'
- **Petname model** supports 3 properties of Zooko's triangle through mapping between pointer and petname
- **Petname Systems** implement the petname model.
  - Used to enhance security and prevent phishing attacks
- **Petname Tool** extension available for Firefox

# Petname System


- A Petname tool stores a list of pointers with corresponding personally defined petnames
- Thereby unifying all 3 required name properties

Pointer	Petname	
www.dnb.no	My bank	
www.gmail.com	My gmail	
Facebook.com	Facebook	




- When a pointer name is received, the tool looks up and displays the corresponding petname.
- The petname can also be a tune or ringtone.

# Phishing detection with Petname System



# Server authentication with Petname System



# IP Layer Security

---

IPSec & Virtual Private Networks


# IPSec:

## Introduction

- Internet Protocol security (IPSec) is standard for secure communications over Internet Protocol (IP) networks, through the use of cryptographic security services.
- Uses encryption, authentication and key management algorithms
- Based on an end-to-end security model at the IP level
- Provides a security architecture for both IPv4 and IPv6
  - Mandatory for IPv6
  - Optional for IPv4
- Requires operating system support, not application support.

# Layer 3 Security

IP Sec Operation →



# IPSec: Security Services

- **Message Confidentiality.**
  - Protects against unauthorized data disclosure.
  - Accomplished by the use of encryption mechanisms.
- **Message Integrity.**
  - IPsec can determine if data has been changed (intentionally or unintentionally) during transit.
  - Integrity of data can be assured by using a MAC.
- **Traffic Analysis Protection.**
  - A person monitoring network traffic cannot know which parties are communicating, how often, or how much data is being sent.
  - Provided by concealing IP datagram details such as source and destination address.



# IPSec:

## Security Services


- **Message Replay Protection.**
  - The same data is not delivered multiple times, and data is not delivered grossly out of order.
  - However, IPsec does not ensure that data is delivered in the exact order in which it is sent.
- **Peer Authentication.**
  - Each IPsec endpoint confirms the identity of the other IPsec endpoint with which it wishes to communicate.
  - Ensures that network traffic is being sent from the expected host.
- **Network Access Control.**
  - Filtering can ensure users only have access to certain network resources and can only use certain types of network traffic.

# IPSec:

## Common Architectures


- Gateway-to-Gateway Architecture
- Host-to-Gateway Architecture
- Host-to-Host Architecture

# IPSec: Gateway-to-Gateway Architecture




Source: NIST Special Publication 800-77

# IPSec: Host-to-Gateway Architecture



Source: NIST Special Publication 800-77

# IPSec: Host-to-Host Architecture



Source: NIST Special Publication 800-77

# IPSec:

## Protocols Types



- Encapsulating Security Payload (ESP)
  - Confidentiality, authentication, integrity and replay protection
- Authentication Header (AH)
  - Authentication, integrity and replay protection. However there is no confidentiality
- Internet Key Exchange (IKE)
  - negotiate, create, and manage security associations

# IPSec:

## Modes of operation

- Each protocol (ESP or AH) can operate in transport or tunnel mode.
- **Transport mode:**
  - Operates primarily on the payload (data) of the original packet.
  - Generally only used in host-to-host architectures.
- **Tunnel mode:**
  - Original packet encapsulated into a new one, payload is original packet.
  - Typical use is gateway-to-gateway and host-to-gateway architectures.

# Transport Mode ESP




Original IP Packet protected by Transport-ESP



# IPSec - ESP in Transport Mode: Outbound Packet Processing

- The data after the original IP header is padded by adding an ESP trailer and the result is then encrypted using the symmetric cipher and key in the SA.
- An ESP header is prepended.
- If an SA uses the authentication service, an ESP MAC is calculated over the data prepared so far and appended.
- The original IP header is prepended.
- However, some fields in the original IP header must be changed. For example,
  - Protocol field changes from TCP to ESP.
  - Total Length field must be changed to reflect the addition of the AH header.
  - Checksums must be recalculated.

# Tunnel Mode ESP



# IPSec - ESP in Tunnel Mode: Outbound Packet Processing

- The entire original packet is padded by adding an ESP trailer and the result is then encrypted using the symmetric cipher and key agreed in the SA.
- An ESP header is prepended.
- If an SA uses the authentication service, an ESP MAC is calculated over the data prepared so far and appended.
- A new 'outer' IP header is prepended.
  - The 'inner' IP header of the original IP packet carries the ultimate source and destination addresses.
  - The 'outer' IP header may contain distinct IP addresses such as addresses of security gateways.
  - The 'outer' IP header Protocol field is set to ESP.


# Security Associations

- A security association (SA) contains info needed by an IPSec endpoint to support one end of an IPSec connection.
- Can include cryptographic keys and algorithms, key lifetimes, security parameter index (SPI), and security protocol identifier (ESP or AH).
- The SPI is included in the IPSec header to associate a packet with the appropriate SA.
- Security Associations are simplex
  - need one for each direction of connection
  - stored in a security association database (SAD).
- Key exchange is largely automated after initial manual configuration by administrator prior to connection setup.
- (See ISAKMP, IKE, Oakley, Skeme and SAs)

# Risks of using IPSec for VPN

- IPSec typically used for VPN (Virtual Private Networks)
- A VPN client at external location may be connected to the Internet (e.g. from hotel room or café) while at the same time being connected to home network via VPN.
  - VPN gives direct access to resources in home network.
- Internet access from external location may give high exposure to cyber threats
  - No network firewall, no network IDS
- Attacks against the VPN client at external location can directly access the home network through VPN tunnel

# Risk of using VPN



Secure pipe can be attack channel to home network !

End of lecture