

INF3510 Information Security


Lecture 02:

- Information Security Management
- Human Factors for Information Security



University of Oslo, spring 2016

IT Security Management concepts



Defining Information Security Governance

IS governance provides strategic direction, ensures objectives are achieved, manages risk appropriately, uses organizational resources responsibly, and monitors the success or failure of the enterprise security programme.

- IT Governance Institute

COBIT

Control Objectives for Information and Related Technology

- COBIT is a framework for IT management & governance. It is a set of controls and processes for bridging the gap between business risks and IT control requirements.
- COBIT defines key IT process activities together with their input and output, IT process objectives, performance measures and an elementary maturity model.
- COBIT also describes security management processes.
- COBIT is published and maintained by ISACA, the **Information Systems Audit and Control Association**
- ISACA first released COBIT in 1996;
- The current COBIT 5 was released in 2012.



Goals of information security governance as defined in COBIT by ISACA

1. Strategic alignment of security program
2. Risk management
3. Value delivery
4. Resource management
5. Performance measurement
6. Assurance process integration

<http://www.isaca.org/Knowledge-Center/Research/Documents/InfoSecGuidanceDirectorsExecMgt.pdf>

ISACA - Mål for ledelse av it-sikkerhet

1. Strategisk tilpasning av sikkerhetsprogrammet
 - IS-aktiviteter skal støtte organisasjonens helhetlige strategi.
2. Risikohåndtering
 - Gjøre nødvendige undersøkelser for å avdekke trusler, sårbarheter og risiko som organisasjonen står overfor, og bruke adekvate virkemidler for å redusere risiko til et akseptabelt nivå.
3. Verdiskapning
 - Søk optimal balanse mellom reduksjon av risiko og tap, og kostnader forbundet med sikkerhetsvirkemidler.
4. Ressursbruk
 - Arbeidet med informasjonssikkerhet skal gjøres effektivt
5. Målbarhet
 - Effekten av sikkerhetsarbeidet skal måles
6. Integrering av sikkerhetsområder
 - Separate områder relatert til sikkerhet (fysisk, finansiell, IT etc) skal i størst mulig grad integreres

What is information security management?

Includes:

- Risk management,
- Security policies (creation and maintenance)
 - Documented goals, rules and practice for IS
- Plan and organisation for managing the security activities
 - Information Security Management System (ISMS)
- Information classification
- Definition of security procedures, standards & guidelines
- Deployment and maintenance of security controls
- Security education and training
- Disaster recovery and business continuity planning

Who is responsible for ISM?

- Management
 - CEO, CSO, CIO
 - Allocate resources, endorse and abide security policies
- IT Security staff
- General security staff, i.e. guards, janitors etc.
 - Important for physical security
- IT staff
- Users
- Third parties
 - Outsourced information security management
 - Customers, suppliers, business partners

Compliance: Following laws and regulation

- Law and regulation, e.g.
 - EU Data Protection Directive 1995, mandates privacy regulation in EU member countries
 - Norwegian “personopplysningsloven” (personal data law) (2000) mandates principles for collecting and processing personal data
 - It is mandatory to follow laws and regulation,
 - Breach of compliance is sanctioned by authority
- Explicit company policy
 - Defines who is authorized to do what
 - Defines appropriate use
 - It is good practice to follow company policy,
 - Breach of compliance is sanctioned by company
 - Can lead to liability if incidents result from breach of policy

IS Management Standards

- ISO/IEC 27K security standards:
 - ISO: International Standards Organization
 - IEC: International Electro-technical Committee
 - ISO/IEC is correct, but people mostly refer to the standards as ISO...
 - ISO 27001: Information Security Management System (ISMS)
 - ISO 27002: Code of practice for information security management
 - + many more
 - ISO/IEC standards must be bought
- NIST (National Institute for Standards and Technology)
 - Special Publications 800 Series
 - NIST standards are free
- COBIT
- 20 CSC (Critical Security Controls)
- + many other standards and frameworks

NIST: <http://csrc.nist.gov/> Computer Security Resource Center

Library of freely available SP800-X publications
<http://csrc.nist.gov/publications/PubsSPs.html>

- 100: Information Security Handbook: A Guide for Managers
- 53: Recommended Security Controls for Federal Info Systems
- 35: Guide to Information Technology Security Services
- 39: Managing Information Security Risk
- 30: Guide for Conducting Risk Assessment
- 27: Engineering Principles for Information Technology Security
- 18: Guide for Developing Security Plans for Federal Info Systems
- 14: Generally Accepted Principles and Practices for Securing Information Technology Systems
- 12: An Introduction to Computer Security: The NIST Handbook
- 26: Security Self-Assessment Guide for Information Technology Systems

20 CSC: Critical Security Controls

- 20 essential security controls
- <http://www.counciloncybersecurity.org>
- Description of each control:
 - Why control is critical
 - How to implement controls
 - Specific tasks
 - Procedures and tools
 - Advice on implementation
 - Effectiveness metrics
 - Automation metrics
 - How to automate effectiveness metrics
 - Effectiveness tests
 - System entity relationship diagram
 - Relevant architecture integration



Pentesting

Inventory of
Devices

Inventory of
Software

Secure
Network
Engineering

Security
Configuration for
Devices

Incident
Response

Vulnerability
Assessment

Data Protection

Account Control

Malware
Defenses

Need-to-know
Access Control

Application
Software
Security

Monitoring of
Audit Logs

Wireless
Access Control

Boundary
Defence

Data
Recovery
Capability

Controlled
Administrative
Privileges

Control of
Network Ports
and Protocols

Secure Network
Configuration


Security Skills
Training



**COUNCIL ON
CYBERSECURITY**
LE CONSEIL DE LA CYBERSÉCURITÉ

20 Critical Security Controls

ISO/IEC 27000 family of standards and related standards



2013

Vocabulary
Principles and guidelines
Risk assessment techniques

Conformity Assessment –
Vocabulary and general principals

Conformity assessment

Guidelines for auditing
management system

Business Continuity

Cyber Security

Network Security

Application Security

Incident Management

Digital Evidence Mgmt

Overview and vocabulary

Code of practice

Requirements

Risk Management

Certification

Operation

Application areas

ISO/IEC 27002– What is it?


Code of practice for information security management

- ISO 27002 provides a checklist of general security controls to be considered implemented/used in organizations
 - Contains 14 categories (control objectives) of security controls
 - Each category contains a set of security controls
 - In total, the standard describes 113 generic security controls
- Not all controls are relevant to every organisation
- Objective of ISO 27002:
- “... gives guidelines for [...] information security management practices including the selection, implementation and management of controls taking into consideration the organization’s information security risk environment(s).”

ISO/IEC 27002 Code of Practice for ISM, History

- In early 1990's, recognized need for a practical guide for information security management
 - Group of leading companies in the UK combined to develop "*Code of Practice for Information Security Management*"
 - Published in the UK as BS7799 (British Standard) version 1 in Feb. 1995
 - New version adopted as ISO/IEC 17799:2001
 - Updated to ISO/IEC 27002:2005.
 - Last version ISO/IEC 27002:2013.

The 14 Control Objectives of ISO/IEC 27002:2013



ISO/IEC 27001:2013- What is it?


- ISO 27001 specifies requirements for establishing, implementing, maintaining and continually improving an information security management system (ISMS) within the context of the organization.
- ISMS is a holistic approach to IS management
 - ... not an IT system
- While the ISO 27002 (code of practice) defines a set of security goals and controls, ISO 27001 (ISMS) defines how to manage the implementation of security controls.
- Organizations can be certified against ISO 27001
 - ... but not against ISO 27002
- ISO 27001 is to be used in conjunction with ISO 27002

ISO/IEC 27001- ISMS

History

- The need to establish a certification scheme for information security management emerged late 1990s
- A general approach to security management was needed for certification purposes, not just the “code of practice”
- BS 7799-2:1999 was created to define a comprehensive **ISMS (Information Security Management System)** against which certification was possible.
- Led to the dramatic conclusion that **ISMS is perhaps of far greater and fundamental importance than the original Code of Practice.**
- ISMS which originally was a “part 2” of BS7799 became ISO 27001:2005, the main standard in the ISO 27K series
- Updated to ISO/IEC 27001:2013

IS Management System Cycle



- IS governance cycle as an interpretation of ISMS (ISO 27001).
- Source: NSM (Nasjonal Sikkerhetsmyndighet).
- The steps in the cycle can be performed simultaneously.
- Good IS governance requires that all steps are implemented in the organisation

Styringshjul for sikkerhet (NSM)



Evaluation of the ISMS through Security Measurements

- What is the effectiveness of a security control ?
 - You have to measure it to know it.
- Security measurements provide
 - info about how well security controls work
 - basis for comparing effect of controls on risks
 - benchmark for assessing security investments




Why do we care: Example

- **The CEO asks,** *“Is our network perimeter secure?”*
- **Without metrics:**
“Well, we installed a firewall, so it must be.”
- **With metrics:**
“Yes, our evidence tells us that we are. Look at our intrusion statistics before and after we completed that firewall project. It’s down 80%. We are definitely more secure today than we were before.”

What is a security measurement ?


- Variable to which is assigned the result of a security measurement
- Security measurement is the process of obtaining information about the effectiveness of ISMS and controls using a measurement method
- Although standard security measures exist, security measures should ideally be adjusted and tuned to fit a specific organization's needs.



Data types

- Quantitative data

- Nominal labels: A, B, C, etc.; IP ports and addresses.
- Ordinal data: Rank 1,2,3, etc.; Memory addresses
- Interval data: Distance, Range
- Quantity data: How much, or how many
- Proportion data: quantity / reference quantity




- Qualitative data

- Text
- Statements
- Categories
- Multimedia




IS Measurement Model (ISO 27004)



*) Called Objects of measurement in ISO 27004


Measurement – ISMS integration



COBIT Assessment of ISMS Process Capability Level

- Challenging to assess the security level of an organisation
 - COBIT method: PCL
- **It takes “time and effort”** to perform an assessments of Security Management Process Capability Level.
 - ISO 27002: 133 controls consisting of 500+ statements
 - CobIT: 1000+ statements
- Not an exact science, difficult to use as absolute measure. Can give unreasonable results e.g. when consultants and auditors are too lenient or too strict.
- Makes most sense when audit conducted by the same person/time every year, as a measure of improvement.

COBIT 5 - Process Capability Levels based on Process Attribute Rating Scale



PCL 1 - 3

1. Performed Ad Hoc

- + Processes are ad-hoc and disorganised.
- + Risks are considered on an ad hoc basis, but no formal processes exist.

2. Managed but intuitive

- + Processes follow a regular pattern.
- + Emerging understanding of risk and the need for security

3. Established process

- + Processes are documented and communicated.
- + Company-wide risk management.'
- + Awareness of security and security policy

PCL 4 - 5

4. Managed and Predictable

- + Processes are monitored and measured.
- + Risks assessment standard procedures
- + Roles and responsibilities are assigned
- + Policies and standards are in place

5. Optimized

- + Security culture permeates organisation
- + Organisation-wide security processes are implemented, monitored and followed

The human factor in information security

❖ Personnel integrity


- ❖ Making sure personnel do not become attackers

❖ Personnel as defence

- ❖ Making sure personnel do not fall victim to social engineering attacks

❖ Security usability

- ❖ Making sure users operate security correctly



Personnel Integrity

Preventing employees from becoming attackers

- Consider:
 - Employees
 - Executives
 - Customers
 - Visitors
 - Contractors & Consultants
- All these groups obtain some form of access privileges
- How to make sure privileges are not abused?

Personnel crime statistics

- Organisations report that large proportion of computer crimes originate from inside
- US Statistics (CSI/FBI) 2005
 - <http://www.cpppe.umd.edu/Bookstore/Documents/2005CSISurvey.pdf>
 - 71% had inside (65% had external) computer crime attacks
- Australian Statistics (AusCERT) 2006
 - <http://www.auscert.org.au/images/ACCSS2006.pdf>
 - 30% had inside (82% had external) electronic attacks
- Norway: Mørketallsundersøkelsen 2012
 - <http://www.nsr-org.no/moerketall/>
 - Approx. 50% of attackers are either staff or consultants.

Strengthening employee integrity

- Difficult to determine long term integrity of staff at hiring
 - Integrity can change, influenced by events
- All personnel should follow security awareness training
- Reminders about security policy and warnings about consequences of intentional breach of policy
 - Will strengthen power of judgment
- Personnel in highly trusted positions must be supported, trained and monitored
- Support and monitor employees in difficult situations:
 - conflict, loss of job, personal problems
- Stay on good terms with staff leaving the company !

Personnel Departure

- Different reasons for departure
 - Voluntary
 - Redundancy
 - Termination
- Different types of actions
 - Former employee may keep some privileges
 - Revoke all privileges
 - Escort to the exit.
- During exit interview, terms of original employment agreement reviewed (i.e. non-compete, wrongful disclosure, etc.)

Social engineering attacks

Where people are the defence

Social Engineering Attacks



- According to Kevin Mitnick:
 - “The biggest threat to the security of a company is not a computer virus, an unpatched hole in a program, or a badly installed firewall. In fact the biggest threat could be you.”
 - “What I found personally to be true was that it’s easier to manipulate people rather than technology. Most of the time, organisations overlook that human element”.

From “How to hack people”, BBC NewsOnline, 14 Oct 2002

SE Tactics: Develop Trust

- People are naturally helpful and trusting
- Ask during seemingly innocent conversations
- Slowly ask for increasingly important information
- Learn company lingo, names of key personnel, names of servers and applications
- Cause a problem and subsequently offer your help to fix it (aka. reverse social engineering)
- Talk negatively about common enemy
- Talk positively about common hero

SE Tactics: Induce strong affect

- Heightened emotional state makes victim
 - Less alert
 - Less likely to analyse deceptive arguments
- Triggered by attacker by creating
 - Excitement (“you have won a price”)
 - Fear (“you will lose your job”)
 - Confusion (contradictory statements)

SE Tactics: Information overload

- Reduced the target's ability to scrutinize arguments proposed by the attacker
- Triggered by
 - Providing large amounts of information to produce sensory overload
 - Providing arguments from an unexpected angle, which forces the victim to analyse the situation from new perspective, which requires additional mental processing

SE Tactics: Reciprocation

- Exploits our tendency to return a favour
 - Even if the first favour was not requested
 - Even if the return favour is more valuable
- Double disagreement
 - If the attacker creates a double disagreement, and gives in on one, the victim will have a tendency to give in on the other
- Expectation
 - If the victim is requested to give the first favour, he will believe that the attacker becomes a future ally

SE Tactics:

Diffusion of responsibility and moral duty

- Make the target feel the he or she will not be held responsible for actions
- Make the target feel that satisfying attacker's request is a moral duty

SE Tactics: Authority

- People are conditioned to obey authority
 - Milgram and other experiments
 - Considered rude to even challenge the veracity of authority claim
- Triggered by
 - Faking credentials
 - Faking to be a director or superior
 - Skilful acting (con artist)

SE Tactics: Commitment creep

- People have a tendency to follow commitments, even when recognising that it might be unwise.
- It's often a matter of showing personal consistency and integrity
- Triggered e.g. by creating a situation where one commitment naturally or logically follows another.
 - First request is harmless
 - Second request causes the damage

Multi-Level Defence against Social Engineering Attacks



Source: David Gragg: <http://www.sans.org/rr/whitepapers/engineering/>

SE Defence: Foundation

- The security policy must address SE attacks
 - Policy is always the foundation of information security
 - Address e.g.: Shredding, Escorting, Authority obedience
- Ban practice that is similar to social attack patterns
 - Asking for passwords over phone is a typical SE attack method
 - Therefore never provide passwords over the phone
 - Calling a user and pretending to represent IT department is a typical SE attack
 - Therefore never call user, or make it possible/mandatory for user to authenticate the IT Department
 - Calling IT dep. and pretending to be user is a typical SE attack
 - Therefore make it possible/mandatory for IT department to authenticate the user

SE Defence: Awareness

- Security awareness training for all staff
 - Understanding SE tactics
 - Learn to recognise SE attacks
 - Know when to say “no”
 - Know what is sensitive
 - Understand their responsibility
 - Understand the danger of casual conversation
 - Friends are not always friends
 - Passwords are personal
 - Uniforms are cheap
- Awareness of policy shall make personnel feel that the only choice is to resist SE attempts

SE Defence: Fortress

- Resistance training for key personnel
 - Consider: Reception, Help desk, Sys.Admin., Customer service,
- Fortress training techniques
 - Inoculation
 - Expose to SE arguments, and learn counterarguments
 - Forewarming
 - of content and intent
 - Reality check:
 - Realising own vulnerability,

SE Defence: Persistence

- Ongoing reminders
 - SE resistance will quickly diminish after a training session
 - Repeated training
 - Reminding staff of SE dangers
 - Posters
 - Messages
 - Tests

SE Defence: Gotcha

- Social Engineering Detectors
 - Filters and traps designed to expose SE attackers
- Consider:
 - The justified Know-it-all
 - Person who knows everybody
 - Centralised log of suspicious events
 - Can help discover SE patterns
 - Call backs mandatory by policy
 - Key questions, e.g. personal details
 - “Please hold” mandatory by policy
 - Time to think and log event
 - Deception
 - Bogus question
 - Login + password of “alarm account” on yellow sticker

SE Defence: Offensive

- Incident response
 - Well defined process for reporting and reacting to
 - Possible SE attack events,
 - Cases of successful SE attacks
- Reaction should be vigilant and aggressive
 - Go after SE attacker
 - Proactively warn other potential victims

Security awareness training

- Back up and protection of work related information
- Passwords
- Email and web hygiene and acceptable use
- Recognising social engineers
- Recognising and reporting security incidents
- Responsibilities and duties for security
- Consequences of negligence or misbehaviour
- Security principles for system and business processes

Security Usability

Kerckhoffs - 1883

The father of security usability



- Auguste Kerckhoffs. La cryptographie militaire. Journal des sciences militaires, IX(38):5-38, 1883.
- Most famous for “*don’t do security by obscurity*”
- Also defined security usability principles

It must be easy to communicate and remember the keys without requiring written notes, it must also be easy to change or modify the keys with different participants.


Finally, regarding the circumstances in which such a system is applied, it must be easy to use and must neither require stress of mind nor the knowledge of a long series of rules.

Security Learning

- Good metaphors are important for learning
- Many security concepts do not have intuitive metaphors
- Better avoid metaphors than use bad ones
- Define new security concepts
 - and give them semantic content
- Security learning design
 - Design systems to facilitate good security learning
 - Largely unexplored field



Stages of security learning

Revealing a deeper problem



Security/Usability trade-off

1. Trade-off between technical security and usability.
2. Goal is to increase both usability and technical security.
3. Find the right amount of technical security to maximize overall security



Remarks on security usability

- Security usability is difficult to get right
 - Not the same as IT usability
- Security can never be 100% transparent
 - Security learning is a challenge
- Security decisions often made without basis
 - Better security decision support is needed
- Knowledge about security usability exists
 - User-friendly security can be designed

End of Lecture