


INF 4130 Exercise set 6, 2016

w/solutions


Exercise 1

Solve exercise 6.19 in Mark Allen Weiss *Algorithms and Datastructures in Java* (the INF 2220 book).

The following trees are merged



The result is as follows, after merging and swapping, the original right path marked with red.



Exercise 2


Solve exercise 6.25 in MAW.

We are technically allowed to construct a normal binary heap (using the normal `buildHeap()`-method that percolatesDown all subtree roots, starting at the bottom.) Convince yourself that this is the case. The following method, however, constructs a tree that is more leftist:


Insert the nodes into a queue.
(Numbers indicate initial place in queue, not priority [key].)




Merge 1 and 2 (leftist manner, maintain heap property!) and insert at end of queue.




Merge 3 and 4 and insert.




5, 6 and 7, 8 (5.key < 6.key)




(1,2) and (3,4)



(5,6) and (7,8)



(1,2,3,4) and (5,6,7,8)



The time complexity is:

$$\frac{n}{2} \cdot O(1) + \frac{n}{4} \cdot O(2) + \frac{n}{8} \cdot O(3) + \dots = O(n).$$

We omit the O 's and write

$$\begin{aligned} & \frac{n}{2} \cdot 1 + \frac{n}{4} \cdot 2 + \frac{n}{8} \cdot 3 + \dots \\ & \quad \Downarrow \quad \text{Let } n = 2^k, \text{ this is worst case - full trees} \\ & \frac{2^k}{2} \cdot 1 + \frac{2^k}{4} \cdot 2 + \frac{2^k}{8} \cdot 3 + \dots \\ & \quad \Downarrow \\ & 2^{k-1} \cdot 1 + 2^{k-2} \cdot 2 + 2^{k-3} \cdot 3 + \dots \\ & \quad \Downarrow \quad \text{Summation form} \\ & \sum_{i=1}^{k-1} 2^{k-i} \cdot i \\ & \quad \Downarrow \quad \text{The old } \Sigma = 2\Sigma - \Sigma \text{ ploy...} \\ & \left(\sum_{i=2}^k 2^i \right) - 2^{k-(k-1)}(k-1) \\ & \quad \Downarrow \end{aligned}$$

$$\begin{aligned}
& \left(\sum_{i=2}^k 2^i \right) - 2(k-1) \\
& \quad \Downarrow \quad \text{The old } \Sigma = 2\Sigma - \Sigma \text{ ploy, again...} \\
& (2^{k+1} - 4) - 2(k-1) \\
& \quad \Downarrow \\
& 2(2^k - 2) - 2(k-1) \\
& \quad \Downarrow \quad n = 2^k, k = \log n \\
& 2(2^{\log n} - 2) - 2(\log n - 1) \\
& \quad \Downarrow \\
& 2(n - 2) - 2(\log n - 1) \\
& \quad \Downarrow \\
& 2n - 4 - 2 \log n + 2 = 2n - 2 \log n - 2 = O(n).
\end{aligned}$$

Exercise 3

Solve exercise 6.30 in MAW.

This should be obvious (“one can easily see...”), but we give a short induction proof. (The trees are constructed in an inductive manner that lends itself well to this proof technique.)

Basis: B_1 has B_0 as a child (subtree) from the root.

Step: Assume B_i has $B_0, \dots, B_{(i-1)}$ subtrees of the root.

Must show that $B_{(i+1)}$ has B_0, \dots, B_i as subtrees of the root.

$B_{(i+1)}$ is constructed by connecting a B_i to the root of another B_i , therefore $B_{(i+1)}$ will consist of one B_i that we connected to the root of the other B_i , plus the subtrees that already are connected to the root of the other B_i (the root one), these are (by the assumption): $B_0, \dots, B_{(i-1)}$. Therefore $B_{(i+1)}$ must have the subtrees B_0, \dots, B_i .

Exercise 4

Write a non-recursive implementation of `merge()` for leftist heaps.

We do this kind of merge with a two pass method.

- 1) The nodes in the right paths of the heaps can be viewed as lists. the root is the head, the `.right` pointers in the nodes is next.

The lists are merged (elements in lexicographic order). Always choose the smallest and copy into a new tree (a new list).

- 2) Traverse the new path (list), from the end towards the root (we need a pointer this way – doubly linked lists). Check that the leftist-property holds (null path lengths of children), swap left and right children if property is violated.

Rough pseudo code can be something like this:

```
function merge(h1,h2)
  var list result
  while h1 <> nil and h2 <> nil
    if h1.key <= h2.key
      append h1.first to result      // assuming .first works
      h1 = h1.right
    else
      append h2.first to result
      h2 = h2.right
    if h1 <> nil
      append h1 to result
    if h2 <> nil
      append h2 to result

  var elem node
  elem = result.last
  while elem <> result.first
    if elem.left.npl < elem.right.npl
      swapChildren(elem);
    elem = elem.parent      // assuming a parent pointer

  return result
end
```

Exercise 5

Professor Pinocchio claims that the height of an N -node Fibonacci heap is $O(\log N)$. Prove the professor wrong by showing that for every positive integer N , there is a sequence of Fibonacci heap operations constructing a heap that is one long chain of N nodes.

Try using the applet on

<http://www.cs.yorku.ca/~aaw/Jason/FibonacciHeapAnimation.html>

to construct this chain, and to get a feel for Fibonacci heaps.

A kind of induction is also at the basis of this construction. We build our chain by using the structure of binomial trees as model.

Our basis is a tree consisting of two nodes. We can construct this tree by inserting three nodes in an empty heap, and then run deleteMin.

The step in our construction (induction) consists on inserting three nodes with a lower key than the nodes already in the heap, name them a , b , c (sorted by key, increasing order), and run deleteMin, this results in a tree with two branches, the root is b , one branch is the tree we started with, the other branch is c . Now erase c . Repeat as many times as necessary.

[end]