Summary and examinable material

INF5040/9040 autumn 2011

lecturers: Roman Vitenberg, Lucas Provensi

INF-5040/9040 H11

1

Learning goals

- Provide a basic understanding of
 - > fundamental principles, concepts and state-of-the-art
 - key technologies for realising distributed interactive systems of the future
- ➤ Gain practical experience of crafting a distributed application with a state-of-the-art platform
- Provide knowledge about today's challenges to open distributed processing technology, including
 - > Communication paradigms
 - ➤ Mobility
 - > Fault-tolerance

INF-5040/9040 H11

2

INF5040

Overview examinable material

- □ All lectures and lecture slides
- ☐ Selected chapters from the textbooks

INF-5040/9040 H11

3

From Coulouris et al (1/2)

- □Chap 1: all
- □ Chap 2: all
- □ Chap 4: 4.3
- □ Chap 5: all except 5.3.3
- □ Chap 6: 6.1, 6.2, 6.3 and 6.4
- \Box Chap 8: 8.2 8.6
- □ Chap 9: 9.1-9.4, 9.6
- □ Chap 10: all

INF-5040/9040 H11

4

From Coulouris et al (2/2)

- □ Chap 14: all except 14.3 and 14.6
- ☐ Chap 15: all
- □ Chap 16: 16.1 16.4
- □ Chap 17: 17.1 17.4.1: (17.5, 17.6 cursory knowledge)
- □ Chap 18: 18.1 18.3
- □ Chap 19: 19.1 19.3, 19.4.1, 19.4.2 and 19.6
- □ Chap 20: 20.1 20.5

INF-5040/9040 H11

5

From Tanenbaum and van Steen

- □ Chapter 4: 4.1.2, 4.3, 4.5
- □ Chapter 6: All except 6.1 and 6.4
- □ Chapter 7: All except 7.3
- □ Chapter 8: 8.4 (except 8.4.2), 8.5 (except 8.5.2)
- □ Chapter 10.1.1, 10.1.2, 10.2.1, 10.3.1, 10.4.1
- □ Chapter 12: 12.1-12.4, 12.6
- ☐ Chapter 13: 13.4.1

INF-5040/9040 H11

6

Additional (non-examinable) material

- ☐ G. T. Heineman, W.T. Councill: *Component-based Software Engineering Putting the Pieces Together*, 2001. Addison Wesley. Ch. 1 & 3.
- □ P. Eugster et. al.: *The Many Faces of Publish/ Subscribe*.
- □ P. Eugster et. al.: *Epidemic Information Dissemination in Distributed Systems*
- □ Chap 6.4, 6.5 from Coulouris et al

INF-5040/9040 H11

7

Mandatory programming assignments

□Knowledge related to the mandatory programming assignments *can* be tested during the exam

INF-5040/9040 H11

8

On examination 28. and 30. November

- ☐ The exam will be conducted in the following way:
 - ☐ Each student will be assigned a time and place (room) to meet. It is important that you show up at the precise time and place.
 - ☐ You will be given a set of written questions that you have 30 minutes to prepare answers to (e.g., by making notes, diagrams, keywords or similar). You may not use any kind of aid (written or otherwise).
 - ☐ After 30 minutes you will be brought to the examination room, where you will be allowed 20 minutes to present your answers to the written questions, followed by an additional 10 minutes of questioning from other parts of the examinable material.
 - ☐ Bring picture id!
 - ☐ Ifiadm will prepare a schedule for the exam (time and place for each student).
 - If you have particular wishes wrt your scheduling, contact IFI studadm (Mozhdeh Sheibani Harat)

INF-5040/9040 H11

9

Summary of lectures

INF-5040/9040 H11

10

Introduction and design

What i	is a	distributed	system
1 1 IIuc I	ID U	aibuioacca	D y D CCIII

- ☐ Implications of distributed systems:
 - partial failures, unreliable and unsecure comm, ...
- □ Requirements leading to distributed systems:
 - □ resource sharing, scalability, fault tolerance, ...
- Distribution transparency
- ☐ Distributed systems organized as middleware
- Design of distributed objects is different from design of programs where all objects are in the same process

INF-5040/9040 H11

11

System models

	CD1		C		1 1	
	Three 1	TIMAC	Ot CV	ctam	mada	C
_		レタレしる	OI SV	SICILI	HICKIC	

- □ **Physical model**: capture the hardware composition of a system
- ☐ Architecture models: defines the components of the system, the way they interact, and the way they are deployed in a network of computers
 - architectural styles
 - ☐ client-server models (many variants)
 - peer processes (P2P)
 - □ spontaneous networks (mobility)
- ☐ Fundamental models: formal description of the properties that are common to all architecture models
 - interaction models (synchronous vs asynchronous, event ordering)
 - ☐ failure models
 - □ security models (not covered in this course, but see e.g., INF3190)

INF-5040/9040 H11

12

Communication paradigms

ш	Communicatio	n properties
	☐ Percietence	synchrony ti

- Persistence, synchrony, time and space decoupling
- MPI
 - Motivation, main ideas, and uses
- MOM
 - Architecture, routing, applications
- Publish-subscribe
 - Architecture and properties
 - Subscription semantics and content-based routing
- Overview of overlay-based multicast
 - Desired properties
 - ☐ Small-world phenomenon
- ☐ Epidemic-based dissemination
 - Concepts and ideas
 - Push-based and pull-based mechanisms
 - Applications

INF-5040/9040 H11

13

Distributed objects and object-based middleware

- ☐ Distributed objects execute in different processes.
 - ☐ remote interfaces allow an object in one process to invoke methods of objects in other processes located on the same or on other machines using Remote Object References
- ☐ Object-based distribution middleware:
 - ☐ middleware that models a distributed application as a collection of interacting distributed objects (e.g., CORBA, Java RMI)
 - □ some middleware (as CORBA) allow objects in the same application to be implemented in different programming languages based on a Common Object Model, a separate ("programming language independent") IDL, and a set of language bindings.

INF-5040/9040 H11

14

Object interaction using RMI
D P 11 111 (CD) ((1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C
Reliability semantics of RMI (under partial failure)
maybe, at-least-once, at-most-once
Reliability of RMI is at best "at-most-once"
☐ Implementation of RMI
proxies, skeletons, dispatcher
interface processing, object name resolution, object binding and locating, activation
☐ Object servers and multi-threading
 Object servers are tailored to support distributed objects (activation policies).
Multi-threading can in some cases be used to increase the throughput (method calls/ time unit) if, e.g., I/O is the bottleneck, and provide better resource utilization.
☐ Principles of CORBA
 Clients may invoke methods of remote objects without worrying about: object location, programming language, operating system platform, communication protocols, or hardware.
☐ Principles of Java RMI
☐ Similar to CORBA but limited to a Java environment

INF-5040/9040 H11

15

Time and coordination

] I 00	gical time
•	•
	Implementations: logical clocks & vector clocks
□ The	snapshot problem
	Consistent global states
	[Chandy,Lamport] protocol
Dis	tributed consensus
	Known impossibility results
Dis	tributed mutual exclusion
	Requirements
	3 Algorithms: centralised, ring-based, and [Ricart, Agrawala]
Dis	tributed leader election
	Bully and ring-based algorithms

INF-5040/9040 H11

16

INF5040 8

Distributed transactions

- ☐ Transactions
 - ☐ Motivation, interface, etc.
 - ☐ Desirable properties of a transaction (ACID)
- ☐ Distributed transactions
 - ☐ Atomic commitment problem
 - □ 2PC protocol
 - State diagram
 - Recovery
 - □ 3PC protocol
 - State diagram
 - Recovery

INF-5040/9040 H11

17

Software components and distributed systems

- □ Rationale for components
- ☐ Implicit and explicit middleware
- Components
 - ☐ Programming according to LEGO-principle
 - Contractually specified interfaces and composition
 - □ Support for connection oriented programming
- Component architecture
 - ☐ Unit of deployment and composition (reuse), explicit dependencies
 - Contractually specified interfaces between components and application servers
 - ☐ Realizes "implicit middleware" (containers)
 - Cursory knowledge: Java: EJB, Fractal and MUSIC
- Basis for third generation middleware

INF-5040/9040 H11

18

Replication

- ☐ Motivation and objectives
- ☐ Placement of replicas
- ☐ Propagation of updates among the replicas
 - ☐ Consistency guarantees
- ☐ Replication schemes
 - ☐ Active and passive replication
- ☐ Group communication
 - ☐ Group membership, view synchrony, ordered message delivery

INF-5040/9040 H11

19

Peer-to-peer

- ☐ P2P systems distribute processing load and network traffic between all nodes that participate in an distributed information system
- P2P systems are self-organising and independent of any central entity
- ☐ The efficiency critically depends on algorithms for distributing the data among a high number of nodes and subsequently locating the data
- □ P2P middleware is an application-independent software layer that implements a "routing overlay"
- ☐ Case study and evaluation: Pastry

INF-5040/9040 H11

20

Mobile and ubiquitous computing

Mobile	and u	biquit	ous sy	ystems	are v	olatile

- ☐ Applications in mobile and ubiquitous environments are
 - ☐ Integrated with the physical world through sensing and context awareness
 - ☐ Adaptive to changes in the physical circumstances by changing behavior
- ☐ Common system model for mobile and ubiquitous computing (and their subfields). Elements of the model
 - smart spaces
 - device model
 - volatile connectivity
 - □ spontaneous interoperation (role of discovery services, interoperability)
- Sensors and sensor software architectures, wireless sensor networks, directed diffusion

INF-5040/9040 H11

21

Distributed multimedia systems

- ☐ Multimedia applications require mechanisms that enable them to handle large amounts of time dependent data
- ☐ Most important mechanisms: media synchronization and QoS/resource management
- QoS driven resource management
 - □ admission control (by mapping QoS requirements to resource needs)
 - scheduling function (making resources available (CPU, memory, bw, ..) when needed)
 - QoS models for streaming
- □ Streaming over the Internet
 - ☐ Compensating for quality degradation
 - Jitter-compensation (different buffering strategies)
 - Compression
 - Traffic shaping (leaky bucket, token bucket)
 - Media scaling (stream adaptation)

INF-5040/9040 H11

22

Web-based systems Communication architecture Web proxies Proxy-based caching (hierarchical and cooperative) Server-side backend Content-distribution networks Web Services Applications Architecture URIS, WSDL, SOAP Comparison with CORBA