


INF5181: Process Improvement and Agile Methods in Systems Development

**Lecture 04, 29.09.2011:
Flow-based Agile Development (KANBAN)**




UNIVERSITETET I OSLO

Professor Dag Sjøberg
email: dagsj@ifi.uio.no

Fall 2011

Structure of lecture 04

- Repetition of fundamental process concepts
- A study of concrete development processes
- Exercise: Characterizing development processes
- Flow-based agile development (Kanban)
- A study of Scrum versus Kanban in a software company




UNIVERSITETET I OSLO

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 2

System Development Process

- A systems development process (= software process) are those activities that are carried out in order to develop a software system
- The activities vary, but will always includes the elements:
 - Specification of requirements, that is, what the system should do
 - Design of the system
 - Coding (programming)
 - Validation that the system satisfies the needs of the customer or user
 - Evolution of the system, that is, changes according to new or changed requirements




UNIVERSITETET I OSLO

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 3

Process affects both project and system

- The development process, and the context in which it is performed, affect the quality of both the project itself and the resulting system being developed
- The process, that is the way one works, will also affect the work environment (work satisfaction, motivation, competence development, etc.), which in turn will affect project and product quality in general



INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 4

Aspects of process

- Which activities are included in the process?
- How much effort is spent on the various activities (in absolute and relative terms?)
- What is the emphasis on the various activities during the development?
- The process descriptions may also include
 - Parts of the products/results of an activity
 - Roles of those involved in the process
 - Pre- and post-conditions that are true before and after a phase or a sub-product is produced

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 5




Process concepts

- System development process (=actual, real process)
 - Those activities that are carried out in a development project
- Process model
 - An abstract representation of a process. The model describe the process from a certain perspective
- A process model may be
 - Descriptive, that is, it describes an actual process the way *it is*
 - Prescriptive, that is, it describes a process the way *it should be* (the most common meaning)

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 6






- ### Software process models
- The waterfall model
 - Plan-driven model. Separate and distinct phases of specification and development.
 - Incremental development
 - Specification, development and validation are interleaved. May be plan-driven or agile.
 - Reuse-oriented software engineering
 - The system is assembled from existing components. May be plan-driven or agile.
- In practice, most large systems are developed using a process that incorporates elements from all of these models.
- UNIVERSITETET I OSLO
- INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 8

- ### A study of concrete processes
- What kind of process is useful in which situations?
 - Little exact knowledge in the area, very much hype and subjective opinions
 - To study the effect of various aspects of context and process, we carried out a study in which four companies developed the same system independently
- UNIVERSITETET I OSLO
- INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 9

Variation in costs, time and quality for development of the same system



Bid from 35 Norwegian and multi-national IT-companies on a well-specified, small web-based information system (from 21 000 NOK to 560 000 NOK)*



*B.C.D. Anda, D.I.K. Sjøberg and A. Mockus. Variability and Reproducibility in Software Engineering: A Study of four Companies that Developed the same System, *IEEE Transactions on Software Engineering* 35(3):407-429, 2008

Variation in bids IT projects versus road projects


3 X




*H. Pedersen, "Tender Prices: Bridge, Tunnel, Electro and Road Building and Maintenance 1998-2006", Technology Report 2468, Norwegian Public Roads Administration, 2006


Potential variation in time on development and quality of the system


How would that great variation in costs result in differences in time & quality? We paid four companies to develop the same system independently of each other



INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 12







Exercise

- 3-4 persons in each group
- Characterize the processes and indicate possible consequences

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 19




Context variables 1: Constant in the study

Variabel	Value
Kunde	En forskningsinstitusjon
Kravspec.	Fast (database over vitenskapelige studier)
Applikasjonsdomene	Web dokumenthåndteringssystem
Funksjonell systemstørrelse	Lite (57 use case points)
Programmeringsspråk	Stort sett Java, noe Javascript, SQL, HTML, etc.
Verktøy	IDE: Netbeans el. Eclipse, Build & Deploy: Ant, CM: CVS
Team composition	1 prosjektleder, 2 utviklere
Developer skills	Mellomnivå

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 20





Measuring a construct



INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 21








Which company do you think performed best / worst ?

UNIVERSITETET I OSLO

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 24




How to evaluate maintainability?

- The systems used in parallel for two years. Stopped due to changes in platforms and web-environment. Changes had to be performed to make the systems operational again.
- Hired 6 experienced developers from the Czech Republic and Poland. The scored similarly in a Java experiment with 60 developers carried out earlier.
- The developers worked individually with 3 required change tasks on one system and repeated them on another system. They spent 3-4 weeks in total.

UNIVERSITETET I OSLO


INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 26



**Part summary:
Context and process do matter**

- There are many different criteria of project and system quality
- A plethora of context and process parameters will influence project and system quality
- The choice of parameters will depend on which quality aspects that one would like to emphasize
- The systems described above are small, but there are many such systems! (and smaller additions to larger systems may have similar project size)
- The description above shows that even for small projects and systems there are many aspects of context and process that will affect the result


INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 28




From general process context to agile

- Brief repetition of Scrum
- Flow-based development (Kanban)
- Scrum and Kanban process data collected from a company

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 29





Potential advantages of Scrum

- The system is divided into a set of understandable and manageable parts
- Unstable requirements don't hinder progress in the project
- All the team can observe what happens in the project, and good communications within the project is supported
- The customers receive increments on the agreed time and get continuous feedback on how parts of the system works
- Trust between customer and developers is established early in the project and creates a positive culture

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 31



Timeboxing versus “task-boxing”

- Scrum has sprints (iterations) of 2-4 weeks. But it's not always easy to divide the tasks or features of the systems to fit into this time interval
- What about instead define a set of tasks or features and deliver when finished?

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 32



Flow-based Development



Lean production

- "The Japanese school", primarily Toyota
 - If failure discovered, stop the assembly line and find the reason for the failure instead of collecting and fix the failures in bulks
 - Continuous learning and improvement (Kaizen)
 - "Just-in-time" (JIT) principle: don't produce anything before somebody demands it
 - Tempo in production is determined by pull from customer or next element in the production chain rather than push internally to produce as much as possible
 - Removal of temporary storage
 - Component-based production (same chassis, bumper, etc. on different car models). This way production can be geared towards the customer and components can be outsourced to third-party vendors
- Result: Toyota fewest failures and fastest production
- The most productive factories spent least resources on management and administration ("lean management")

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 34



Lean management

- Lean management is a hot issue in many sectors
 - Health management / hospitals
 - Public administration (incl. universities)
 - Private enterprises

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 35



In contrast: the Nordic model

- Autonomous teams
- Leaning, redundancy/job rotation
- User participation and work environment
- Quality of life
- Collaboration between management and trade unions (and government)
- Hydro, Volvo and many more

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 36



Produksjon versus design

- Development of cars is primarily production while software development is primarily design
- To what extent can Toyotism and experiences from nordic production companies be applied in software development?

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 37



Kanban – a technique based on Lean Production


- Kanban focuses on:
 - Flow of work items (throughput/velocity), that is, the number of features/user stories implemented per unit of time
 - Lead-time (cycle time) = the time it takes to finish a user story/ work item

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 38



Kanban board

- A Work Item represents a unit of work to be carried out by the development team.
- Describe a Work item on a post-it sheet and put it on a board in one of the categories : "To do", "In progress" or more detailed states. "Done" shows the Wis that are finished.



From: Kanban and Scrum - making the most of both by Henrik Kniberg and Mattias Skarin on Dec 21, 2009

Kanban principles

- Limit Work In Progress (WIP). The more work items in parallel, the slower they flow through the work processes
 - WIP limit may be put on the total number of active work items or on the number of work items in a given state (to reduce bottlenecks)
- When a work item is finished, one can request to work on a new one (pull)
- To optimize flow, slack in the time schedule is OK. That is, a developer may have some waiting time now and then to optimize the overall flow
- Little focus on estimation
- See also <http://www.infoq.com/articles/hiranabe-lean-agile-kanban>

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 40



Advantages of Kanban

- Bottlenecks in the process become visible. Then easier to focus on finishing tasks that hampers the total flow instead of starting on new tasks that will pile up
- Can do agile development without focusing on timeboxing. Particularly for tasks regarding technical and user support, well-defined "sprints" may not be suitable

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 41



Need for empirical evidence

- Little empirical evidence on how various implementations of agile methods affect lead-time, quality and productivity in different branches and organizations

"The choice of software technology (strategies, processes, methods, techniques, tools or languages) has been driven too much by hype, fashion, and self-proclaimed gurus with vested interests. Fortunately, there is now somewhat of an agreement that empirical evidence collected in a systematic way should be part of the basis for important decisions — having data to back up claims should be part of any scientific or engineering discipline. I also believe that this is appealing to most practitioners."

[Empirical software research: an interview with Dag Sjøberg, University of Oslo, Norway. *ACM Ubiquity*, (June 2011)]

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 42




Collaboration UiO and Software Innovation

"Universitetet i Oslo skal sammen med programvareselskapet Software Innovation forske på utviklingsmetodikkene Scrum og Kanban. Målet med samarbeidet er å opparbeide viktige empiriske data som sier noe om hvordan smidige prosesser påvirker kvalitet, produktivitet og lead-time – et område hvor det i dag eksisterer lite vitenskapelig dokumentasjon. Software Innovation investerer hvert år store beløp i produktutvikling og har i dag mer enn 70 utviklere fordelt på R&D-avdelinger på IT Fornebu og i Bangalore." *Pressemelding 28.4.2011*

Information about 10 000 development and bug-fix tasks were collected over a period of four years



Measuring Process Quality



Lead-time

- **Normal definition:**
 - the time from a customer issues a request for a new or changed feature until it is implemented and deployed in the customer's environment
- **In the context of SI**, which is an in-house development company:
 - The time from the team receives the request (state "Next") until it's ready for release (state "Ready for release")



Questions

- Kanban claim: A fixed WIP (Work In Progress) will improve the process quality. Will it help to reduce the number of active WIs in total or by state?
- What's the mutual relationship between lead-time, productivity and quality?
- How does Kanban vs. Scrum perform with respect to lead-time, productivity and quality?



INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 46

What kind of data do we collect?



INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 47

Process	Product	WJ_ID	Type	State From	State To	Direction	Date From	Date To
Scrum	ProArch	19363	Bug	In Progress	Done	1	16.04.201001:02:00	16.04.201009:10:25
Scrum	ProArch	19363	Bug	Not Done	In Progress	1	15.04.201015:01:29	15.04.201015:01:37
Kanban	ProArch	30921	PBI	Analysis-In Progress	Analysis-Done	1	26.11.2010 03:00:48	26.11.2010 06:00:26
Kanban	Common	33442	PBI	Development-Done	Released	-1	02.02.2011 03:13:07	02.02.2011 08:50:51
Kanban	Common	33442	PBI	Analysis-Done	Progress	1	17.01.2011 06:29:16	17.01.2011 06:29:31
Kanban	Common	33442	PBI	Next	Analysis-In Progress	1	08.12.2010 14:27:41	08.12.2010 16:53:48
Kanban	Common	33732	PBI	Development-Done	Released	-1	13.12.2010 13:39:28	13.12.2010 13:40:10
Kanban	Common	33732	PBI	Next	Analysis-In Progress	1	10.12.2010 10:18:11	10.12.2010 10:43:54
Kanban	Common	42868	Bug	Development-Done	Released	-1	03.02.2011 07:47:07	03.02.2011 07:47:41
Kanban	Common	42868	Bug	Analysis-Done	Progress	1	02.02.2011 13:55:29	02.02.2011 13:55:46
Kanban	Common	49723	PBI	Development-Done	Released	-1	10.03.2011 06:16:18	10.03.2011 06:16:31
Kanban	Common	49723	PBI	Released	Development	-1	10.03.2011 06:11:17	10.03.2011 06:14:32
Kanban	Common	49723	PBI	Next	Released	-1	10.03.2011 06:08:01	10.03.2011 06:11:17
Scrum	ProArch	19363	Bug	In Progress	Done	1	16.04.201001:02:00	16.04.201009:10:25
Scrum	ProArch	19363	Bug	Not Done	In Progress	1	15.04.201015:01:29	15.04.201015:01:37

WJ_ID	Title	Business Value	Testing Impact	Customer	Lead Time	Lines Added	Lines Modified	Lines Deleted	Churn	Team
19363	Fix Unit tests	3	High	XX					0	
19363	Fix Unit tests	3	High	xx	1	2	31	27	60	
30921	Allow access to documents			xx					0	
33442	TFS Backup Plan	810		Internal					0	
33442	TFS Backup Plan	810		Internal					0	
33442	TFS Backup Plan	810		Internal	56	0	0	0	0	
33732	Need a new Test Server for 360 Arabic			Internal	4	0	0	0	0	
33732	Need a new Test Server for 360 Arabic			Internal	4	0	0	0	0	
42868	Need few 150 machines to be UP	3	High	Internal					0	
42868	Need few 150 machines to be UP	3	High	Internal					0	
49723	Separate machines for Msk			Internal					0	
49723	Separate machines for Msk			Internal					0	
49723	Separate machines for Msk			Internal	1	0	0	0	0	
19363	Fix Unit tests	3	High						0	
19363	Fix Unit tests	3	High		1	2	31	27	60	

**Preliminary results
(data collection and analysis is ongoing)**

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 49



Relative importance of quality attributes

- What is most important of lead-time, productivity and quality?
- It depends on ...

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 50



Summary of findings

- It seems that other process factors affect lead-time, productivity and bugs more than the use of the process models Scrum or Kanban
- However, so far the Kanban period has been short

INF5181 / Lecture 04 / © Dag Sjøberg 2011, Slide 51