INF5180: Software Product- and Process Improvement in Systems Development

Part 02:

Processes and Process Modeling

**(Section B)**

UNIVERSITETET
I OSLO

Dr. Dietmar Pfahl

email: dietmarp@simula.no

Spring 2010

"Light-Weight" Processes

(Evolutionary Development)

UNIVERSITETET
I OSLO

Requirements and Customers

UNIVERSITETET
I OSLO

The Agile Manifesto

*We are uncovering better ways of developing
software by doing it and helping others do it.
Through this work we have come to value:*

Individuals and interactions over processes and tools
Working software over comprehensive documentation
Customer collaboration over contract negotiation
Responding to change over following a plan

That is, while there is value in the items on
the right, we value the items on the left more.

http://www.agilemanifesto.org/

UNIVERSITETET I OSLO

Extreme Programming

- Origin: Kent Beck, Ward Cunningham, Ron Jeffries (end of 1990s)
- Idea: "light weight" process model, agile process
- Characteristic:
  – "Minimum" of accompanying measures (documentation, modeling , …)
  – Team orientation (e.g., common responsibility for all development artifacts)
  – Small teams (12-14 persons)
  – Involvement of user/client at an early stage
  – Social orientation
- Scope: Prototype projects, small projects, low criticality of the results

UNIVERSITETET I OSLO

XP – Rules and Practices   http://www.extremeprogramming.org/rules.html

Planning

User stories are written (by the customer!).
Release planning creates the schedule.
Make frequent small releases.
The Project Velocity is measured.
The project is divided into iterations.
Iteration planning starts each iteration.
Move people around.
A stand-up meeting starts each day.
Fix XP when it breaks.

Designing

Simplicity.
Choose a system metaphor.
Use CRC* cards for design sessions.
Create spike solutions to reduce risk.
No functionality is added early.
Refactor whenever and wherever possible.

Coding

The customer is always available.
Code must be written to agreed standards.
Code the unit test first.
All production code is pair programmed.
Only one pair integrates code at a time.
Integrate often.
Use collective code ownership.
Leave optimization till last.
No overtime.

Testing

All code must have unit tests.
All code must pass all unit tests before it
can be released.
When a bug is found (acceptance) tests are
created.
Acceptance tests are run often and the score
is published.

UNIVERSITETET I OSLO   * CRC = Class Responsibility Collaborator

Scrum

UNIVERSITETET I OSLO

http://www.scrumforteamsystem.com/processguidance/v1/Scrum/Scrum.html

---

Scrum – Roles: "Pigs" and "Chicken"

"Pig" roles	"Chicken" roles

• Pigs are the ones committed to the project in the Scrum process; they are the ones with "their bacon on the line".
  – Product Owner
  – Scrum Master (or Facilitator)
  – Team
	• Chicken roles are not part of the actual Scrum process, but must be taken into account.
	  – Users
	  – Stakeholders (customers, vendors)
	  – Managers
	• Note: An important aspect of an <u>Agile</u> approach is the practice of involving users, business and stakeholders into part of the process. It is important for these people to be engaged and provide feedback into the outputs for review and planning of each sprint.

UNIVERSITETET I OSLO

Scrum – Roles

"Pig" roles:	"Chicken" roles:

• <u>Product Owner</u>
  – The Product Owner represents the voice of the customer ensuring that the Team works on the right things from a business perspective.
  – The Product Owner writes <u>user stories</u>, prioritizes them, then places them in the <u>product backlog</u>.
• <u>Scrum Master</u> (or Facilitator)
  – Scrum is facilitated by a ScrumMaster, whose primary job is to remove impediments to the ability of the team to deliver the sprint goal.
  – The ScrumMaster is not the leader of the team (as they are self-organizing) but acts as a buffer between the team and any distracting influences.
  – The ScrumMaster ensures that the Scrum process is used as intended. The ScrumMaster is the enforcer of rules.
• <u>Team</u>
  – The team has the responsibility to deliver the product.
  – A team is typically made up of 5–9 people with cross-functional skills to do the actual work (designer, developer, tester, etc.).
	• <u>Users</u>
	  – The software is being built for someone.
	• <u>Stakeholders</u> (customers, vendors)
	  – The people that will enable the project, and for whom the project will produce the agreed-upon benefit(s) which justify it. They are only directly involved in the process at sprint reviews.
	• <u>Managers</u>
	  – People that will set up the environment for the product development organizations.

UNIVERSITETET I OSLO

Product Owner

- Define the features of the product
- Decide on release date and content
- Be responsible for the profitability of the product (ROI)
- Prioritize features according to market value
- Adjust features and priority every iteration, as needed
- Accept or reject work results

**UNIVERSITETET I OSLO**

The ScrumMaster

- Represents management to the project
- Responsible for enacting Scrum values and practices
- Removes impediments
- Ensure that the team is fully functional and productive
- Enable close cooperation across all roles and functions
- Shield the team from external interferences

UNIVERSITETET I OSLO

The Team

- Typically 5-9 people
- Cross-functional:
  - Programmers, testers, user experience designers, etc.
- Members should be full-time
  - May be exceptions (e.g., database administrator)
- Teams are self-organizing
  - Ideally, no titles but rarely a possibility
- Membership should change only between sprints

UNIVERSITETET I OSLO

Scrum Iterations and Sprints

~1 hour

1 day for a
4 week Sprint

15 min daily

Sprint Planning Meeting

Sprint Review Meeting

Sprint Retrospective

Sprint Planning Meeting

Daily Scrum

UNIVERSITETET I OSLO

Scrum – Meetings

- Daily Scrum
  - Each day during the sprint, a project status meeting occurs. This is called a "scrum", or "the daily standup". Daily scrum guidelines:
    - The meeting starts precisely on time. Often there are team-decided punishments for tardiness (e.g. money, push-ups, hanging a rubber chicken around your neck)
    - All are welcome, but only "pigs" may speak
    - The meeting is time-boxed (15 minutes) regardless of the team's size
    - All attendees should stand (it helps to keep meeting short)
    - The meeting should happen at the same location and same time every day
  - During the meeting, each team member answers three questions:
    - What have you done since yesterday?
    - What are you planning to do by today?
    - Do you have any problems preventing you from accomplishing your goal?
    - It is the task of the ScrumMaster to remind the team of these questions.

- Sprint Planning Meeting
  - Select what work is to be done
  - Prepare the Sprint Backlog that details the time it will take to do that work
  - 8 hour limit

- Sprint Review Meeting
  - Review the work that was completed and not completed
  - Present the completed work to the stakeholders (a.k.a. "the demo")
  - Incomplete work cannot be demonstrated
  - 4 hour time limit

- Sprint Retrospective
  - All team members reflect on the past sprint.
  - Make continuous process improvement.
  - Two main questions are asked in the sprint retrospective: What went well during the sprint? What could be improved in the next sprint?
  - 3 hour time limit

UNIVERSITETET I OSLO

Sprint Planning Meeting

- Team selects items from the product backlog they can commit to completing

- Sprint backlog is created
  - Tasks are identified and each is estimated (1-16 hours)
  - Collaboratively, not done alone by the ScrumMaster

- High-level design is considered

As a vacation planner, I want to see photos of the hotels.

Code the middle tier (8 hours)
Code the user interface (4)
Write test fixtures (4)
Code the foo class (6)
Update performance tests (4)

UNIVERSITETET I OSLO

Sprint planning meeting

Team capacity

Product backlog

Business conditions

Current product

Technology

Sprint prioritization
- Analyze and evaluate product backlog
- Select sprint goal

Sprint planning
- Decide how to achieve sprint goal (design)
- Create sprint backlog (tasks) from product backlog items (user stories / features)
- Estimate sprint backlog in hours

Sprint goal

Sprint backlog

Copyright 2010 © Dietmar Pfahl

UNIVERSITET I OSLO

Daily Scrum

- Parameters
  - Daily
  - 15-minutes
  - Stand-up
- Not for problem solving
  - Whole world is invited
  - Only team members, ScrumMaster, product owner, can talk
- Helps avoid other unnecessary meetings

     Copyright 2010 © Dietmar Pfahl

UNIVERSITET I OSLO

Daily Scrum – 3 Questions

NB:
- These questions are not status reports for the ScrumMaster
- They are commitments in front of peers

1   What did you do yesterday?

2   What will you do today?

3   Is anything in your way?

     Copyright 2010 © Dietmar Pfahl

UNIVERSITET I OSLO

Sprint Review Meeting

- Team presents what it accomplished during the sprint
- Typically takes the form of a demo of new features or underlying architecture
- Informal
  – 2-hour prep time rule
  – No slides
- Whole team participates
- Invite the world

UNIVERSITETET I OSLO

Sprint Retrospective

- Periodically take a look at what is and is not working
- Typically 15–30 minutes
- Done after every sprint
- Whole team participates
  – ScrumMaster
  – Product owner
  – Team
  – Possibly customers and others

UNIVERSITETET I OSLO

Scrum – Artifacts

Product backlog

- The product backlog is a high-level document for the entire project. It contains backlog items: broad descriptions of all required features, wish-list items, etc. It is the "What" that will be built. It is open and editable by anyone and contains rough estimates of both business value and development effort. Those estimates help the Product Owner to gauge the timeline and, to a limited extent, priority.
  – For example, if the "add spellcheck" and "add table support" features have the same business value, the one with the smallest development effort will probably have higher priority, because the return-on-investment is higher.
- The product backlog is property of the Product Owner. Business value is set by the Product Owner. Development effort is set by the Team.

Sprint backlog

- The sprint backlog is a greatly detailed document containing information about how the team is going to implement the requirements for the upcoming sprint. Tasks are broken down into hours, with no task being more than 16 hours. If a task is greater than 16 hours, it should be broken down further. Tasks on the sprint backlog are never assigned; rather, tasks are signed up for by the team members as they like.
- The sprint backlog is property of the Team. Estimations are set by the Team.

Burn down chart

- The burn down chart is a publicly displayed chart showing remaining work in the sprint backlog. Updated every day, it gives a simple view of the sprint progress.

UNIVERSITETET I OSLO

Product Backlog

This is the product backlog

- The requirements
- A list of all desired work on the project
- Ideally expressed such that each item has value to the users or customers of the product
- Prioritized by the product owner
- Reprioritized at the start of each sprint

UNIVERSITETET
I OSLO

Backlog item	Estimate
Allow a guest to make a reservation	3
As a guest, I want to cancel a reservation.	5
As a guest, I want to change the dates of a reservation.	3
As a hotel employee, I can run RevPAR reports (revenue-per-available-room)	8
Improve exception handling	8
...	30
...	50

UNIVERSITETET
I OSLO

The Sprint Goal

- A short statement of what the work will be focused on during the sprint

Life Sciences

Support features necessary for population genetics studies.

Database Application

Make the application run on SQL Server in addition to Oracle.

Financial services

Support more technical indicators than company ABC with real-time, streaming data.

UNIVERSITETET
I OSLO

Managing the Sprint Backlog

- Individuals sign up for work of their own choosing
  - Work is never assigned!
- Estimated work remaining is updated daily
- Any team member can add, delete or change the sprint backlog
- Work for the sprint emerges
- If work is unclear, define a sprint backlog item with a larger amount of time and break it down later
- Update work remaining as more becomes known

UNIVERSITETET I OSLO

Copyright 2010 © Dietmar Pfahl

Sprint Backlog – Example

Tasks	Mon	Tues	Wed	Thur	Fri
Code the user interface	8	4	8		
Code the middle tier	16	12	10	4	
Test the middle tier	8	16	16	11	8
Write online help	12				
Write the foo class	8	8	8	8	8
Add error logging			8	4	

UNIVERSITETET I OSLO

Copyright 2010 © Dietmar Pfahl

Sprint Backlog – Example (with more detail)

UNIV I OSL

Sprint Burndown Chart – Example

Page 28   Copyright 2010 © Dietmar Pfahl

UNIVERSITETET
I OSLO

INF5180

Tasks	Mon	Tues	Wed	Thur	Fri
Code the user interface	8	4	8		
Code the middle tier	16	12	10	7	
Test the middle tier	8	16	16	11	8
Write online help	12				

UNIVERS
I OSLO

Scalability of Scrum

Scrum of Scrums of …

- Typical individual team is 7 ± 2 people
  - Scalability comes from teams of teams
- Factors in scaling
  - Type of application
  - Team size
  - Team dispersion
  - Project duration
- Scrum has been used on multiple 500+ person projects (e.g., SAP)

Page 30

UNIVERSITETET
I OSLO

Choosing the Right Process Model

UNIVERSITETET
I OSLO

Difficult to Choose a Process Model

- What you should first decide is whether you actually need a prescriptive process model.
- To make the choice it is important to know your organization/project.
  - What characteristics does the project have?
  - What characteristics affect the choice of the process model?
  - Can we use the same model everywhere, or do we need variants (a repertoire of different models)?

UNIVERSITETET
I OSLO

How much *Agility* is Recommended?

- Source: Boehm, B.; Turner, R.; Observations on balancing discipline and agility, Proceedings of the Agile Development Conference, 2003. ADC 2003. Page(s):32 - 39

Figure 2. Sample highly-mixed profile

UNIVERSITETET
I OSLO

Alistair Cockburn – Project Categorizing

"Any one methodology is likely to be appropriate for only one of the boxes on one of the planes. Thus, at least 150 or so methodologies are needed!"

[Alistair Cockburn: Selecting a Project 's Methodology. IEEE Software 17(4): (2000)]

UNIVERSITETET I OSLO

Copyright 2010 © Dietmar Pfahl

How Much Structure?

Hohmann:

LITTLE STRUCTURE | MUCH STRUCTURE

Process discipline (support/enforcement)
Low — High

Formality of product (specification/validation)
Low — Strict

Communication
Informal — Formal

Number of check points
Few — Many

Experience
Much — Little

UNIVERSITETET I OSLO

Copyright 2010 © Dietmar Pfahl

How Much Structure?

Size (organization)

Hohmann:

LITTLE STRUCTURE | MUCH STRUCTURE

Small — Big

Size (product)
Small — Big

Age (team)
High — Low

Problem complexity
Little — Big

Demand for precision
Little — Big

Project length
Short — Long

UNIVERSITETET I OSLO

Copyright 2010 © Dietmar Pfahl