

```
name: gratismeldinger
files: /home/martinor/htdocs/gm/index.php
basedir: /home/martinor/htdocs/gm/
webdir: http://rikstoto.mine.nu/gm/
template:
view_main_toolbar: 1
view_left_panel: 1
view_custom_menu: 1
view_html_toolbar: 1
word_wrap: 0
targetlist: _parent
targetlist: _blank
targetlist: _top
urllist: '$SCRIPT_NAME'
urllist: <?php echo $SCRIPT_NAME ?>
```

```
h1 {  
    background-color: #242363;  
    font-size: 25;  
    font-weight: bolder;  
    color: #AEAEAE;  
}  
  
h3 {  
    background-color: #363670;  
    font-size: 17;  
    color: #AEAEAE;  
}  
h4 {  
    font-size: 15;  
}  
a:active {  
    color: #C7C7C7;  
    font-weight: bold;  
    text-decoration: none;  
}  
a:link {  
    color: #323232;  
    font-weight: bold;  
    text-decoration: none;  
}  
a:visited {  
    font-weight: bold;  
    text-decoration: none;  
    color: #535353;  
}  
body {  
    background-color: #797F98;  
    font-family: Zapf-Chancery, cursive;  
}
```

Thu May 13 12:29:29 2004

include

Page 1

Thu May 13 12:29:29 2004

index.php

Page 1

```
<?php
session_start();
$Vincludepath = "include/";
//include ($Vincludepath."var.php");
if (!isset($_SESSION)){
    $_SESSION["login"] = false;
}
include ($Vincludepath."mysql.php");
$logout_message = $_GET['logout_message'];
if ($_GET['do']=="logout"){
    $logout_message = "Du er n&aring; logget ut";
    session_destroy();
    $_SESSION["login"] = false;
}//if logout

if (isset($_POST['new'])){
    $user=$_POST['new_username'];
    $passwd1 = $_POST['passwd1'];
    $passwd2 = $_POST['passwd2'];
    $email = $_POST['email'];
    $firstname = $_POST['firstname'];
    $surname = $_POST['surname'];
    $address = $_POST['address'];
    $zip = $_POST['zip'];
    if (strlen($user)!=8){
        $new_error .= "<li>Telefonnummer er 8 siffer i Norge!</li>";
    }
    if (strlen($passwd1)<=4){
        $new_error .= "<li>Minimum 4 siffer i passordet!</li>";
    }
    if ($passwd1 != $passwd2 ){
        $new_error .= "<li>Tast inn samme passord begge gangene!</li>";
    }
    if (!isset($new_error)){
        $sqlquery =" INSERT INTO `User` ('userName', 'password') VALUES ('$user','$passwd1')";
        $result = mysql_query($sqlquery);
        if (!$result) {
            $new_error .= "<li>".mysql_error()."</li>";
        }
        else{
            if ($email!="")
                $updateqry.="email='".$email', ";
            if ($firstname!="")
                $updateqry.="firstName='".$firstname', ";
            if ($surname!="")
                $updateqry.="surName='".$surname', ";
            if ($address!="")
                $updateqry.="address='".$address', ";
            if ($zip!="")
                $updateqry.="postalCode='".$zip', ";
        }
    }
}
```

Thu May 13 12:29:29 2004

index.php

Page

```
$updateqry.="address='".$address', ";
if ($zip!="")
    $updateqry.="postalCode='".$zip', ";
}
if (isset($updateqry)){
    $updateqry = substr($updateqry,0,strlen($updateqry)-2);
    $updateqry = "UPDATE User SET $updateqry WHERE userName = '$user'";
    $result = mysql_query($updateqry);
    if (!$result) {
        $new_error .= "<li>".mysql_error()." (Brukeren din er opprettet. Vennligst rett om evt. feil n&zlig;r du har logget inn!)</li>";
    }
}
if (isset($new_error)){
    $new_error = "Det oppsto en feil under opprettelsen av brukeren din<ul style=\"background-color: red;\">>".$new_error."</ul>";
}
else{
    $sqlquery = "SELECT id FROM User where userName ='$user' and password ='$passwd'";
    $result = mysql_query($sqlquery);
    $number = mysql_numrows($result);
    if ($number < 1){
        $login_error = "Greide ikke &aring; hente ut id, pr&oslash;v &aring; logge inn med brukernavnet og passordet du opprettet. ";
    }
    else{
        $_SESSION["login"] = true;
        $_SESSION["user"] = $user;
        $_SESSION["navn"] = $firstname." ".$surname;
        $_SESSION["email"] = $email;
        $_SESSION["id"] = mysql_result($result,0,"id");
    }
}

if (isset($_POST['login'])){
    $user=$_POST['username'];
    $passwd = $_POST['passwd'];
    $sqlquery = "SELECT id, userName, firstName, surName,email FROM User where userName ='$user' and password ='$passwd'";
    $result = mysql_query($sqlquery);
    $number = mysql_numrows($result);
    if ($number < 1){
        $login_error = "Galt brukernavn eller passord. ";
        $user="";
    }
}
```

Thu May 13 12:29:29 2004

index.php

Page 3

```
}

else{
    $_SESSION["login"] = true;
    $_SESSION["user"] = $user;
    $_SESSION["navn"] = mysql_result($result,0,"firstName")." ".mysql_result($result,0,"surName");
    $_SESSION["email"] = $email;
    $_SESSION["id"] = mysql_result($result,0,"id");
}

if($_SESSION["login"]==true){
    header("Location: messages.php");
}
else{
?>

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
 "http://www.w3.org/TR/html4/loose.dtd">

<html>
<head>
<link rel="stylesheet" type="text/css" href="gm.css">
<title>Gratismelding</title>
</head>
<body>

<h1>Gratismelding</h1>
<?php if (isset($logout_message)){ ?>
<p style="background-color: red;">
<?php echo $logout_message?>
<?php } ?>

<p>Velkommen til gratismedling.
<h4>Meny</h4>
<ul>
<li><a href=<?php echo $SCRIPT_NAME ?>#login">Login</a></li>
<li><a href=<?php echo $SCRIPT_NAME ?>#new">Opret ny bruker</a></li>
<li><a href=<?php echo $SCRIPT_NAME ?>#download">Last ned programmet</a></li>
</ul>

<form action="index.php" method="POST">
<h3><A NAME="login">Login</a></h3>
<?php if (isset($login_error)){ ?>
<p style="background-color: red;">
<?php echo $login_error ?></p>
<?php } ?>
```

Thu May 13 12:29:29 2004

index.php

Page

```
<table>
<tr>
<td>Telefonnummer:</td>
<td><input type="text" name="username" size="8" maxlength="8"></td>
</tr>
<tr>
<td>Passord:</td>
<td><input type="password" name="passwd" size="12" maxlength="25"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td><input name="login" value="ok" type="submit"></td>
</tr>
</table>
</form>

<h3><A NAME="new">Ny bruker</a></h3>
<?php if (isset($new_error))echo $new_error ?>
<form action="index.php" method="POST">
<table>
<tr>
<td>Telefonnummer:</td>
<td><input type="text" name="new_username" size="8" maxlength="8" value=<?php echo $user ?>"*></td>
</tr>
<tr>
<td>Passord:</td>
<td><input type="password" name="passwd1" size="12" maxlength="25" value="*></td>
</tr>
<tr>
<td>Passord igjen:</td>
<td><input type="password" name="passwd2" size="12" maxlength="25" value="*></td>
</tr>
<tr>
<td>Epost:</td>
<td><input type="text" name="email" size="20" maxlength="40" value=<?php echo $email ?>"></td>
</tr>
<tr>
<td>Fornavn:</td>
<td><input type="text" name="firstname" size="20" maxlength="30" value=<?php echo $firstname ?>"></td>
</tr>
<tr>
<td>Etternavn:</td>
<td><input type="text" name="surname" size="20" maxlength="30" value=<?php echo $surname ?>"></td>
</tr>
```

```
<tr>
<td>Adresse:</td>
<td> <input type="text" name="address" size="20" maxlength="30" value="<?php echo $address ?>"></td>
</tr>
<tr>
<td>Postnummer:</td>
<td> <input type="text" name="zip" size="4" maxlength="4" value="<?php echo $zip ?>"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td><input name="new" value="ok" type="submit"></td>
</tr>
</table>
*Obligatoriske felt
</form>

<h3><A NAME="download">Programmet</a></h3>
<p>For &aring; bruke gratismelding trenger du et program til din mobiltelefon.  

Forel&oslash;pig st&oslash;tter vi kun Siemens telefoner.

<p>Har du en Siemens telefon kan du laste det ned <a href ="#">her</a>.
</body>
</html>
<?php }?>
```

Thu May 13 12:29:29 2004

messages.php

Page 1

```
<?php
session_start();
$Vincludepath = "include/";
//include ($Vincludepath."var.php");
if (!isset($_SESSION)){
    $_SESSION["login"] = false;
}
include ($Vincludepath."mysql.php");
if ($_GET['do']=="logout"){
    $logout_message = "Du er n&aring; logget ut";
    session_destroy();
    $_SESSION["login"] = false;
}//if logout
if (!$SESSION["login"]){
    header("Location: index.php?logout_message=Du%20er%20ikke%20logget%20inn");
}
else{
    $id = $_SESSION['id'];
    $user = $_SESSION['user'];
    if ($_GET['box']=="out")
        $sqlquery = "SELECT firstName, surName, userName, toId, message, sendtWhen, statusReport,
'read' FROM Message, User WHERE (fromId='$id' AND Message.toId=User.id) ";
    else
        $sqlquery = "SELECT firstName, surName, userName, fromId, message, sendtWhen,
statusReport, 'read' FROM Message, User WHERE (toId='$id' AND Message.fromId=User.id) ";
    $result = mysql_query($sqlquery);
    if (!$result) {
        $error .= "<li>".mysql_error()."</li>";
    }
    $number = mysql_numrows($result);
    if (isset($error)){
        $error = "<ul style=\"background-color: red;\">".$error."</ul>";
    }
}

?>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<link rel="stylesheet" type="text/css" href="gm.css">
<title>Gratismelding</title>
</head>
<body>
<h1>Gratismelding</h1>
<?php if (isset($error)) echo $error ?>

<table cellpadding="0" cellspacing="0" border="0" width="100%"><tr>
```

Thu May 13 12:29:29 2004

messages.php

Page

```
<td width="10%" align="center"><?php echo $_SESSION['user']?>: </td>
<?php
if ($_GET['box']=="out"){
?>
<td width="10%" align="center"><a href="messages.php" >Innboks</a></td>
<td width="10%" align="center" bgcolor="#242363">Utboks</td>
<?php } else{ ?>
<td width="10%" align="center" bgcolor="#242363"><a href="messages.php" >Innboks</a></td>
<td width="10%" align="center"><a href="messages.php?box=out" >Utboks</a></td>
<?}?>
<td width="10%" align="center"><a href="newMessage.php" >Ny Melding</a></td>
<td width="10%" align="center"><a href="myPage.php" >Min Side</a></td>
<td width="40%">&nbsp;</td>
<td width="10%" align="right"><a href="index.php?do=logout" >Logg ut</a></td>

</tr><tr><td colspan="7" bgcolor="#242363">&nbsp;</td></tr></table>

<table cellpadding="2" cellspacing="0" border="0" width="100%">

<?php
for ($i = 0; ($i < $number); $i++){
?>

<tr <?php if($i%2==1) {?>bgcolor="#ACACAC"?<?php }?> >
<td width="10%" align="center">
    <a href="newMessage.php?to=<?php echo mysql_result($result,$i,"userName")?>">
        <?php echo mysql_result($result,$i,"userName");?>
    </a>
</td>
<td width="10%" align="center">
    <?php
        echo date("d.m.Y H:i",mysql_result($result,$i,"sendtWhen")/1000);
    ?>
</td>
<td width="66%">
    <a href="newMessage.php?message=<?php echo mysql_result($result,$i,"message");?>">
        <?php echo mysql_result($result,$i,"message");?>
    </a>
</td>
<td width="7%" align="center">ss</td>
<td width="7%" align="center"><?php if (mysql_result($result,$i,"read")==0) echo "ikke" ?> lest</td>
</tr>
<?php } ?>
</table>
```

```
</body>
</html>
<?php }?>
```

Thu May 13 12:29:29 2004

myPage.php

Page 1

```
<?php
session_start();
$Vincludepath = "include/";
//include ($Vincludepath."var.php");
if (!isset($_SESSION)){
    $_SESSION["login"] = false;
}
include ($Vincludepath."mysql.php");
if ($_GET['do']=="logout"){
    $logout_message = "Du er n&aring; logget ut";
    session_destroy();
    $_SESSION["login"] = false;
}//if logout
if ($_SESSION["login"]!=true){
    header("Location: index.php?logout_message=Du%20er%20ikke%20logget%20inn");
}
else{
    $id = $_SESSION['id'];
    if (isset($_POST['details'])){
        $user=$_POST['new_username'];
        $email = $_POST['email'];
        $firstname = $_POST['firstname'];
        $surname = $_POST['surname'];
        $address = $_POST['address'];
        $zip = $_POST['zip'];
        if (strlen($user)!=8){
            $error .= "<li>Telefonnummer er 8 siffer i Norge!</li>";
        }
        else{
            $updateqry = "UPDATE User SET userName='$user', email='$email', firstName='$firstname',
surName='$surname', address='$address', postalCode='zip' WHERE id = $id";
            $result = mysql_query($updateqry);
            if (!$result) {
                $error .= "<li>".mysql_error()."</li>";
            }
        }
    }
    if (isset($_POST['passwd'])){
        $passwd0 = $_POST['passwd0'];
        $passwd1 = $_POST['passwd1'];
        $passwd2 = $_POST['passwd2'];
        $sqlquery = "SELECT id FROM User where id = $id and password = '$passwd0'";
        $result = mysql_query($sqlquery);
        $number = mysql_numrows($result);
        if ($number < 1){
            $error .= "<li>Galt passord.</li>";
        }
    }
}
```

Thu May 13 12:29:29 2004

myPage.php

Page

```
}
if (strlen($passwd1)<=4){
    $perror .= "<li>Minimum 4 siffer i passordet!</li>";
}
if ($passwd1 != $passwd2 ){
    $perror .= "<li>Tast inn samme passord begge gangene!</li>";
}
if (!isset($perror)){
    $updateqry = "UPDATE User SET password = '$passwd1' WHERE id = $id";
    $result = mysql_query($updateqry);
    if (!$result) {
        $perror .= "<li>".mysql_error()."</li>";
    }
    else    $perror = "<li>Passord er endret</li>";
}
}

$sqlquery = "select * from User where id = $id";
$result = mysql_query($sqlquery);
if (!$result) {
    $error .= "<li> Fant trolig ikke $to i databasen. Melding fra databasen: '".mysql_error()."'
'$sqlquery'</li>";
}
if (!isset($error)){
    $_SESSION['user'] = $user = mysql_result($result,0,"userName");
    $user = mysql_result($result,0,"userName");
    $email = mysql_result($result,0,"email");
    $firstname = mysql_result($result,0,"firstName");
    $surname = mysql_result($result,0,"surName");
    $address = mysql_result($result,0,"address");
    $zip = mysql_result($result,0,"postalCode");
}
if (isset($error)){
    $error = "<ul style=\"background-color: red;\">".$error."</ul>";
}
if (isset($perror)){
    $perror = "<ul style=\"background-color: red;\">".$perror."</ul>";
}
?>
```

Thu May 13 12:29:29 2004

myPage.php

Page 3

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<link rel="stylesheet" type="text/css" href="gm.css" >
<title>Gratismelding</title>
</head>
<body>
<h1>Gratismelding</h1>
<table cellpadding="0" cellspacing="0" border="0" width="100%"><tr>
<td width="10%" align="center"><?php echo $_SESSION['user']?>: </td>
<td width="10%" align="center"><a href="messages.php" >Innboks</a></td>
<td width="10%" align="center"><a href="messages.php?box=out" >Utboks</a></td>
<td width="10%" align="center"><a href="newMessage.php" >Ny Melding</a></td>
<td width="10%" align="center" bgcolor="#242363">Min Side</td>
<td width="40%">&nbsp;</td>
<td width="10%" align="right"><a href="index.php?do=logout" title="Logger deg ut.">Logg ut</a></td>
</tr><tr><td colspan="7" bgcolor="#242363">&nbsp;</td></tr></table>

<?php if (isset($serror))echo $serror ?>

<form action="myPage.php" method="POST">
<h3>Endre personalia</h3>
<?php if (isset($error))echo $error ?>
<table>
<tr>
<td>Telefonnummer:</td>
<td><input type="text" name="new_username" size="8" maxlength="8" value="<?php echo $user ?>"*</td>
</tr>
<tr>
<td>Epost:</td>
<td><input type="text" name="email" size="20" maxlength="40" value="<?php echo $email ?>"></td>
</tr>
<tr>
<td>Fornavn:</td>
<td><input type="text" name="firstname" size="20" maxlength="30" value="<?php echo $firstname ?>"></td>
</tr>
<tr>
<td>Etternavn:</td>
<td><input type="text" name="surname" size="20" maxlength="30" value="<?php echo $surname ?>"></td>
</tr>
<tr>
<td>Adresse:</td>
```

Thu May 13 12:29:29 2004

myPage.php

```
<td> <input type="text" name="address" size="20" maxlength="30" value="<?php echo $address ?>"></td>
</tr>
<tr>
<td>Postnummer:</td>
<td> <input type="text" name="zip" size="4" maxlength="4" value="<?php echo $zip ?>"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td><input name="details" value="ok" type="submit"></td>
</tr>
</table>
</form>

<h3>Endre passord</h3>
<?php if (isset($perror)) echo $perror ?>

<form action="myPage.php" method="POST">
<table>
<tr>
<td>Eksisterende passord:</td>
<td><input type="password" name="passwd0" size="12" maxlength="25"> *</td>
</tr>
<tr>
<td>Nytt passord: </td>
<td><input type="password" name="passwd1" size="12" maxlength="25"> *</td>
</tr>
<tr>
<td>Nytt passord igjen: </td>
<td><input type="password" name="passwd2" size="12" maxlength="25"> *</td>
</tr>
<tr>
<td>&nbsp;</td>
<td><input name="passwd" value="ok" type="submit"></td>
</tr>
</table>
</form>
</body>
</html>
<?php }?>
```

Thu May 13 12:29:29 2004

newMessage.php

Page 1

```
<?php
session_start();
$Vincludepath = "include/";
//include ($Vincludepath."var.php");
if (!isset($_SESSION)){
    $_SESSION["login"] = false;
}
include ($Vincludepath."mysql.php");
if ($_GET['do']=="logout"){
    $logout_message = "Du er n&aring; logget ut";
    session_destroy();
    $_SESSION["login"] = false;
}//if logout
if ($_SESSION["login"]!=true){
    header("Location: index.php?logout_message=Du%20er%20ikke%20logget%20inn");
}
else{
    $id = $_SESSION['id'];
    $user = $_SESSION['user'];
    $to = $_GET['to'];
    $message = $_GET['message'];
    if (isset($_GET['new'])){
        if (strlen($_GET['message'])<1){
            $error .= "<li>Du m&aring; skrive en melding for &aring; kunne sende en melding!
</li>";
        }
        $sqlquery = "select id from User where userName= '$to'";
        $result = mysql_query($sqlquery);
        if (!$result) {
            $error .= "<li> Fant trolig ikke $to i databasen. Melding fra databasen: '".mysql_error()."";
            '$sqlqry'</li>";
        }
        else if (mysql_numrows($result)<1)
            $error .= "<li> Fant ikke $to i databasen.</li>";

        if (!isset($error)){
            $toId = mysql_result($result,0,"id");
            $time = time()*1000;
            $insertquery = "INSERT INTO Message (fromId, toId, message, sendtWhen) VALUES ($id,
            $toId, '$message', $time)";
            $result = mysql_query($insertquery);
            if (!$result) {
                $error .= "<li>".mysql_error()."</li>";
            }
            else{
                $_GET['to'] = "";
                $_GET['message'] = "";
            }
        }
    }
}
```

Thu May 13 12:29:29 2004

newMessage.php

Page

```
    }
}

if (isset($error)){
    $error = "<ul style=\"background-color: red;\">".$error."</ul>";
}

?>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<link rel="stylesheet" type="text/css" href="gm.css">
<title>Gratismelding</title>
</head>

<body>
<h1>Gratismelding</h1>
<table cellpadding="0" cellspacing="0" border="0" width="100%"><tr>
<td width="10%" align="center"><?php echo $_SESSION['user']?>: </td>
<td width="10%" align="center"><a href="messages.php" >Innboks</a></td>
<td width="10%" align="center"><a href="messages.php?box=out" >Utboks</a></td>
<td width="10%" align="center" bgcolor="#242363">Ny Melding</td>
<td width="10%" align="center"><a href="myPage.php" >Min Side</a></td>
<td width="40%">&ampnbsp</td>
<td width="10%" align="right"><a href="index.php?do=logout" >Logg ut</a></td>
</tr><tr><td colspan="7" bgcolor="#242363">&ampnbsp</td></tr></table>

<?php if (isset($error))echo $error ?>

<h3>Skriv ny melding</h3>
<form action="newMessage.php" method="GET">
<table>
<tr>
<td>Til telefonnummer:</td>
<td><input type="text" name="to" size="8" maxlength="8" value="<?php echo $_GET['to'] ?>"></td>
</tr>
<tr>
<td valign="top">Melding: </td>
<td>
<textarea name="message" rows="10" cols="30"><?php echo $_GET['message'] ?></textarea></td>
</tr>
<tr>
<td>&ampnbsp</td>
<td><input name="new" value="ok" type="submit"></td>
</tr>
```

Thu May 13 12:29:29 2004

newMessage.php

Page 3

```
</table>
</form>
</body>
</html>
<?php }?>
```

```
<?php  
  
mysql_connect("localhost","skabb","pukkverk")  
or die("<br> Kan ikke koble seg mot databasen!");  
@mysql_select_db("gratismeldinger")  
or die("<br>Kan ikke koble seg mot databasen!");  
?>
```