

Obligatory assignment 1 in TEK5010 Multiagent systems 2020

Report delivery date October 6 by e-mail to hjmoen@its.uio.no.

The report should contain answers to all the questions, include discussions on simulation results in the form of graphs, tables or figures, and an appendix with the simulation program code. The report should be delivered as a pdf file. You can use any programming language of your choosing for this oblig.

Search and task allocation in multiagent systems: Swarm intelligence

Background:

In the obligatory assignments in this course we are going to explore Search and Task Allocation (STA) problems in multiagent systems (MAS). STA problems are considered a general class of problems in MAS and many real-world problems could be formulated as a STA problem. See Ijspeert et al. for an example of STA modelling in swarm robotics [1].

In the first oblig we are going to study STA in relation to reactive agents, i.e. swarm intelligence, and in the second oblig we are going to employ strategic agents, i.e. game theory, for solving the same STA problem. The goal is to analyze how these two MAS concepts differ and to understand when it is appropriate to employ the different algorithms under varying STA conditions. The main focus will be to analyze how the agents' ability to share information affects system performance in STA problems.

Definition of the search and task allocation problem:

The *search area* A is a bounded square spanned by the two points $(0, 0)$ and $(1000, 1000)$.

The *tasks* T are randomly distributed over the search area. As soon as a task is completed a new task is spawned at a random position in the search area. The tasks have a task capacity T_c indicating how many agents that are required to solve a task, e.g. $T_c=3$ means that 3 agents are required to solve the task. The task is automatically completed if T_c agents are within the task radius T_r .

The *agents* R move randomly around the search area at a speed R_v . When an agent is inside the task radius T_r of a task, the agent will stop and wait for other agents to complete the task. The agent could also call for help by engaging in communication with nearby agents. The communication distance R_d determines the information sharing process between agents, e.g. $R_d=250$ means that any agent that is within distance of less than 250 from the agent will hear the communication signal. The information communicated and corresponding response will depend on the STA condition and choice of MAS algorithm employed.

Questions:

a) Could you simulate one agent $R=1$ moving around at speed $Rv=25$ per iteration solving one task with a capacity of $Tc=1$ and task radius $Tr=50$? What would be a good model for moving the agents randomly around the search area? Could you plot how many tasks the agent solve per time when a new task is spawned every time a task is completed? Is this a good measure for assessing performance in the STA problem?

b) Could you plot the performance as a function of added agents, say for $R=3, 5, 10, 20$ and 30 ?

c) Now, repeat the simulations using task capacity $Tc=3$ and plot the performance as a function of number of agents.

d) What happens if we increase the number of tasks to be completed, say $T=2, 10$ and 20 ?

Discuss how many iterations you have to simulate to get into steady-state. And also, how many simulations do you need to repeat to get a good statistical estimation of the average performance? This case of no communication among the agents could be considered the 'random' benchmark for the STA problem.

e) 'Call-out' is a basic swarm intelligence method for signaling nearby agents of need for assistance [2].

An agent that detects a task emits a simple unmodulated signal that is picked up by other agents in close proximity. The nearby agents would then reactively respond to the signal by moving in the signal direction until task is reached or helping agent have moved out of the search area. This is typically modeled by a timer Rt which releases the agent into search modus when completed.

Could you simulate and plot the system performance as a function of communication distance $Rd=0, 100, 200, 300, 400, 600, 1000$ and 1400 when using 'call-out'? Assume $T=2, Tr=50, Tc=3, R=30$ and $Rt=60$ iterations. Comment on your findings.

f) 'Call-off' is an altered 'call-out' by including a call-off signal to all nearby agents when task is complete, whereby releasing all committed agents into search modus again. Simulate and plot the same setting as in e) but with 'call-off' implemented. Comment on your findings again.

References

[1] Auke Jan Ijspeert, Alcherio Martinoli, Aude Billard and Luca Maria Gambardella, "Collaboration through the exploitation of local interactions in autonomous collective robotics: the stick pulling experiment", *Autonomous Robots* 11, 149–171, 2001. <https://doi.org/10.1023/A:1011227210047> or <http://people.idsia.ch/~luca/AR2001.pdf>

[2] Jørgen Nordmoen, "Detecting a hidden radio frequency transmitter in noise based on amplitude using swarm intelligence", Msc, NTNU, 2014.