Aim of the course:

 Provide an introduction to the most common probabilistic models for time series and explain how they are estimated.
With reference to the textbook Time Series Ananlysis and Its Applications by Robert Shumwayn and David Stoffer we consider

Aim of the course:

 Provide an introduction to the most common probabilistic models for time series and explain how they are estimated.
With reference to the textbook Time Series Ananlysis and Its Applications by Robert Shumwayn and David Stoffer we consider

◆□> ◆□> ◆目> ◆目> ◆目> 目 のへで

Regression models, chapter 2

Aim of the course:

 Provide an introduction to the most common probabilistic models for time series and explain how they are estimated.
With reference to the textbook Time Series Ananlysis and Its Applications by Robert Shumwayn and David Stoffer we consider

- Regression models, chapter 2
- ARMA/ARIMA models, chapter 3

Aim of the course:

 Provide an introduction to the most common probabilistic models for time series and explain how they are estimated.
With reference to the textbook Time Series Ananlysis and Its Applications by Robert Shumwayn and David Stoffer we consider

- Regression models, chapter 2
- ARMA/ARIMA models, chapter 3
- Spectral analysis, chapter 4

Aim of the course:

 Provide an introduction to the most common probabilistic models for time series and explain how they are estimated.
With reference to the textbook Time Series Ananlysis and Its Applications by Robert Shumwayn and David Stoffer we consider

- Regression models, chapter 2
- ARMA/ARIMA models, chapter 3
- Spectral analysis, chapter 4
- State space models, chapter 6

Aim of the course:

 Provide an introduction to the most common probabilistic models for time series and explain how they are estimated.
With reference to the textbook Time Series Ananlysis and Its Applications by Robert Shumwayn and David Stoffer we consider

◆□▶ ◆□▶ ◆□▶ ◆□▶ ● □

- Regression models, chapter 2
- ARMA/ARIMA models, chapter 3
- Spectral analysis, chapter 4
- State space models, chapter 6
- Additional topics ?, chapter 5

Aim of the course:

- Provide an introduction to the most common probabilistic models for time series and explain how they are estimated.
 With reference to the textbook Time Series Ananlysis and Its Applications by Robert Shumwayn and David Stoffer we consider
 - Regression models, chapter 2
 - ARMA/ARIMA models, chapter 3
 - Spectral analysis, chapter 4
 - State space models, chapter 6
 - Additional topics ?, chapter 5
- Demonstration how the statistical software package R can be used to analyze such series, in particular the package developed for the text, astsa

• Some examples of actual time series, $\{x_t\}, t = 1, \dots n$



- Some examples of actual time series, $\{x_t\}, t = 1, \dots n$
- Some examples of time series models, $\{X_t\}, t = 1, \dots, P_{\theta}(X_{i_1} \le x_{i_1}, \dots, X_{i_k} \le x_{i_k}) i_1 < \dots i_k$

《曰》 《聞》 《臣》 《臣》 三臣 --

- Some examples of actual time series, $\{x_t\}, t = 1, \dots n$
- Some examples of time series models, $\{X_t\}, t = 1, \dots, n, P_{\theta}(X_{i_1} \le x_{i_1}, \dots, X_{i_k} \le x_{i_k}) i_1 < \dots i_k$

◆□> ◆□> ◆目> ◆目> ◆目> 目 のへで

Measuring autocorrelation / cross correlation

- Some examples of actual time series, $\{x_t\}, t = 1, \dots n$
- Some examples of time series models, $\{X_t\}, t = 1, \dots, n, P_{\theta}(X_{i_1} \le x_{i_1}, \dots, X_{i_k} \le x_{i_k}) i_1 < \dots i_k$

- Measuring autocorrelation/ cross correlation
- Modelling correlation

- Some examples of actual time series, $\{x_t\}, t = 1, \dots n$
- Some examples of time series models, $\{X_t\}, t = 1, \dots, n, P_{\theta}(X_{i_1} \le x_{i_1}, \dots, X_{i_k} \le x_{i_k}) i_1 < \dots i_k$

- Measuring autocorrelation / cross correlation
- Modelling correlation
- Estimating correlation

In most situations we will consider there are no replications

- In most situations we will consider there are no replications
- When time series is collected at discrete points of contious series it is important to use an appropriate sampling rate.

- In most situations we will consider there are no replications
- When time series is collected at discrete points of contious series it is important to use an appropriate sampling rate.
- Two basic approaches



- In most situations we will consider there are no replications
- When time series is collected at discrete points of contious series it is important to use an appropriate sampling rate.
- Two basic approaches
 - In time domain analysis the dependence is explained in terms of past and present observations.

< ロ > (四 > (四 > (三 > (三 >))) (三 =)

- In most situations we will consider there are no replications
- When time series is collected at discrete points of contious series it is important to use an appropriate sampling rate.
- Two basic approaches
 - In time domain analysis the dependence is explained in terms of past and present observations.
 - In frequency domain analysis the focus is on discovering periodic and systematic variation. This is done by combining sinusoidal variation at different frequencies

- In most situations we will consider there are no replications
- When time series is collected at discrete points of contious series it is important to use an appropriate sampling rate.
- Two basic approaches
 - In time domain analysis the dependence is explained in terms of past and present observations.
 - In frequency domain analysis the focus is on discovering periodic and systematic variation. This is done by combining sinusoidal variation at different frequencies

◆□> ◆□> ◆目> ◆目> ◆目> 目 のへで

But

- In most situations we will consider there are no replications
- When time series is collected at discrete points of contious series it is important to use an appropriate sampling rate.
- Two basic approaches
 - In time domain analysis the dependence is explained in terms of past and present observations.
 - In frequency domain analysis the focus is on discovering periodic and systematic variation. This is done by combining sinusoidal variation at different frequencies

◆□> ◆□> ◆目> ◆目> ◆目> 目 のへで

But

 The two approaches, time- and frequency domain are complementary

- In most situations we will consider there are no replications
- When time series is collected at discrete points of contious series it is important to use an appropriate sampling rate.
- Two basic approaches
 - In time domain analysis the dependence is explained in terms of past and present observations.
 - In frequency domain analysis the focus is on discovering periodic and systematic variation. This is done by combining sinusoidal variation at different frequencies

But

- The two approaches, time- and frequency domain are complementary
- Other methods exists for special models