

## Noen aktuelle formler

### Derivasjonsregler

**Spesielle:**  $(x^n)' = nx^{n-1}$   
 $(a^x)' = a^x \ln a$  spesielt  $(e^x)' = e^x$   
 $(\ln x)' = \frac{1}{x}$   
 $(\sin x)' = \cos x$   $(\cos x)' = -\sin x$   
 $(\tan x)' = \frac{1}{\cos^2 x} = 1 + \tan^2 x$   $(\cot x)' = -\frac{1}{\sin^2 x}$

**Generelle:**  $(f(x) + g(x))' = f'(x) + g'(x)$   
 $(f(x) \cdot g(x))' = f(x) \cdot g'(x) + f'(x) \cdot g(x)$   
 $(\frac{f(x)}{g(x)})' = \frac{g(x) \cdot f'(x) - f(x) \cdot g'(x)}{g(x)^2}$   
 $(f(g(x)))' = f'(g(x)) \cdot g'(x)$

### Spesielle funksjoner

**Eksponensialfunksj.:**  $a^x a^y = a^{x+y}$   $\frac{a^x}{a^y} = a^{x-y}$   $a^{-x} = \frac{1}{a^x}$   $(a^x)^y = a^{xy}$

**Logaritmer:**  $\ln(xy) = \ln x + \ln y$   $\ln(\frac{x}{y}) = \ln x - \ln y$   
 $\ln \frac{1}{x} = -\ln x$   $\ln(x^a) = a \ln x$

**Trigonometriske:**  $\sin^2 x + \cos^2 x = 1$   
 $\sin(x+y) = \sin x \cos y + \cos x \sin y$   
 $\cos(x+y) = \cos x \cos y - \sin x \sin y$   
 $\sin 2x = 2 \sin x \cos x$   $\cos 2x = \cos^2 x - \sin^2 x$   
 $\sin^2 x = \frac{1}{2}(1 - \cos 2x)$   $\cos^2 x = \frac{1}{2}(1 + \cos 2x)$

**Eksakte verdier:**

$v$	0	$\pi/6$	$\pi/4$	$\pi/3$	$\pi/2$
$\sin v$	0	1/2	$\sqrt{2}/2$	$\sqrt{3}/2$	1
$\cos v$	1	$\sqrt{3}/2$	$\sqrt{2}/2$	1/2	0
$\tan v$	0	$\sqrt{3}/3$	1	$\sqrt{3}$	-

### Integrasjonsregler

**Spesielle:**  $\int x^n dx = \frac{1}{n+1} x^{n+1} + C$   $n \neq -1$   $\int \frac{1}{x} dx = \ln x + C$ ,  $x > 0$   
 $\int a^x dx = \frac{1}{\ln a} a^x + C$  spesielt  $\int e^x dx = e^x + C$   
 $\int \sin x dx = -\cos x + C$   $\int \cos x dx = \sin x + C$

**Generelle:**  $\int f(x) + g(x) dx = \int f(x) dx + \int g(x) dx$   
 $\int f(x)g'(x) dx = f(x)g(x) - \int f'(x)g(x) dx$   
 $\int f'(g(x))g'(x) dx = f(g(x)) + C$

**Bestemte integraler:**  $\int_a^c f(x) dx = \int_a^b f(x) dx + \int_b^c f(x) dx$   
 $\int_a^b f(x) dx = -\int_b^a f(x) dx$

## Differens- og differensialligninger

**Første ordens differensialligning,  $y' + f(x)y = g(x)$ :**

$$y(x) = e^{-\int f dx} \int e^{\int f dx} g(x) dx$$

**Andre ordens differensialligning,  $y'' + py' + qy = 0$ :**

$$y(x) = \begin{cases} Ce^{r_1x} + De^{r_2x} & \text{hvis to reelle røtter } r_1 \neq r_2 \\ Ce^{rx} + Dxe^{rx} & \text{hvis én reell rot } r \\ Ce^{ax} \cos(bx) + De^{ax} \sin(bx) & \text{hvis to komplekse røtter } r = a \pm ib \end{cases}$$

**Første ordens homogen differenslikning;**

$$x_n - kx_{n-1} = 0 : \quad x_n = Ck^n$$

**Andre ordens homogen differenslikning;**

$$x_{n+2} + bx_{n+1} + cx_n = 0, \quad \text{karakteristisk polynom: } r^2 + br + c,$$
$$x_n = \begin{cases} Cr_1^n + Dr_2^n & \text{hvis to reelle røtter } r_1 \neq r_2 \\ Cr^n + Dnr^n & \text{hvis én reell rot } r \\ C\rho^n \cos(n\theta) + D\rho^n \sin(n\theta) & \text{hvis to komplekse røtter } r = \rho e^{\pm i\theta} \end{cases}$$

## Matriseregning og komplekse tall

**Komplekse tall:**

$$z = a + ib = r(\cos \theta + i \sin \theta) = re^{i\theta}, \quad r = \sqrt{a^2 + b^2}$$

$$\text{Realdel: } \operatorname{Re}(z) = a, \quad \text{Imaginærdel: } \operatorname{Im}(z) = b$$

$$\text{Kompleks konjugert: } \bar{z} = a - ib = re^{-i\theta}$$

$$\text{De Moivres formel: } (\cos \theta + i \sin \theta)^n = \cos(n\theta) + i \sin(n\theta)$$

**Matriseprodukt:**

$$(x_{ij}) \cdot (y_{ij}) = (z_{ij}), \quad z_{ij} = \sum_{k=1}^n x_{ik}y_{kj}$$

$$\text{Determinanter: } \begin{vmatrix} a & b \\ c & d \end{vmatrix} = ad - bc$$

$$\begin{vmatrix} a_1 & a_2 & a_3 \\ b_1 & b_2 & b_3 \\ c_1 & c_2 & c_3 \end{vmatrix} = a_1b_2c_3 + a_2b_3c_1 + a_3b_1c_2 - a_1b_3c_2 - a_2b_1c_3 - a_3b_2c_1$$

$$\det(AB) = \det(A) \det(B), \quad \det(A^{-1}) = \frac{1}{\det(A)}, \quad \det(A^T) = \det(A)$$