|   | Neonatal  | 6 weeks  | 3 months                                     | 6 months   | 8 months                                     | 1 year                                       | 18 months                                    | 2-3 years                                    |
|---|---|--|--|--|--|--|--|--|
| Skin  | Birth marks, cyanosis, jaundice   | Jaundice, atopy,<br>skin diseases in<br>family                         |  |  |  |  |  | Possible eczema, atopy                       |
| Eyes  | External eye,<br>surroundings,<br>red reflex                            | Red reflex,<br>strabismus<br>(inspection)                              | Follows objects with the eyes (A)            | Strabismus<br>(light reflex<br>examination),<br>Does the child<br>see? (A) | Does the child<br>see? (A)                   | Strabismus, Does<br>the child see? (A)       | Strabismus, Does<br>the child see? (A)       | Strabismus                                   |
| Ears  | Consideration of risk,<br>hearing, malformations                        | Reaction to sound (A)  | Hearing (A)                                  | Hearing (A)<br>(direction<br>oriented)                                     | Test of hearing + A                          | Otitis/hearing (A)                           | Otitis/hearing (A)                           | Otitis/hearing (A)                           |
| Mouth   | Cleft palate,<br>suction reflex (A)                                     |  |  |  |  |  |  | Teeth  |
| Neck/chest                                    | Malformations,<br>asymmetry, m. st.cl                                   | Torticollis  |  |  |  |  |  |  |
| Heart   | Auscultation,<br>cardial symptoms (A)                                   | Auscultation,<br>Cyanosis,<br>Fatigue (A)                              |  | Auscultation + A   |  | Auscultation + A                             |  |  |
| Lungs   | Ascultation, tachypnea  | Tachypnea<br>(inspection + A)  |  |  |  | A. obstructive bronchitis?                   |  | A. obstructive bronchitis?                   |
| GI-tract                                      | Palpation,<br>anal sphincter  | -  |  |  |  |  |  |  |
| Urogenital tract                              | Testes<br>(urethral opening in<br>boys)                                 | Testes   |  |  |  | Testes                                       |  |  |
| Back/head                                     | Head circumference/<br>fontanelle,<br>back asymmetry,<br>sacral fistula | Head circumference/ fontanelle   | Head<br>circumference                        | Head<br>circumference  | Head<br>circumference                        | Head<br>circumference                        |  |  |
| Hips/extremites                               | Risk factors?<br>Ortolani-Barlow x 2,<br>foot deformities               | Hip abduction,<br>foot position,<br>moves arms/legs                    | Hip abduction                                | Hips   |  | Hips   |  | Walks without a limp?                        |
| Development,<br>contact ability,<br>behaviour | Contact ability (A),<br>spontaneous<br>movements prone and<br>supine    | Eye contact (A),<br>the parent's<br>understanding,<br>movement/contact | The parent's understanding, movement/contact | The parent's understanding, movement/contact                               | The parent's understanding, movement/contact | The parent's understanding, movement/contact | The parent's understanding, movement/contact | The parent's understanding, movement/contact |
| Length/weight Lab tests                       | L/W<br>Phenylketonuria, TSH   | W/(L)  |  | L/(W)  |  | (L/W) Hb, liberal indication                 | Height/(W)                                   | A. Cholesterol                               |